



**GOLD KIDNEY HEALTH PLAN**

# Gold Kidney Health Plan 2025 Formulary

## List of Covered Drugs or “Drug List”

### PLEASE READ

This document contains information about the drugs we cover in this plan.

Formulary ID: 25318

H4869-005 Gold Kidney of Arizona Gold Advantage (HMO-POS)

This formulary was updated on 04/25/2025. For more recent information or other questions, please contact Gold Kidney Health Plan Member Services at 1 (844) 294-6535 (TTY users should call 711). Our office hours are 8 a.m. to 8 p.m., local time, 7 days a week from October 1 – March 31 (except holidays), and 8 a.m. to 8 p.m., local time, Monday through Friday, April 1 – September 30 (except holidays), or visit [www.goldkidney.com](http://www.goldkidney.com).

Note to existing members – This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Gold Kidney Health Plan. When it refers to “plan” or “our plan,” it means Gold Kidney Health Plan.

This document includes Drug List (formulary) for our plan which is current as of 04/25/2025. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

## What is the Gold Kidney Health Plan Formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Gold Kidney Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Gold Kidney Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Gold Kidney Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary change?

Most changes in drug coverage happen on January 1, but Gold Kidney Health Plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year – In the below cases, you will be affected by coverage changes during the year:

- ✓ Immediate substitutions of certain new versions of brand name drugs and biological products. We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand-name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

- If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Gold Kidney Health Plan’s Formulary?”
- Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

✓ Drugs removed from the market. If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.

✓ Other changes. We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

- If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Gold Kidney Health Plan’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 04/25/2025. To get updated information about the drugs covered by Gold Kidney Health Plan please contact us. Our contact information appears on the front and back cover pages. If non-maintenance changes are made to the formulary during the plan year, changes to the Gold Kidney Health Plan formulary are posted on our website at [www.goldkidney.com](http://www.goldkidney.com).

## How do I use the formulary?

There are two ways to find your drug within the formulary:

### MEDICAL CONDITION

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### ALPHABETICAL LISTING

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Gold Kidney Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

## What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- ✓ For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered."

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- ✓ **Prior Authorization.** Gold Kidney Health Plan requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from Gold Kidney Health Plan before you fill your prescriptions. If you don't get approval, Gold Kidney Health Plan may not cover the drug.
- ✓ **Quantity Limits.** For certain drugs, Gold Kidney Health Plan limits the amount of the drug that Gold Kidney Health Plan will cover. For example, Gold Kidney Health Plan provides 30 per prescription for Farxiga 10mg tablets. This may be in addition to a standard one-month or three-month supply.
- ✓ **Step Therapy.** In some cases, Gold Kidney Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Gold Kidney Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Gold Kidney Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Gold Kidney Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Gold Kidney Health Plan's formulary?" on page vi for information about how to request an exception.

## What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Gold Kidney Health Plan does not cover your drug, you have two options:

- ✓ You can ask Member Services for a list of similar drugs that are covered by Gold Kidney Health Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Gold Kidney Health Plan.
- ✓ You can ask Gold Kidney Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Gold Kidney Health Plan's formulary?

You can ask Gold Kidney Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- ✓ You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- ✓ You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- ✓ You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Gold Kidney Health Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Gold Kidney Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or additional utilization restrictions would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask us for an initial coverage decision for a tiering or formulary exception, including an exception to a coverage restriction. When you request an exception, your prescriber will need to explain the medical reasons why you need the exception. Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) exception if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

## What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care (LTC) facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For members with a level-of-care change, we provide an emergency 30-day supply as follows:

- ✓ Current members that need a one-time emergency fill or that are prescribed a non-formulary drug as a result of a level-of-care change can be placed in transition through a pharmacy submitted clarification code. Gold Kidney Health Plan has authorized its Pharmacy Benefit Manager to process a one-time fill in this situation through a manual override at the pharmacy point-of-sale.
- ✓ When a new claim transaction is received from the pharmacy for a member's admission or readmission into a long-term care (LTC) facility, our claims system will recognize the current member as being eligible to receive transition supplies and will apply the point-of-sale approval.

## For more information

For more detailed information about your Gold Kidney Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials. If you have questions about Gold Kidney Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Gold Kidney Health Plan

# Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Gold Kidney Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., FARXIGA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if Gold Kidney Health Plan has any special requirements for coverage of your drug.



## Drug List Legend

REQUIREMENTS SYMBOL	NAME	DESCRIPTION
BvD	Medicare Part B vs. Medicare Part D	Some drugs may require Part B or Part D coverage determination, based on Medicare coverage rules.
EX	Excluded Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.
LA	Limited Access	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Member Services at 1 (844) 294-6535 (TTY: 711), 8 a.m. to 8 p.m., seven days a week, from October 1 through March 31 (except holidays), and 8 a.m. to 8 p.m., weekdays, from April 1 through September 30 (except holidays), or visit <a href="http://goldkidney.com">goldkidney.com</a> .
NDS	Non-Extended Days Supply	This drug can only be obtained for a one-month supply or less.
NM	Not Available by Mail	This drug is not available through the mail order pharmacy.
NSO	New Start Only	If you have not taken this drug before you or your physician are required to get prior authorization.
PA	Prior Authorization	Coverage for this prescription requires prior authorization.
QL	Quantity Limit	This medication has a dosing or prescription quantity limit.
ST	Step Therapy	Coverage for this prescription is provided when other first-line or preferred drug therapies have been tried.

## 2025 Dosage Form Abbreviations

Dosage Form Abbreviation	Definition
8 hr	8 hour
12 hr	12 hour
24 hr	24 hour
72 hr	72 hour
act	activated
aero	aerosol
admin	administration
ampul	ampule
app	applicator
appl	applicator
auto	automatic
cap	capsule
chew	chewable
CT	count
comb	combo
del	delayed
delayed	delayed
disinteg	disintegrating
disintegrat	disintegrating
dose	dosage
DR	delayed release
EC	Enteric-Coated
emolnt	emollient
ENFit	enteral feeding connector
er	extended release
ER	extended release
ext	extended
extnd	extended
extend	extended
gast	gastric

Dosage Form Abbreviation	Definition
HFA	hydrofluoroalkane
hi	high
IR	immediate release
liqd	liquid
loz	lozenge
lo	low
lozeng	lozenge
mini lozenge	miniature lozenge
misc	miscellaneous
MP	Metered Pump
muco	mucous
pak	packet
Pack	packet
PCA	Patient Controlled Administration
pell	pellet
pk	package
Powdr	powder
pt	patient
recon	reconstituted
rel	release
releas	release
soln	solution
sprinkl	sprinkle
susp	suspension
suspen	suspension
syring	syringe
tab	tablet
TD	transdermal
var	variable
w/	with

## Drug Cost Shares

H4869-005 Gold Kidney of Arizona Gold Advantage (HMO-POS)

### Initial Coverage

You stay in the Initial Coverage Stage until you have paid \$2,000 out of pocket for Part D drugs, you will move to the next stage (the Catastrophic Coverage Stage).

Deductible	Pharmacy Type/Days Supply	Tier 1 Preferred Generic	Tier 2 Generics (Includes insulins)	Tier 3 Preferred Brand (Includes insulins)	Tier 4 Non-Preferred Brand	Tier 5 Specialty Tier
\$0	Standard Retail 30-day supply	\$0	\$5	\$47	\$100	33%
	Long-term Care 31-day supply	\$0	\$5	\$47	\$100	33%
	Out-of-network 30-day supply	\$0	\$5	\$47	\$100	33%
\$0	Insulins	N/A	\$5	\$35	N/A	N/A
	Retail 100-day supply	\$0	\$12	\$117	\$250	N/A
\$0	Insulins	N/A	\$12	\$105	N/A	N/A
	Mail order 100-day supply	\$0	\$5	\$40	\$250	N/A
\$0	Insulins	N/A	\$12	\$105	N/A	N/A

### Catastrophic Coverage Stage

You enter the Catastrophic Coverage Stage when your out-of-pocket costs have reached the \$2,000 limit for the calendar year. Once you are in the Catastrophic Coverage Stage, you will stay in this payment stage until the end of the calendar year. During this stage, you pay nothing for Part D drugs.

## Notice of Non-Discrimination

Gold Kidney Health Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex (including pregnancy, sexual orientation, and gender identity). Gold Kidney Health Plan does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex (including pregnancy, sexual orientation, and gender identity).

### **GOLD KIDNEY HEALTH PLAN**

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact Customer Service at 1 (844) 294-6535 (TTY 711)

If you believe that Gold Kidney Health Plan has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex (including pregnancy, sexual orientation, and gender identity), you can file a grievance with:

Gold Kidney Health Plan — Appeals & Grievances  
P.O. Box 285, Portsmouth, NH, 03802  
1 (844) 294-6535 (TTY 711)

Fax: 1 (866) 515-7869

Attention: Gold Kidney Appeals & Grievances Department

You can file a grievance in person, by mail, or fax. If you need help filing a grievance, call 1 (844) 294-6535 (TTY 711).

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1 (800) 368-1019, 1 (800) 537-7697 (TDD)

Complaint forms are available at <https://www.hhs.gov/ocr/index.html>

## Multi-Language Insert Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at **1 (844) 294-6535**. Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al **1 (844) 294-6535**. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费~~的~~翻译服务, 帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务, 请致电 **1 (844) 294-6535**。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問, 為此我們提供免費的翻譯服務。如需翻譯服務, 請致電 **1 (844) 294-6535**。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasalang-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasalang-wika, tawagan lamang kami sa **1 (844) 294-6535**. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au **1 (844) 294-6535**. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi **1 (844) 294-6535** sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí .

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter **1 (844) 294-6535**. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 **1 (844) 294-6535** 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону **1 (844) 294-6535**. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على **1 (844) 294-6535**. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें **1 (844) 294-6535** पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero **1 (844) 294-6535**. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número **1 (844) 294-6535**. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan **1 (844) 294-6535**. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer **1 (844) 294-6535**. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするため、無料の通訳サービスがあります。通訳をご用命になるには、**1 (844) 294-6535** にお電話ください。日本語を話す人者が支援いたします。これは無料のサービスです。

## Table of Contents

<b>Analgesics</b> .....	3
<b>Anesthetics</b> .....	7
<b>Anti-Addiction/Substance Abuse Treatment Agents</b> .....	8
<b>Antianxiety Agents</b> .....	9
<b>Antibacterials</b> .....	10
<b>Anticancer Agents</b> .....	18
<b>Anticonvulsants</b> .....	36
<b>Antidementia Agents</b> .....	41
<b>Antidepressants</b> .....	42
<b>Antidiabetic Agents</b> .....	46
<b>Antifungals</b> .....	51
<b>Antigout Agents</b> .....	53
<b>Antihistamines</b> .....	53
<b>Anti-Infectives (Skin And Mucous Membrane)</b> .....	54
<b>Antimigraine Agents</b> .....	54
<b>Antimycobacterials</b> .....	56
<b>Antinausea Agents</b> .....	56
<b>Antiparasite Agents</b> .....	57
<b>Antiparkinsonian Agents</b> .....	58
<b>Antipsychotic Agents</b> .....	60
<b>Antivirals (Systemic)</b> .....	67
<b>Blood Products/Modifiers/Volume Expanders</b> .....	73
<b>Caloric Agents</b> .....	76
<b>Cardiovascular Agents</b> .....	78
<b>Central Nervous System Agents</b> .....	89
<b>Contraceptives</b> .....	94

<b>Dental And Oral Agents</b> .....	104
<b>Dermatological Agents</b> .....	105
<b>Devices</b> .....	110
<b>Enzyme Cofactors/Chaperones</b> .....	154
<b>Enzyme Replacement/Modifiers</b> .....	154
<b>Eye, Ear, Nose, Throat Agents</b> .....	156
<b>Gastrointestinal Agents</b> .....	160
<b>Genitourinary Agents</b> .....	164
<b>Heavy Metal Antagonists</b> .....	165
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b> .....	165
<b>Immunological Agents</b> .....	171
<b>Inflammatory Bowel Disease Agents</b> .....	184
<b>Metabolic Bone Disease Agents</b> .....	184
<b>Miscellaneous Therapeutic Agents</b> .....	186
<b>Ophthalmic Agents</b> .....	188
<b>Replacement Preparations</b> .....	189
<b>Respiratory Tract Agents</b> .....	191
<b>Skeletal Muscle Relaxants</b> .....	195
<b>Sleep Disorder Agents</b> .....	196
<b>Vasodilating Agents</b> .....	196
<b>Vitamins And Minerals</b> .....	197



Drug Name	Drug Tier	Requirements/Limits	
<b>Analgesics</b>			
<b>Analgesics, Miscellaneous</b>			
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	QL (4500 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	QL (360 per 30 days)	
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)	
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	QL (180 per 30 days)
<i>buprenorphine transdermal patch</i> weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	(Butrans)	2	QL (4 per 28 days)
<i>butalbital-acetaminop-caff-cod oral capsule</i> 50-300-40-30 mg	(Fioricet with Codeine)	2	QL (180 per 30 days)
<i>butalbital-acetaminop-caff-cod oral capsule</i> 50-325-40-30 mg		2	QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet</i> 50-325 mg	(Tencon)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-300-40 mg	(Fioricet)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg		2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg		2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg		2	QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol</i> 10 mg/ml		2	QL (5 per 28 days)
<i>codeine sulfate oral tablet</i> 15 mg, 60 mg		4	QL (180 per 30 days)
<i>codeine sulfate oral tablet</i> 30 mg		2	QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg	(Ascomp with Codeine)	2	QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg	(oxycodone-acetaminophen)	2	QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	2	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	QL (10 per 30 days)
<i>fioricet oral capsule 50-300-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
<i>ec-naproxen dr 500 mg tablet</i> (naproxen)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	
<i>indomethacin oral capsule, extended release 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	2	
<i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naproxen)	2	
<i>piroxicam oral capsule 10 mg</i>	2	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>dermacinrx lidocaine 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch, medicated 5 %</i> (DermacinRx Lidocaine)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine-prilocaine topical cream</i> 2.5-2.5 %	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive</i> (lidocaine) <i>patch,medicated 5 %</i>	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed</i> <i>release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2</i> <i>mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual</i> (Suboxone) <i>film 12-3 mg</i>	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual</i> (Suboxone) <i>film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual</i> <i>tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral</i> <i>tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500</i> <i>mg</i>	2	
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml,</i> <i>0.4 mg/ml (prefilled syringe), 1</i> <i>mg/ml</i>	2	
<i>naloxone nasal spray,non-aerosol 4</i> (Narcan) <i>mg/actuation</i>	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	
NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>amikacin injection solution 500 mg/2 ml</i>	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
<b>Antibacterials, Miscellaneous</b>		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	2	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml (Firvanq)</i>	2	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefactor oral capsule 250 mg, 500 mg</i>	2	
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>naftillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
<b>Quinolones</b>		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, outer</i>	2	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml (Avelox in NaCl (iso-osmotic))</i>	2	
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml (Sulfatrim)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg</i> (Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (abiraterone)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	2	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>donepezil oral tablet, disintegrating 10 mg</i>	2	
<i>donepezil oral tablet, disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>memantine-donepezil oral capsule, sprinkle, er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)	2	ST; QL (30 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7-10 MG	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
RALDESY ORAL SOLUTION 10 MG/ML	5	PA NSO; NM; NDS; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> (70-30) (Novolog Mix 70- 30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> (70-30) (Novolog Mix 70-30 U- 100 Insuln)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i> (Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U- 100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i> (Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG- YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec) 3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide oral tablet 5 mg</i>	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	
<i>ciclopirox topical shampoo 1 %</i>	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>econazole nitrate topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan)	2	
<i>fluconazole oral tablet 150 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 165 mg</i> (Fulvicin P/G)	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	PA; NM; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NM; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg</i>	2	
<i>voriconazole oral tablet 50 mg</i> (Vfend)	2	
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
<b>Antihistamines</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral solution 2.5 mg/5 ml (Xyzal)</i>	2	
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 % (Cleocin)</i>	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)</i>	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)</i>	5	ST; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> <i>5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer,</i> (Imitrex STATdose Pen) <i>suv</i>	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol</i> <i>20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100</i> (Imitrex) <i>mg</i>	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25</i> (Imitrex) <i>mg, 50 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 6 mg/0.5 ml</i> Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose Pen) <i>pen injector 4 mg/0.5 ml</i>	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose Pen) <i>pen injector 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex) <i>solution 6 mg/0.5 ml</i>	2	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-</i> (Treximet) <i>500 mg</i>	2	QL (9 per 27 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	QL (12 per 30 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	2	
<i>entacapone oral tablet 200 mg</i>	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	4	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clozapine oral tablet,disintegrating</i> <i>100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> <i>150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> <i>200 mg</i>	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100- 20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> <i>solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution</i> <i>2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5</i> <i>mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5</i> <i>ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10</i> <i>mg, 2.5 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, (Latuda) 40 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg (Latuda)</i>	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 20 mg (Zyprexa)</i>	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 3 mg, 9 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 6 mg</i>	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vl outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i> (Rykindo)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NM; NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR (cabotegravir) SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular (Apretude) suspension,extended release 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
<b>Antivirals, Miscellaneous</b>		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
<b>Hcv Antivirals</b>		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
<b>Interferons</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NM; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NM; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	2	
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG	3	
BRILINTA ORAL TABLET 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<b>Caloric Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
<b>Angiotensin Ii Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg</i>	2	
<i>nadolol oral tablet 80 mg</i> (Corgard)	2	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<b>Calcium-Channel Blocking Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	2	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	4	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
<b>Dihydropyridines</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)</i>	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg (Caduet)</i>	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg (Caduet)</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amlodipine-atorvastatin oral tablet</i> 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule</i> 130 mg, 134 mg, 200 mg, 43 mg, 67 mg	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg</i> (Fenoglide)	2	
<i>fenofibrate oral tablet 160 mg</i>	1	
<i>fenofibrate oral tablet 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 45 mg</i> (Trilipix)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
JUXTAPID ORAL CAPSULE 10 MG, 5 MG	5	PA; NM; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NM; NDS; QL (56 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	2	ST; QL (600 per 30 days)
<b>Vasodilators</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 15 mg, 5 mg</i>	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NM; NDS
<i> fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i> glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i> glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i> glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	2	QL (30 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NM; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estradiol)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol- e.estradiol)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estradiol)	2	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg- mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog- e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg- mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg- mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG	4	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo) 2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg- 20 mcg/ 0.15 mg-25 mcg</i>	(Rivelsa) 2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg- 30 mcg (84)/10 mcg (7)</i>	(Amethia) 2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol) 2	
<i>larin 1/20 (21) oral tablet 1-20 mg- mcg</i>	(norethindrone ac-eth estradiol) 2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron) 2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron) 2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron) 2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol) 2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol) 2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estradiol triphasic) 2	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra) 2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i>	(Afirmelle) 2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Altavera (28)) 2	
<i>levonorgestrel-ethinyl estradiol oral tablet 90-20 mcg (28)</i>	(Amethyst (28)) 2	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg- 30 mcg (91)</i>	(Iclevia) 2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG	3	
<i>lillow (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>loryna (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	2	
<i>mili oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG	4	
<i>mono-linyah oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	
NEXPLANON SUBDERMAL IMPLANT 68 MG	3	
<i>nikki (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)	2	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> (Xulane)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	2	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemmily)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (Tilia Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i> (Estarylla)	2	
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nortrel 1/35 (28) oral tablet 1-35 mg- mcg</i> (norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg- mcg</i> (norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog- e.estradiol/e.estradiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog- e.estradiol/e.estradiol)	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol- e.estrad)	2	QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	4	
SLYND ORAL TABLET 4 MG (28)	4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<b>Dental And Oral Agents</b>			
<b>Dental And Oral Agents</b>			
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dentagel dental gel 1.1 %</i> (fluoride (sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)	2	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical cream 5 %</i> (Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	2	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 %(1 % base) -5 %</i> (clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i> (hydrocortisone)	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	
<i>desonide topical lotion 0.05 %</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
HYDROCORTISONE LOTION CMPLT KT 2 %	2	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	2	
HYDROCORTISONE TOPICAL LOTION 2 % (Ala-Scalp)	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.05 %, 0.1 %</i> (Tazorac)	2	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	QL (60 per 30 days)
<b>Devices</b>		
<b>Devices</b>		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVOCATE PEN NEEDLE 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32"	2	PA; ST
ADVOCATE PEN NEEDLES 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
ADVOCATE PEN NEEDLES 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
ALCOHOL 70% SWABS (Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, (alcohol swabs) MEDICATED	1	PA; ST
ALCOHOL PREP SWABS (alcohol swabs) TOPICAL PADS, MEDICATED	1	PA; ST
ALCOHOL WIPES TOPICAL (alcohol swabs) PADS, MEDICATED	1	PA; ST
AQINJECT PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
AQINJECT PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
ASSURE ID DUO PRO NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 1 ML 30 GAUGE X 1/2"	2	PA; ST
BD INS SYRNG UF 0.3 ML (insulin syringe-needle 8MMX31G 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
BD INS SYRNG UF 0.5 ML (insulin syringe-needle 8MMX31G 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle 1 ML 25 GAUGE X 5/8" u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle u-100) MICRO-FINE 1 ML 27 GAUGE X 5/8"	2	PA; ST
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML (insulin syringe needleless)	2	PA; ST
BD INSULIN SYRINGE U-500 SYRINGE 1/2 ML 31 GAUGE X 15/64" (insulin u-500 syringe-needle)	2	PA; ST
BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
BD SINGLE USE SWAB (alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, 4MM 31 GAUGE X 5/32" safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 "	1	PA; ST
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	PA; ST
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST	
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST	
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	PA; ST	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety) 2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs) 1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16		2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	PA; ST	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH LUER LOK INSUL (insulin syringe 1 ML needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	2	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	2	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE (Ultra Comfort Insulin Syringe)	2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 (insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HEALTHWISE INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	2	PA; ST
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	2	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	2	PA; ST
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Droplet Insulin Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 0.5 ML 27G 1/2" OUTER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		2	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"	2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	2	PA; ST
MAXICOMFORT II PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	PA; ST
MAXICOMFORT INS 0.5 ML (insulin syringe-needle 27GX1/2" 1/2 ML 27 GAUGE X u-100) 1/2"	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G (insulin syringe-needle 1/2 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
MAXICOMFORT INS 1 ML (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X 1/2" u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	2	PA; ST
MICRODOT PEN NEEDLE (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	PA; ST
MICRODOT PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	PA; ST
MICRODOT PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 (1st Tier Unifine GAUGE X 5/32" Pentips)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 (CareFine Pen Needle) GAUGE X 3/16"	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 (CareFine Pen Needle) GAUGE X 1/4"	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 (Comfort EZ Pen GAUGE X 5/16" Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle) GAUGE X 5/32"	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 (Comfort EZ Pen GAUGE X 3/16" Needles)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
NOVOFINE 30 NEEDLE	2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"	2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle) 30 GAUGE X 3/16"	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips NEEDLE 29 GAUGE X 1/2" Plus)	2	PA; ST
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	PA; ST
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	2	PA; ST
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	2	PA; ST
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	PA; ST
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Ultilet Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	PA; ST
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle u-100) 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE (insulin syringe-needle u-100) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE (insulin syringe-needle u-100) INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
SURE COMFORT 30G PEN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	PA; ST
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	PA; ST
SURE COMFORT INS 0.3 ML (insulin syringe-needle u-100) 31GX1/4 0.3 ML 31 GAUGE X 1/4"	2	PA; ST
SURE COMFORT INS 0.5 ML (insulin syringe-needle u-100) 31GX1/4 1/2 ML 31 GAUGE X 1/4"	2	PA; ST
SURE COMFORT INS 1 ML (insulin syringe-needle u-100) 31GX1/4" 1 ML 31 GAUGE X 1/4"	2	PA; ST
SURE COMFORT PEN NDL (pen needle, diabetic) 29GX1/2" 12.7MM 29 GAUGE X 1/2"	2	PA; ST
SURE COMFORT PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
SURE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
SURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
SURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
SURE-FINE PEN NEEDLES (pen needle, diabetic) 12.7MM 29 GAUGE X 1/2"	2	PA; ST
SURE-FINE PEN NEEDLES 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	2	PA; ST
SURE-FINE PEN NEEDLES 8MM (pen needle, diabetic) 31 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRUEPLUS SYR 0.5 ML 29GX1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 (insulin syringe-needle ML 28 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 (insulin syringe-needle ML 29 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
ULTICAR INS 0.3 ML (insulin syr/ndl u100 31GX1/4(1/2) 0.3 ML 31 GAUGE X half mark) 1/4"	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 (insulin syringe-needle ML 31 GAUGE X 1/4" u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G (Advocate Syringes) 8MM 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G (insulin syringe-needle 6MM 0.3 ML 31 GAUGE X 1/4" u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G (Advocate Syringes) 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G (insulin syringe-needle 6MM 1/2 ML 31 GAUGE X 1/4" u-100)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G (Advocate Syringes) 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
ULTICARE INS SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
ULTICARE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
ULTICARE PEN NEEDLES 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
ULTICARE PEN NEEDLES 4MM (pen needle, diabetic) 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	2	PA; ST
ULTICARE PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4"	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	PA; ST
ULTICARE SYR 0.3 ML 29G (Comfort EZ Insulin 12.7MM 0.3 ML 29 GAUGE X 1/2" Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle 0.3 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML 31 u-100) GAUGE X 5/16"	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML 31 u-100) GAUGE X 5/16"	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100) ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 ML u-100) 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE	2	PA; ST
ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic) 32 GAUGE X 5/32"	2	PA; ST
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G 1/2 u-100) ML 28 GAUGE X 1/2"	2	PA; ST
ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	PA; ST
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
<b>Enzyme Cofactors/Chaperones</b>		
<b>Enzyme Cofactors/Chaperones</b>		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NM; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol</i> (Astepro Allergy) <i>205.5 mcg (0.15 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch- Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	2	
<b>Eye, Ear, Nose, Throat Anti- Infectives Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc) 2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin) 2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox) 2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b) 2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
XDEMVI OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NM; NDS; QL (10 per 42 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) (loteprednol etabonate) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops</i> (Prolensa) 0.07 %	2	
<i>bromfenac ophthalmic (eye) drops</i> (BromSite) 0.075 %	2	
<i>bromfenac ophthalmic (eye) drops</i> 0.09 %	2	
<i>cyclosporine ophthalmic (eye) dropperette</i> (Restasis) 0.05 %	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops</i> 0.1 %	2	
<i>diclofenac sodium ophthalmic (eye) drops</i> 0.1 %	2	
<i>difluprednate ophthalmic (eye) drops</i> (Durezol) 0.05 %	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol</i> 25 mcg (0.025 %)	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops</i> 0.01 % (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension</i> 0.1 % (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops</i> 0.03 %	2	
<i>fluticasone propionate nasal spray,suspension</i> 50 mcg/actuation (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)	5	ST; NM; NDS; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	2	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
<b>Gastrointestinal Agents, Other</b>		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenoxylate-atropine oral liquid</i> 2.5-0.025 mg/5 ml	2	
<i>diphenoxylate-atropine oral tablet</i> (Lomotil) 2.5-0.025 mg	2	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
IQIRVO ORAL TABLET 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>kionex (with sorbitol) oral suspension</i> 15-19.3 gram/60 ml, 15-20 gram/60 ml	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NM; NDS
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>tropium oral capsule, extended release 24hr 60 mg</i>	2	
<i>tropium oral tablet 20 mg</i>	2	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	2	PA
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly</i> (Climara) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil</i> (Delestrogen) <i>10 mg/ml, 20 mg/ml</i>	2	
<i>estradiol valerate intramuscular oil</i> <i>40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral</i> <i>tablet 0.5-0.1 mg</i>	2	
<i>estradiol-norethindrone acet oral</i> (Mimvey) <i>tablet 1-0.5 mg</i>	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> (norethindrone ac-eth <i>1-5 mg-mcg</i> estradiol)	2	
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>lyllana transdermal patch</i> (estradiol) <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET 0.625 (conjugated estrogens) MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
<b>Pituitary</b>		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NM; NDS
<b>Progestins</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG	4	PA BvD
ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 5 MG	5	PA BvD; NM; NDS
<i>auranofin oral capsule 3 mg</i> (Ridaura)	5	NM; NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cyclosporine modified oral capsule</i> (Gengraf) <i>100 mg, 25 mg</i>	2	PA BvD
<i>cyclosporine modified oral capsule</i> <i>50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) <i>100 mg/ml</i>	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25</i> (Sandimmune) <i>mg</i>	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm) HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm) UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) PEN (adalimumab-adbm) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm) SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral (Zortress) tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml (cyclosporine modified)</i>	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)- 30 MG (47), 10 MG (4)-20 MG (4)- 30 MG(19)	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG (auranofin)	5	NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML (adalimumab-aaty)	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML (adalimumab-aaty)	5	PA; NM; NDS
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML (adalimumab-aaty)	5	PA; NM; NDS
<b>Vaccines</b>		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	2	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	2	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	5	PA; NM; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EVRYSDI ORAL TABLET 5 MG	5	PA; NM; NDS
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levocarnitine sf 1 g/10 ml sol 100 mg/ml</i> (Carnitor (sugar-free))	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NM; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NM; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	5	PA; NM; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	5	PA; NM; NDS
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	2	
<i>brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (d5 % and 0.9 % sodium chloride)	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (D5 % (d-glucose)-0.9 % sodchlr)	2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	2	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	2	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyina inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)	2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
<b>Bronchodilators</b>		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation</i> (Spiriva with <i>capsule, w/inhalation device 18 mcg</i> HandiHaler)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS

### **Skeletal Muscle Relaxants**

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	5	PA; NM; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambriasantan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal oral tablet 15 mg iron-1,000 mcg</i>	2	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>preнал true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>pretab oral tablet 29-1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	2	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<b>1</b>		
1ST TIER UNIFINE		
PENTIPS .....	110, 111	
1ST TIER UNIFINE		
PENTIPS PLUS .....	111	
<b>A</b>		
<i>abacavir</i> .....	67	
<i>abacavir-lamivudine</i> .....	67	
ABELCET .....	51	
ABILIFY ASIMTUFII .....	60	
ABILIFY MAINTENA ...	60, 61	
<i>abiraterone</i> .....	18	
<i>abirtega</i> .....	18	
ABOUTTIME PEN NEEDLE		
.....	111	
ABRYSVO (PF) .....	178	
<i>acamprosate</i> .....	8	
<i>acarbose</i> .....	46	
<i>accutane</i> .....	105	
<i>acebutolol</i> .....	81	
<i>acetaminophen-codeine</i> .....	3	
<i>acetazolamide</i> .....	188	
<i>acetazolamide sodium</i> .....	188	
<i>acetic acid</i> .....	157	
<i>acetylcysteine</i> .....	194	
<i>acitretin</i> .....	105	
ACTEMRA .....	171	
ACTEMRA ACTPEN .....	171	
ACTHAR .....	169	
ACTHAR SELFJECT .....	169	
ACTHIB (PF) .....	178	
ACTIMMUNE .....	186	
<i>acyclovir</i> .....	73, 105	
<i>acyclovir sodium</i> .....	73	
ADACEL(TDAP		
ADOLESN/ADULT)(PF)		
.....	178, 179	
<i>adapalene</i> .....	110	
<i>adefovir</i> .....	73	
ADEMPAS .....	196	
<i>adrucil</i> .....	18	
ADVAIR HFA .....	191	
ADVOCATE PEN NEEDLE		
.....	111, 112	
ADVOCATE SYRINGES ..	111	
<i>afirmelle</i> .....	94	
AIRSUPRA .....	191, 192	
AJOVY AUTOINJECTOR ..	54	
AJOVY SYRINGE .....	54	
AKEEGA .....	18	
<i>ala-cort</i> .....	107	
<i>ala-scalp</i> .....	107	
<i>albendazole</i> .....	57	
<i>albuterol sulfate</i> .....	192	
<i>alclometasone</i> .....	107	
ALCOHOL PADS .....	112	
ALCOHOL PREP PADS ..	131	
ALCOHOL PREP SWABS		
.....	112	
ALCOHOL SWABS .....	112	
ALCOHOL WIPES .....	112	
ALECENSA .....	18	
<i>alendronate</i> .....	184	
<i>alfuzosin</i> .....	165	
<i>aliskiren</i> .....	89	
<i>allopurinol</i> .....	53	
<i>alose tron</i> .....	184	
<i>alprazolam</i> .....	9	
ALREX .....	159	
<i>altavera (28)</i> .....	94	
ALTRENO .....	110	
ALUNBRIG .....	18	
ALVAIZ .....	75	
<i>alyacen 1/35 (28)</i> .....	95	
<i>alyacen 7/7/7 (28)</i> .....	95	
ALYFTREK .....	194	
<i>alyq</i> .....	197	
<i>amabelz</i> .....	166	
<i>amantadine hcl</i> .....	58	
<i>ambrisentan</i> .....	197	
<i>amethia</i> .....	95	
<i>amethyst (28)</i> .....	95	
<i>amikacin</i> .....	10	
<i>amiloride</i> .....	85	
<i>amiloride-hydrochlorothiazide</i>		
.....	85	
<i>amiodarone</i> .....	81	
<i>amitriptyline</i> .....	42	
<i>amitriptyline-</i>		
<i>chlordiazepoxide</i> .....	42	
<i>amlodipine</i> .....	85	
<i>amlodipine-atorvastatin</i> ..	86, 87	
<i>amlodipine-benazepril</i> .....	85	
<i>amlodipine-olmesartan</i> .....	85	
<i>amlodipine-valsartan</i> .....	85	
<i>amlodipine-valsartan-</i>		
<i>hcthiazid</i> .....	85	
<i>ammonium lactate</i> .....	105	
<i>amoxapine</i> .....	42	
<i>amoxicil-clarithromy-</i>		
<i>lansopraz</i> .....	160	
<i>amoxicillin</i> .....	14	
<i>amoxicillin-pot clavulanate</i>	15	
<i>amphotericin b</i> .....	51	
<i>amphotericin b liposome</i> ...	51	
<i>ampicillin</i> .....	15	
<i>ampicillin sodium</i> .....	15	
<i>ampicillin-sulbactam</i> .....	15	
<i>anagrelide</i> .....	76	
<i>anastrozole</i> .....	18	
ANKTIVA .....	18	

ANORO ELLIPTA.....	192	<i>atropine</i> .....	156	BD AUTOSHIELD DUO PEN	
<i>apomorphine</i> .....	58	ATROVENT HFA .....	192	NEEDLE .....	113
<i>apraclonidine</i> .....	156	<i>aubra eq.</i> .....	95	BD ECLIPSE LUER-LOK	113
<i>aprepitant</i> .....	56	AUGTYRO .....	18	BD INSULIN SYRINGE ...	113
APRETUDE.....	67	<i>auranofin</i> .....	172	BD INSULIN SYRINGE	
<i>apri</i> .....	95	<i>aurovela 1.5/30 (21)</i> .....	95	(HALF UNIT) .....	113
APTIOM.....	36	<i>aurovela 1/20 (21)</i> .....	95	BD INSULIN SYRINGE SLIP	
APTIVUS .....	67	<i>aurovela 24 fe</i> .....	95	TIP .....	114
AQINJECT PEN NEEDLE	112	<i>aurovela fe 1.5/30 (28)</i> .....	95	BD INSULIN SYRINGE U-	
<i>aranelle (28)</i> .....	95	<i>aurovela fe 1-20 (28)</i> .....	95	500.....	114
ARCALYST.....	172	AUSTEDO .....	90	BD INSULIN SYRINGE	
AREXVY (PF).....	179	AUSTEDO XR .....	90	ULTRA-FINE .....	113
AREXVY ANTIGEN		AUSTEDO XR TITRATION		BD NANO 2ND GEN PEN	
COMPONENT .....	179	KT(WK1-4).....	90	NEEDLE .....	114
ARIKAYCE .....	10	AUTOSHIELD DUO PEN		BD SAFETYGLIDE INSULIN	
<i>aripiprazole</i> .....	61	NEEDLE .....	113	SYRINGE .....	114
ARISTADA.....	61	AUVELITY .....	43	BD SAFETYGLIDE	
ARISTADA INITIO .....	61	<i>aviane</i> .....	95	SYRINGE .....	114
<i>armodafinil</i> .....	196	AVONEX.....	90	BD ULTRA-FINE MICRO	
ARNUITY ELLIPTA .....	191	AVSOLA.....	172	PEN NEEDLE .....	114
<i>ascomp with codeine</i> .....	3	AXTLE .....	18	BD ULTRA-FINE MINI PEN	
<i>asenapine maleate</i> .....	61	<i>ayuna</i> .....	95	NEEDLE .....	115
<i>ashlyna</i> .....	95	AYVAKIT .....	19	BD ULTRA-FINE NANO PEN	
<i>aspirin-dipyridamole</i> .....	76	<i>azacitidine</i> .....	19	NEEDLE .....	115
ASSURE ID DUO PRO SFTY		<i>azathioprine</i> .....	172	BD ULTRA-FINE ORIG PEN	
PEN NDL .....	112	<i>azathioprine sodium</i> .....	172	NEEDLE .....	115
ASSURE ID DUO-SHIELD		<i>azelastine</i> .....	156	BD ULTRA-FINE SHORT	
.....	112	<i>azithromycin</i> .....	13	PEN NEEDLE .....	115
ASSURE ID INSULIN		<i>aztreonam</i> .....	14	BD VEO INSULIN SYR	
SAFETY.....	112, 113	<i>azurette (28)</i> .....	95	(HALF UNIT) .....	115
ASSURE ID PEN NEEDLE		<b>B</b>		BD VEO INSULIN SYRINGE	
.....	112	<i>bacitracin</i> .....	157	UF .....	115
ASSURE ID PRO PEN		<i>bacitracin-polymyxin b</i> .....	157	BELSOMRA.....	196
NEEDLE .....	112	<i>baclofen</i> .....	196	<i>benazepril</i> .....	80
ASTAGRAF XL.....	172	<i>bal-care dha</i> .....	197	<i>benazepril-</i>	
<i>atazanavir</i> .....	67	<i>bal-care dha essential</i> .....	197	<i>hydrochlorothiazide</i> .....	80
<i>atenolol</i> .....	81	<i>balsalazide</i> .....	184	<i>bendamustine</i> .....	19
<i>atenolol-chlorthalidone</i> .....	81	BALVERSA.....	19	BENDAMUSTINE .....	19
<i>atomoxetine</i> .....	90	<i>balziva (28)</i> .....	95	BENDEKA.....	19
<i>atorvastatin</i> .....	87	BCG VACCINE, LIVE (PF)		BENLYSTA.....	172
<i>atovaquone</i> .....	57	.....	179	<i>benztropine</i> .....	59
<i>atovaquone-proguanil</i> .....	57	BD ALCOHOL SWABS ...	114	<i>bepotastine besilate</i> .....	156



BESREMI .....	172	BRONCHITOL .....	194	<i>carbidopa-levodopa</i> .....	59
<i>betaine</i> .....	186	BRUKINSA .....	20	<i>carbidopa-levodopa-</i>	
<i>betamethasone dipropionate</i>		<i>budesonide</i> .....	184, 191	<i>entacapone</i> .....	59
.....	107	<i>budesonide-formoterol</i> ....	191	<i>carbinoxamine maleate</i> ....	54
<i>betamethasone valerate</i> ..	107	<i>bumetanide</i> .....	85	<i>carboplatin</i> .....	20
<i>betamethasone, augmented</i>		<i>buprenorphine</i> .....	3	CAREFINE PEN NEEDLE	
.....	107, 108	<i>buprenorphine hcl</i> .....	8	.....	115
BETASERON .....	90	<i>buprenorphine-naloxone</i> ....	8	CARETOUCH ALCOHOL	
<i>betaxolol</i> .....	81, 188	<i>bupropion hcl</i> .....	43	PREP PAD .....	115
<i>bethanechol chloride</i> .....	164	<i>bupropion hcl (smoking</i>		CARETOUCH INSULIN	
<i>bexarotene</i> .....	19	<i>deter)</i> .....	8	SYRINGE .....	116
BEXSERO .....	179	<i>bupirone</i> .....	186	CARETOUCH PEN NEEDLE	
<i>bicalutamide</i> .....	19	<i>butalbital-acetaminop-caf-cod</i>		.....	115, 116
BICILLIN L-A .....	15	.....	3	<i>carglumic acid</i> .....	161
BIKTARVY .....	67	<i>butalbital-acetaminophen</i> ....	3	<i>carteolol</i> .....	188
<i>bimatoprost</i> .....	188	<i>butalbital-acetaminophen-caff</i>		<i>cartia xt</i> .....	83
<i>bisoprolol fumarate</i> .....	81	.....	3	<i>carvedilol</i> .....	82
<i>bisoprolol-</i>		<i>butalbital-aspirin-caffeine</i> ....	3	CAYSTON .....	14
<i>hydrochlorothiazide</i> .....	82	<i>butorphanol</i> .....	3	<i>cefaclor</i> .....	12
BIZENGRI .....	19	C		<i>cefadroxil</i> .....	12
<i>bleomycin</i> .....	19	CABENUVA .....	67	<i>cefazolin</i> .....	12
<i>blisovi 24 fe</i> .....	95	<i>cabergoline</i> .....	59	<i>cefdinir</i> .....	12
<i>blisovi fe 1.5/30 (28)</i> .....	96	CABLIVI .....	76	<i>cefepime</i> .....	12
<i>blisovi fe 1/20 (28)</i> .....	96	CABOMETYX .....	20	<i>cefixime</i> .....	12
BOOSTRIX TDAP .....	179	<i>cabotegravir</i> .....	67	<i>cefoxitin</i> .....	12
BORDERED GAUZE .....	115	<i>calcipotriene</i> .....	105	<i>cefpodoxime</i> .....	12
<i>bortezomib</i> .....	19	<i>calcitonin (salmon)</i> .....	185	<i>cefprozil</i> .....	12
BORUZU .....	19	<i>calcitriol</i> .....	185	<i>ceftazidime</i> .....	13
<i>bosentan</i> .....	197	<i>calcium acetate(phosphat</i>		<i>ceftriaxone</i> .....	13
BOSULIF .....	19, 20	<i>bind)</i> .....	164	<i>cefuroxime axetil</i> .....	13
BRAFTOVI .....	20	CALQUENCE .....	20	<i>cefuroxime sodium</i> .....	13
BREO ELLIPTA.....	191	CALQUENCE		<i>celecoxib</i> .....	5
<i>breyna</i> .....	191	(ACALABRUTINIB MAL)20		<i>cephalexin</i> .....	13
BREZTRI AEROSPHERE	193	<i>camila</i> .....	96	CERDELGA .....	155
<i>briellyn</i> .....	96	<i>candesartan</i> .....	78	<i>cevimeline</i> .....	104
BRILINTA.....	76	<i>candesartan-</i>		<i>chateal eq (28)</i> .....	96
<i>brimonidine</i> .....	188	<i>hydrochlorothiazid</i> .....	79	<i>chlordiazepoxide hcl</i> .....	9
<i>brimonidine-timolol</i> .....	188	CAPLYTA .....	61	<i>chlorhexidine gluconate</i> ...	104
<i>brinzolamide</i> .....	188	CAPRELSA .....	20	<i>chloroquine phosphate</i> .....	58
BRIVIACT .....	36	<i>captopril</i> .....	80	<i>chlorpromazine</i> .....	61
<i>bromfenac</i> .....	159	<i>carbamazepine</i> .....	36, 37	<i>chlorthalidone</i> .....	85
<i>bromocriptine</i> .....	59	<i>carbidopa</i> .....	59	<i>chlorzoxazone</i> .....	196

<i>cholestyramine (with sugar)</i>	CLINIMIX 8%-	COMBIVENT RESPIMAT	193
.....87	D10W(SULFITE-FREE)	COMETRIQ.....	20
<i>cholestyramine light</i> .....87	CLINIMIX 8%-	COMFORT EZ INSULIN	
<i>ciclopirox</i> .....51	D14W(SULFITE-FREE)	SYRINGE.....	116, 117, 118
<i>cilostazol</i> .....76	CLINIMIX E 2.75%/D5W	COMFORT EZ PEN	
CIMDUO.....67	SULF FREE.....	NEEDLES.....	117, 118
<i>cimetidine</i> .....160	CLINIMIX E 4.25%/D10W	COMFORT EZ PRO	
<i>cimetidine hcl</i> .....160	SUL FREE.....	SAFETY PEN NDL.....	118
CIMZIA.....172	CLINIMIX E 4.25%/D5W	COMFORT TOUCH PEN	
CIMZIA POWDER FOR	SULF FREE.....	NEEDLE.....	118, 119
RECONST.....172	CLINIMIX E 5%/D15W	COMPLERA.....	68
<i>cinacalcet</i> .....185	SULFIT FREE.....	<i>completenate</i> .....	197
CINQAIR.....194	CLINIMIX E 5%/D20W	<i>compro</i> .....	56
CINRYZE.....75	SULFIT FREE.....	<i>constulose</i> .....	161
<i>ciprofloxacin hcl</i> ..... 16, 157	CLINIMIX E 8%-D10W	COPIKTRA.....	20
<i>ciprofloxacin in 5 % dextrose</i>	SULFITEFREE.....	CORLANOR.....	84
.....16	CLINIMIX E 8%-D14W	CORTROPHIN GEL.....	169
<i>ciprofloxacin-dexamethasone</i>	SULFITEFREE.....	COSENTYX.....	172, 186
.....157	<i>clobazam</i> .....	COSENTYX (2 SYRINGES)	
<i>citalopram</i> .....43	.....37	.....	172
<i>cladribine</i> .....20	<i>clobetasol</i> .....	COSENTYX PEN (2 PENS)	
<i>clarithromycin</i> ..... 13, 14	.....108	.....	172
<i>clemastine</i> .....54	<i>clobetasol-emollient</i> .....	COSENTYX UNOREADY	
CLENPIQ.....163	.....108	PEN.....	172
CLICKFINE PEN NEEDLE	<i>clomipramine</i> .....	COTELLIC.....	20
.....116	.....43	CREON.....	155
<i>clindamycin hcl</i> .....11	<i>clonazepam</i> .....	<i>cromolyn</i> .....	156, 161, 194
<i>clindamycin pediatric</i> .....11	.....9	<i>cryselle (28)</i> .....	96
<i>clindamycin phosphate</i> 11, 54,	<i>clonidine</i> .....	CURAD GAUZE PAD.....	119
106	.....78	CURITY ALCOHOL SWABS	
<i>clindamycin-benzoyl peroxide</i>	<i>clonidine hcl</i> .....	.....	119
.....106	.....78, 90	CURITY GAUZE.....	119
CLINIMIX 5%/D15W	<i>clopidogrel</i> .....	<i>cyclafem 1/35 (28)</i> .....	96
SULFITE FREE.....	.....76	<i>cyclafem 7/7/7 (28)</i> .....	96
CLINIMIX 4.25%/D10W	<i>clorazepate dipotassium</i> .....	<i>cyclobenzaprine</i> .....	196
SULF FREE.....	.....9	<i>cyclophosphamide</i> .....	20, 21
CLINIMIX 4.25%/D5W	<i>clotrimazole</i> .....	<i>cyclosporine</i> ....	159, 172, 173
SULFIT FREE.....	.....51	<i>cyclosporine modified</i> .....	173
CLINIMIX 5%-	<i>clotrimazole-betamethasone</i>	CYLTEZO(CF).....	173
D20W(SULFITE-FREE) .77	.....	CYLTEZO(CF) PEN.....	173
CLINIMIX 6%-D5W	<i>clozapine</i> .....	CYLTEZO(CF) PEN	
(SULFITE-FREE).....77	.....61, 62	CROHN'S-UC-HS.....	173
	<i>c-nate dha</i> .....		
	.....197		
	COARTEM.....		
	.....58		
	COBENFY.....		
	.....62		
	COBENFY STARTER PACK		
	.....		
	.....62		
	<i>codeine sulfate</i> .....		
	.....3		
	<i>codeine-butalbital-asa-caff</i> ..		
	.....3		
	<i>colchicine</i> .....		
	.....53		
	<i>colesevelam</i> .....		
	.....87		
	<i>colestipol</i> .....		
	.....87		
	<i>colistin (colistimethate na)</i> ..		
	.....11		

CYLTEZO(CF) PEN		
PSORIASIS-UV .....	173	
<i>ciproheptadine</i> .....	54	
<i>cyred eq</i> .....	96	
<b>D</b>		
<i>d5 % (d-glucose)-0.9 %</i>		
<i>sodchlr</i> .....	189	
<i>d5 % and 0.9 % sodium</i>		
<i>chloride</i> .....	189	
<i>d5 %-0.45 % sodium chloride</i>		
.....	189	
<i>dabigatran etexilate</i> .....	73	
<i>dalfampridine</i> .....	90	
<i>danazol</i> .....	166	
<i>dantrolene</i> .....	196	
DANYELZA .....	21	
DANZITEN .....	21	
<i>dapsone</i> .....	56	
DAPTACEL (DTAP		
PEDIATRIC) (PF) .....	179	
<i>daptomycin</i> .....	11	
<i>darunavir</i> .....	68	
DARZALEX .....	21	
DARZALEX FASPRO .....	21	
<i>dasatinib</i> .....	21	
<i>dasetta 1/35 (28)</i> .....	96	
<i>dasetta 7/7/7 (28)</i> .....	96	
DATROWAY .....	21	
DAURISMO .....	21	
<i>daysee</i> .....	96	
<i>deblitane</i> .....	96	
<i>decitabine</i> .....	21	
<i>deferasirox</i> .....	165	
<i>deferiprone</i> .....	165	
DELSTRIGO .....	68	
<i>demeclocycline</i> .....	17	
DENGVAXIA (PF) .....	179	
<i>denta 5000 plus</i> .....	104	
<i>dentagel</i> .....	105	
DEPO-SUBQ PROVERA	104	
.....	171	
DERMACEA .....	119	
DERMACEA NON-WOVEN		
.....	119	
<i>dermacinrx lidocan</i> .....	7	
DESCOVY .....	68	
<i>desipramine</i> .....	43	
<i>desmopressin</i> .....	169	
<i>desog-e.estradiol/e.estradiol</i>		
.....	96	
<i>desogestrel-ethinyl estradiol</i>		
.....	96	
<i>desonide</i> .....	108	
<i>desoximetasone</i> .....	108	
<i>desvenlafaxine succinate</i> ..	43	
<i>dexamethasone</i> .....	168	
<i>dexamethasone sodium</i>		
<i>phosphate</i> .....	159, 168	
<i>dexmethylphenidate</i> .....	90	
<i>dextroamphetamine sulfate</i>		
.....	91	
<i>dextroamphetamine-</i>		
<i>amphetamine</i> .....	91	
<i>dextrose 5 % in water (d5w)</i>		
.....	78	
DIACOMIT .....	37	
<i>diazepam</i> .....	9, 37	
<i>diazepam intensol</i> .....	9	
<i>diazoxide</i> .....	186	
<i>diclofenac potassium</i> .....	6	
<i>diclofenac sodium</i> .....	6, 159	
<i>diclofenac-misoprostol</i> .....	6	
<i>dicloxacillin</i> .....	15	
<i>dicyclomine</i> .....	161	
<i>didanosine</i> .....	68	
DIFICID .....	14	
<i>diflorasone</i> .....	108	
<i>diflunisal</i> .....	6	
<i>difluprednate</i> .....	159	
<i>digoxin</i> .....	84	
<i>dihydroergotamine</i> .....	54	
DILANTIN .....	37	
<i>diltiazem hcl</i> .....	83	
<i>dilt-xr</i> .....	83	
<i>dimethyl fumarate</i> .....	91	
DIPENTUM .....	184	
<i>diphenoxylate-atropine</i> ...	162	
<i>dipyridamole</i> .....	76	
<i>disopyramide phosphate</i> ...	81	
<i>disulfiram</i> .....	8	
<i>divalproex</i> .....	37	
<i>dofetilide</i> .....	81	
<i>dolishale</i> .....	96	
<i>donepezil</i> .....	41, 42	
DOPTELET (10 TAB PACK)		
.....	75	
DOPTELET (15 TAB PACK)		
.....	75	
DOPTELET (30 TAB PACK)		
.....	75	
<i>dorzolamide</i> .....	188	
<i>dorzolamide-timolol</i> .....	188	
<i>dotti</i> .....	166	
DOVATO .....	68	
<i>doxazosin</i> .....	78	
<i>doxepin</i> .....	43	
<i>doxercalciferol</i> .....	185	
<i>doxorubicin, peg-liposomal</i>	21	
<i>doxy-100</i> .....	17	
<i>doxycycline hyclate</i> .....	17	
<i>doxycycline monohydrate</i> ..	17	
DRIZALMA SPRINKLE .....	43	
<i>dronabinol</i> .....	56	
DROPLET INSULIN		
SYR(HALF UNIT). 119, 120		
DROPLET INSULIN		
SYRINGE .....	120, 121	
DROPLET MICRON PEN		
NEEDLE .....	121	
DROPLET PEN NEEDLE		
.....	121, 122	
DROPSAFE ALCOHOL		
PREP PADS .....	122	
DROPSAFE INSULIN		
SYRINGE .....	122	

DROPSAFE PEN NEEDLE	EASY TOUCH SAFETY PEN	ENBREL.....	173
..... 122, 123	NEEDLE..... 126, 127	ENBREL MINI.....	173
<i>drosiprenone-ethinyl estradiol</i>	EASY TOUCH	ENBREL SURECLICK....	174
.....96	SHEATHLOCK INSULIN	<i>endocet</i> .....	3, 4
DROXIA.....76	..... 125, 126	ENGERIX-B (PF).....	179
<i>droxidopa</i> .....78	EASY TOUCH UNI-SLIP .	ENGERIX-B PEDIATRIC	
DUAVEE.....166	..... 127	(PF).....	179
<i>duloxetine</i> .....43	<i>ec-naproxen</i> ..... 6	<i>enilloring</i> .....	97
DUPIXENT PEN.....173	<i>econazole nitrate</i> ..... 52	<i>enoxaparin</i> .....	74
DUPIXENT SYRINGE.....173	EDURANT..... 68	<i>enpresse</i> .....	97
<i>dutasteride</i> .....165	<i>efavirenz</i> ..... 68	<i>enskyce</i> .....	97
<i>dutasteride-tamsulosin</i> ....165	<i>efavirenz-emtricitabin-tenofov</i>	ENSPRYNG.....	91
<b>E</b>	..... 68	<i>entacapone</i> .....	59
EASY COMFORT ALCOHOL	<i>efavirenz-lamivu-tenofov</i>	<i>entecavir</i> .....	73
PAD.....123	<i>disop</i> ..... 68	ENTRESTO.....	79
EASY COMFORT INSULIN	EGRIFTA SV..... 169	ENTRESTO SPRINKLE ...	79
SYRINGE..... 123, 124	ELAHERE..... 21	<i>enulose</i> .....	162
EASY COMFORT PEN	ELIGARD..... 22	EPCLUSA.....	72
NEEDLES.....124	ELIGARD (3 MONTH)..... 21	EPIDIOLEX.....	37
EASY COMFORT SAFETY	ELIGARD (4 MONTH)..... 21	<i>epinastine</i> .....	156
PEN NEEDLE.....123	ELIGARD (6 MONTH)..... 21	<i>epinephrine</i> .....	84
EASY GLIDE INSULIN	<i>elinest</i> ..... 96	<i>epitol</i> .....	37
SYRINGE.....124	ELIQUIS..... 73	EPIVIR HBV.....	68
EASY GLIDE PEN NEEDLE	ELIQUIS DVT-PE TREAT	EPKINLY.....	22
.....124	30D START..... 73	<i>eplerenone</i> .....	89
EASY TOUCH.....126	ELMIRON..... 186	EPRONTIA.....	37
EASY TOUCH ALCOHOL	ELREXFIO..... 22	ERBITUX.....	22
PREP PADS.....125	<i>eluryng</i> ..... 97	<i>ergoloid</i> .....	42
EASY TOUCH FLIPLOCK	EMBRACE PEN NEEDLE	ERIVEDGE.....	22
INSULIN..... 125, 126	..... 127	ERLEADA.....	22
EASY TOUCH FLIPLOCK	EMCYT..... 22	<i>erlotinib</i> .....	22
SYRINGE.....125	EMEND..... 57	<i>errin</i> .....	97
EASY TOUCH INSULIN	EMGALITY PEN..... 55	<i>ertapenem</i> .....	14
SAFETY SYR.....125	EMGALITY SYRINGE..... 55	<i>ery pads</i> .....	106
EASY TOUCH INSULIN	<i>emoquette</i> ..... 97	<i>erythromycin</i> .....	14, 157
SYRINGE.... 124, 125, 126,	EMSAM..... 43	<i>erythromycin ethylsuccinate</i>	
127	<i>emtricitabine</i> ..... 68	..... 14	
EASY TOUCH LUER LOCK	<i>emtricitabine-tenofovir (tdf)</i> 68	<i>erythromycin with ethanol</i> 106	
INSULIN.....126	EMTRIVA..... 68	<i>erythromycin-benzoyl</i>	
EASY TOUCH PEN NEEDLE	<i>emzahn</i> ..... 97	<i>peroxide</i> .....	106
.....126	<i>enalapril maleate</i> ..... 80	ERZOFRI.....	62
	<i>enalapril-hydrochlorothiazide</i>	<i>escitalopram oxalate</i> ....	43, 44
	..... 80		

<i>esomeprazole magnesium</i>		<i>fluphenazine decanoate</i> ...	62
.....	160, 161	<i>flurazepam</i> .....	9
<i>estarylla</i> .....	97	<i>flurbiprofen</i> .....	6
<i>estazolam</i> .....	9	<i>flurbiprofen sodium</i> .....	159
<i>estradiol</i> .....	166, 167	<i>flutamide</i> .....	23
<i>estradiol valerate</i> .....	167	<i>fluticasone propionate</i> ...	108,
<i>estradiol-norethindrone acet</i>		109, 159, 191	
.....	167	<i>fluticasone propion-</i>	
<i>eszopiclone</i> .....	196	<i>salmeterol</i> .....	192
<i>ethambutol</i> .....	56	<i>fluvastatin</i> .....	88
<i>ethosuximide</i> .....	37	<i>fluvoxamine</i> .....	44
<i>ethynodiol diac-eth estradiol</i>		<i>folivane-ob</i> .....	198
.....	97	<i>fondaparinux</i> .....	74
<i>etodolac</i> .....	6	<i>fosamprenavir</i> .....	68
<i>etonogestrel-ethinyl estradiol</i>		<i>fosinopril</i> .....	80
.....	97	<i>fosinopril-hydrochlorothiazide</i>	
ETOPOPHOS .....	22	.....	80
<i>etoposide</i> .....	22	<i>fosphenytoin</i> .....	38
<i>etravirine</i> .....	68	FOTIVDA .....	23
EUCRISA .....	108	FREESTYLE PRECISION	
<i>everolimus (antineoplastic)</i>	22	.....	128
<i>everolimus</i>		FRUZAQLA .....	23
<i>(immunosuppressive)</i> ...	174	<i>fulvestrant</i> .....	23
EVOTAZ .....	68	<i>furosemide</i> .....	85, 86
EVRYSDI .....	186	FUZEON .....	68
<i>exemestane</i> .....	22	FYARRO .....	23
EXTENCILLINE .....	15	<i>fyavolv</i> .....	167
EYSUVIS .....	159	FYCOMPA .....	38
EZALLOR SPRINKLE .....	87	FYLNETRA .....	75
<i>ezetimibe</i> .....	87	<b>G</b>	
<i>ezetimibe-simvastatin</i> .....	87	<i>gabapentin</i> .....	38
<b>F</b>		GALAFOLD .....	155
<i>falmina (28)</i> .....	97	<i>galantamine</i> .....	42
<i>famciclovir</i> .....	73	<i>gallifrey</i> .....	171
<i>famotidine</i> .....	161	GAMMAGARD S-D (IGA < 1	
FANAPT .....	62	MCG/ML) .....	174
FARXIGA .....	46	GAMMAPLEX .....	174
FASENRA .....	194	GAMUNEX-C .....	174
FASENRA PEN .....	194	GARDASIL 9 (PF) .....	180
<i>febuxostat</i> .....	53	<i>gatifloxacin</i> .....	157
<i>feirza</i> .....	97	GATTEX 30-VIAL .....	162
<i>felbamate</i> .....	37		
<i>felodipine</i> .....	85		
FEMRING .....	167		
<i>femynor</i> .....	97		
<i>fenofibrate</i> .....	87		
<i>fenofibrate micronized</i> .....	87		
<i>fenofibrate nanocrystallized</i>			
.....	87		
<i>fenofibric acid (choline)</i> ....	87		
<i>fenoprofen</i> .....	6		
<i>fentanyl</i> .....	4		
<i>fentanyl citrate</i> .....	4		
FERRIPROX .....	165		
<i>fesoterodine</i> .....	164		
FETZIMA .....	44		
FIASP FLEXTOUCH U-100			
INSULIN .....	48		
FIASP PENFILL U-100			
INSULIN .....	48		
FIASP U-100 INSULIN .....	48		
<i>finasteride</i> .....	165		
<i> fingolimod</i> .....	91		
FINTEPLA .....	37		
<i>fioricet</i> .....	4		
FIRMAGON KIT W DILUENT			
SYRINGE .....	23		
<i>flavoxate</i> .....	164		
<i>flecainide</i> .....	81		
<i>floxuridine</i> .....	23		
<i>fluconazole</i> .....	52		
<i>fluconazole in nacl (iso-osm)</i>			
.....	52		
<i>flucytosine</i> .....	52		
<i>fludrocortisone</i> .....	168		
<i>flunisolide</i> .....	159		
<i>fluocinolone</i> .....	108		
<i>fluocinolone acetonide oil</i>			
.....	159		
<i>fluocinonide</i> .....	108		
<i>fluocinonide-emollient</i> ....	108		
<i>fluoride (sodium)</i> .....	105		
<i>fluorometholone</i> .....	159		
<i>fluorouracil</i> .....	23, 105		
<i>fluoxetine</i> .....	44		

GAUZE PAD.....	128	GVOKE PFS 2-PACK		HUMIRA(CF) PEN PSOR-	
<i>gavilyte-c</i> .....	163	SYRINGE.....	186	UV-ADOL HS.....	175
<i>gavilyte-g</i> .....	163	<b>H</b>		HUMULIN R U-500 (CONC)	
<i>gavilyte-n</i> .....	163	HAEGARDA.....	75	INSULIN.....	48
GAVRETO.....	23	<i>hailey 24 fe</i> .....	97	HUMULIN R U-500 (CONC)	
<i>gefitinib</i> .....	23	<i>hailey fe 1.5/30 (28)</i> .....	97	KWIKPEN.....	49
<i>gemcitabine</i> .....	23	<i>hailey fe 1/20 (28)</i> .....	97	<i>hydralazine</i> .....	84
<i>gemfibrozil</i> .....	88	<i>halobetasol propionate</i> ....	109	<i>hydrochlorothiazide</i> .....	86
<i>gemmily</i> .....	97	<i>haloette</i> .....	97	<i>hydrocodone-acetaminophen</i>	
<i>generlac</i> .....	162	<i>haloperidol</i> .....	63	.....	4
<i>gengraf</i> .....	174	<i>haloperidol decanoate</i> .....	63	<i>hydrocodone-ibuprofen</i> .....	4
<i>gentak</i> .....	157	<i>haloperidol lactate</i> .....	63	<i>hydrocortisone</i> 109, 168, 184	
<i>gentamicin</i> .....	10, 106, 157	HARVONI.....	72	HYDROCORTISONE.....	109
<i>gentamicin sulfate (ped) (pf)</i>		HAVRIX (PF).....	180	<i>hydrocortisone butyrate</i> ... 109	
.....	10	HEALTHWISE INSULIN		HYDROCORTISONE	
<i>gentamicin sulfate (pf)</i> .....	10	SYRINGE.....	128, 129	LOTION COMPLETE... 109	
GENVOYA.....	68	HEALTHWISE PEN NEEDLE		<i>hydrocortisone valerate</i> ... 109	
GILOTRIF.....	23	.....	129	<i>hydrocortisone-acetic acid</i>	
<i>glatiramer</i> .....	91	HEALTHY ACCENTS		.....	157
<i>glatopa</i> .....	91, 92	UNIFINE PENTIP.....	129	<i>hydromorphone</i> .....	4
GLEOSTINE.....	23	<i>heather</i> .....	98	<i>hydromorphone (pf)</i> .....	4
<i>glimepiride</i> .....	50	HEMADY.....	168	<i>hydroxychloroquine</i> .....	58
<i>glipizide</i> .....	50, 51	<i>heparin (porcine)</i> .....	74	<i>hydroxyurea</i> .....	24
<i>glipizide-metformin</i> .....	51	HEPLISAV-B (PF).....	180	<i>hydroxyzine hcl</i> .....	54
<i>glutamine (sickle cell)</i> .....	186	HERCEPTIN HYLECTA....	24	<i>hydroxyzine pamoate</i> .....	186
<i>glyburide</i> .....	51	HERZUMA.....	24	<b>I</b>	
<i>glyburide micronized</i> .....	51	HETLIOZ LQ.....	196	<i>ibandronate</i> .....	185
<i>glyburide-metformin</i> .....	51	HIBERIX (PF).....	180	IBRANCE.....	24
<i>glycopyrrolate</i> .....	162	HUMIRA.....	174	<i>ibu</i> .....	6
<i>glydo</i> .....	7	HUMIRA PEN.....	174	<i>ibuprofen</i> .....	6, 7
GLYXAMBI.....	46	HUMIRA PEN CROHNS-UC-		<i>ibuprofen-famotidine</i> .....	7
GOMEKLI.....	24	HS START.....	174	<i>icatibant</i> .....	84
<i>granisetron hcl</i> .....	57	HUMIRA PEN PSOR-		<i>iclevia</i> .....	98
<i>griseofulvin microsize</i> .....	52	UVEITS-ADOL HS.....	174	ICLUSIG.....	24
<i>griseofulvin ultramicrosize</i> .52		HUMIRA(CF).....	175	<i>icosapent ethyl</i> .....	88
<i>guanfacine</i> .....	78, 92	HUMIRA(CF) PEDI CROHNS		IDHIFA.....	24
GVOKE.....	186	STARTER.....	174	<i>ifosfamide</i> .....	24
GVOKE HYPOPEN 2-PACK		HUMIRA(CF) PEN.....	175	ILARIS (PF).....	175
.....	186	HUMIRA(CF) PEN		ILEVRO.....	159
GVOKE PFS 1-PACK		CROHNS-UC-HS.....	174	ILUMYA.....	175
SYRINGE.....	186	HUMIRA(CF) PEN		<i>imatinib</i> .....	24
		PEDIATRIC UC.....	174	IMBRUVICA.....	24

IMDELLTRA .....	24	INSULIN SYRINGE		<b>J</b>	
<i>imipenem-cilastatin</i> .....	14	NEEDLELESS .....	114	<i>jaimiess</i> .....	98
<i>imipramine hcl</i> .....	44	INSULIN SYRINGE-NEEDLE		JAKAFI .....	25
<i>imipramine pamoate</i> .....	44	U-100 ..	127, 128, 130, 131,	<i>jantoven</i> .....	74
<i>imiquimod</i> .....	105	138, 142, 146, 147		JANUMET .....	46
IMJUDO.....	25	INSUPEN PEN NEEDLE	131	JANUMET XR.....	46
IMKELDI .....	25	INTELENCE .....	69	JANUVIA.....	46
IMOVAX RABIES VACCINE		INTRON A.....	73	JARDIANCE.....	46
(PF).....	180	INVEGA HAFYERA .....	63	<i>jasmiel (28)</i> .....	98
IMPAVIDO .....	58	INVEGA SUSTENNA .....	63	<i>javygtor</i> .....	155
INBRIJA.....	59	INVEGA TRINZA .....	63, 64	JAYPIRCA.....	25
<i>incassia</i> .....	98	INVELTYS.....	159	JEMPERLI .....	25
INCONTROL ALCOHOL		IPOL.....	180	<i>jencycla</i> .....	98
PADS .....	129	<i>ipratropium bromide</i> 156, 193		JENTADUETO .....	46
INCONTROL PEN NEEDLE		<i>ipratropium-albuterol</i> .....	193	JENTADUETO XR .....	46
.....	129	IQIRVO .....	162	<i>jinteli</i> .....	167
INCRELEX .....	169	<i>irbesartan</i> .....	79	<i>jolessa</i> .....	98
<i>indapamide</i> .....	86	<i>irbesartan-</i>		<i>juleber</i> .....	98
<i>indomethacin</i> .....	7	<i>hydrochlorothiazide</i> .....	79	JULUCA.....	69
INFANRIX (DTAP) (PF)....	180	<i>irinotecan</i> .....	25	<i>junel 1.5/30 (21)</i> .....	98
INFLECTRA .....	175	ISENTRESS .....	69	<i>junel 1/20 (21)</i> .....	98
<i>infliximab</i> .....	175	ISENTRESS HD.....	69	<i>junel fe 1.5/30 (28)</i> .....	98
INGREZZA .....	92	<i>isibloom</i> .....	98	<i>junel fe 1/20 (28)</i> .....	98
INGREZZA INITIATION		ISOLYTE S PH 7.4 .....	189	<i>junel fe 24</i> .....	98
PK(TARDIV).....	92	ISOLYTE-P IN 5 %		JUXTAPID .....	88
INGREZZA SPRINKLE .....	92	DEXTROSE .....	189	JYLAMVO .....	25
INLYTA .....	25	ISOLYTE-S .....	189	JYNARQUE .....	86
INPEN (FOR HUMALOG)		<i>isoniazid</i> .....	56	JYNNEOS (PF).....	180
BLUE.....	129	ISOPROPYL ALCOHOL .	105	<b>K</b>	
INPEN (NOVOLOG OR		<i>isosorbide dinitrate</i> .....	89	KALYDECO.....	194
FIASP) BLUE.....	129	<i>isosorbide mononitrate</i> .....	89	KANJINTI .....	25
INQOVI .....	25	<i>isosorbide-hydralazine</i> .....	89	<i>kariva (28)</i> .....	98
INREBIC.....	25	<i>isradipine</i> .....	85	KATERZIA.....	85
<i>insulin asp prt-insulin aspart</i>		ITOVEBI.....	25	<i>kelnor 1/35 (28)</i> .....	98
.....	49	<i>itraconazole</i> .....	52	<i>kelnor 1/50 (28)</i> .....	98
<i>insulin aspart u-100</i> .....	49	IV PREP WIPES.....	131	KERENDIA.....	89
INSULIN SYR/NDL U100		<i>ivabradine</i> .....	84	KESIMPTA PEN.....	92
HALF MARK.....	129	<i>ivermectin</i> .....	58	<i>ketoconazole</i> .....	52
INSULIN SYRINGE.....	114	IWILFIN.....	25	<i>ketoprofen</i> .....	7
INSULIN SYRINGE		IXCHIQ (PF) .....	180	<i>ketorolac</i> .....	7, 160
MICROFINE .....	114	IXIARO (PF) .....	180	KEYTRUDA .....	25
				KIMMTRAK.....	25

KINERET.....	175	<i>leflunomide</i> .....	175	<i>lisinopril-hydrochlorothiazide</i>	80
KINRIX (PF) .....	180	<i>lenalidomide</i> .....	26	.....	80
<i>kionex (with sorbitol)</i> .....	162	LENTOCILIN S .....	15	LITE TOUCH INSULIN PEN	
KISQALI .....	26	LENVIMA .....	26	NEEDLES.....	131, 132
KISQALI FEMARA CO-PACK		<i>lessina</i> .....	99	LITE TOUCH INSULIN	
.....	26	<i>letrozole</i> .....	26	SYRINGE .....	131, 132
KLISYRI (250 MG) .....	105	<i>leucovorin calcium</i> .....	186	<i>lithium carbonate</i> .....	92
<i>klor-con m10</i> .....	189	LEUKERAN .....	26	<i>lithium citrate</i> .....	92
<i>klor-con m15</i> .....	189	LEUKINE .....	75	LIVDELZI .....	162
<i>klor-con m20</i> .....	189	<i>leuprolide</i> .....	27	LIVTENCITY .....	71
KLOXXADO.....	8	<i>leuprolide (3 month)</i> .....	26	LOKELMA .....	162
KOSELUGO .....	26	<i>levetiracetam</i> .....	39	LONSURF .....	27
<i>kosher prenatal plus iron</i> .	198	<i>levobunolol</i> .....	188	<i>loperamide</i> .....	162
KRAZATI.....	26	<i>levocarnitine</i> .....	186, 187	<i>lopinavir-ritonavir</i> .....	69
<i>kurvelo (28)</i> .....	98	<i>levocarnitine (with sugar)</i> .	186	LOQTORZI.....	27
KYLEENA.....	99	<i>levocetirizine</i> .....	54	<i>lorazepam</i> .....	9, 10
KYNMOBI.....	59	<i>levofloxacin</i> .....	16	<i>lorazepam intensol</i> .....	10
<b>L</b>		<i>levofloxacin in d5w</i> .....	16	LORBRENA.....	27
<i>l norgest/e.estradiol-e.estrad</i>		<i>levonest (28)</i> .....	99	<i>loryna (28)</i> .....	100
.....	99	<i>levonorgest-eth.estradiol-iron</i>		<i>losartan</i> .....	79
<i>labetalol</i> .....	82	.....	99	<i>losartan-hydrochlorothiazide</i>	
<i>lacosamide</i> .....	38	<i>levonorgestrel-ethinyl estrad</i>		.....	79
<i>lactulose</i> .....	162	.....	99	LOTEMAX.....	160
<i>lagevrio (eua)</i> .....	73	<i>levonorg-eth estrad triphasic</i>		LOTEMAX SM .....	160
<i>lamivudine</i> .....	69	.....	100	<i>loteprednol etabonate</i> .....	160
<i>lamivudine-zidovudine</i> .....	69	<i>levora-28</i> .....	100	<i>lovastatin</i> .....	88
<i>lamotrigine</i> .....	38	<i>levothyroxine</i> .....	171	<i>low-ogestrel (28)</i> .....	100
<i>lanreotide</i> .....	169	LEXIVA .....	69	<i>loxapine succinate</i> .....	64
<i>lansoprazole</i> .....	161	LIBERVANT .....	39	<i>lo-zumandimine (28)</i> .....	100
<i>lanthanum</i> .....	164	<i>lidocaine</i> .....	7	<i>lubiprostone</i> .....	162
LANTUS SOLOSTAR U-100		<i>lidocaine hcl</i> .....	7	LUMAKRAS .....	27
INSULIN.....	49	<i>lidocaine viscous</i> .....	7	LUMIGAN.....	188
LANTUS U-100 INSULIN..	49	<i>lidocaine-prilocaine</i> .....	8	LUNSUMIO.....	27
<i>lapatinib</i> .....	26	<i>lidocan iii</i> .....	8	LUPRON DEPOT .....	27, 169
<i>larin 1.5/30 (21)</i> .....	99	LILETTA.....	100	LUPRON DEPOT (3	
<i>larin 1/20 (21)</i> .....	99	<i>lillow (28)</i> .....	100	MONTH).....	27, 169
<i>larin 24 fe</i> .....	99	<i>linezolid</i> .....	11	LUPRON DEPOT (4	
<i>larin fe 1.5/30 (28)</i> .....	99	<i>linezolid in dextrose 5%</i> .....	11	MONTH).....	27
<i>larin fe 1/20 (28)</i> .....	99	LINZESS.....	162	LUPRON DEPOT (6	
<i>larissia</i> .....	99	<i>liothyronine</i> .....	171	MONTH).....	27
<i>latanoprost</i> .....	188	LISCO .....	131	LUPRON DEPOT-PED....	170
LAZCLUZE .....	26	<i>lisinopril</i> .....	80		



LUPRON DEPOT-PED (3 MONTH) .....	169	MAXICOMFORT INSULIN SYRINGE .....	133	<i>methscopolamine</i> .....	162
<i>lurasidone</i> .....	64	MAXI-COMFORT INSULIN SYRINGE .....	133	<i>methsuximide</i> .....	39
<i>lutea (28)</i> .....	100	MAXI-COMFORT INSULIN SYRINGE .....	133	<i>methylphenidate hcl</i> .....	93, 94
LYBALVI .....	64	MAXICOMFORT SAFETY PEN NEEDLE .....	133	<i>methylprednisolone</i> .....	168
<i>lyleq</i> .....	100	MAYZENT .....	93	<i>methylprednisolone acetate</i> .....	168
<i>lyllana</i> .....	167	MAYZENT STARTER(FOR 1MG MAINT).....	93	<i>metoclopramide hcl</i> .....	162
LYNPARZA .....	27	MAYZENT STARTER(FOR 2MG MAINT).....	93	<i>metolazone</i> .....	86
LYSODREN .....	27	<i>meclizine</i> .....	57	<i>metoprolol succinate</i> .....	82
LYTGOBI .....	28	<i>medroxyprogesterone</i> ....	171	<i>metoprolol ta-hydrochlorothiaz</i> .....	82
<i>lyza</i> .....	100	<i>mefenamic acid</i> .....	7	<i>metoprolol tartrate</i> .....	82
<b>M</b>		<i>mefloquine</i> .....	58	<i>metronidazole</i> ....	11, 54, 106, 107
MAGELLAN INSULIN SAFETY SYRNG. 132, 133		<i>megestrol</i> .....	28, 171	<i>metronidazole in nacl (iso-os)</i> .....	11
MAGELLAN SYRINGE ....	132	MEKINIST.....	28	<i>metyrosine</i> .....	84
<i>magnesium sulfate</i> .....	190	MEKTOVI.....	28	<i>mexiletine</i> .....	81
<i>malathion</i> .....	110	<i>meloxicam</i> .....	7	<i>micafungin</i> .....	52
<i>maraviroc</i> .....	69	<i>memantine</i> .....	42	<i>miconazole-3</i> .....	52
MARGENZA.....	28	<i>memantine-donepezil</i> .....	42	MICRODOT INSULIN PEN NEEDLE .....	133
<i>marlissa (28)</i> .....	100	MENACTRA (PF) .....	180	MICRODOT READYGARD PEN NEEDLE .....	133
<i>marnatal-f</i> .....	198	MENQUADFI (PF).....	180	<i>microgestin 1.5/30 (21)</i> ....	100
MARPLAN .....	44	MENVEO A-C-Y-W-135-DIP (PF) .....	181	<i>microgestin 1/20 (21)</i> .....	100
MATULANE .....	28	<i>mercaptapurine</i> .....	28	<i>microgestin 24 fe</i> .....	100
<i>matzim la</i> .....	83	<i>meropenem</i> .....	14	<i>microgestin fe 1.5/30 (28)</i> 100	
MAVENCLAD (10 TABLET PACK) .....	92	<i>merzee</i> .....	100	<i>microgestin fe 1/20 (28)</i> ... 100	
MAVENCLAD (4 TABLET PACK) .....	92	<i>mesalamine</i> .....	184	<i>midodrine</i> .....	78
MAVENCLAD (5 TABLET PACK) .....	92	<i>mesna</i> .....	187	<i>mifepristone</i> .....	47
MAVENCLAD (6 TABLET PACK) .....	92	<i>metadate er</i> .....	93	<i>miglitol</i> .....	47
MAVENCLAD (7 TABLET PACK) .....	92	<i>metformin</i> .....	46	<i>miglustat</i> .....	155
MAVENCLAD (8 TABLET PACK) .....	92	<i>methadone</i> .....	4	<i>mili</i> .....	100
MAVENCLAD (9 TABLET PACK) .....	92	<i>methazolamide</i> .....	188	<i>mimvey</i> .....	167
MAVYRET .....	72	<i>methenamine hippurate</i> ....	11	MINI ULTRA-THIN II .....	134
MAXICOMFORT II PEN NEEDLE .....	133	<i>methimazole</i> .....	171	<i>minitrans</i> .....	89
		<i>methocarbamol</i> .....	196	<i>minocycline</i> .....	18
		<i>methotrexate sodium</i> .....	28	<i>minoxidil</i> .....	89
		<i>methotrexate sodium (pf)</i> ..	28	MIPLYFFA.....	154
		<i>methoxsalen</i> .....	106	MIRENA .....	101
				<i>mirtazapine</i> .....	44

<i>misoprostol</i> .....	161
<i>mitoxantrone</i> .....	28
M-M-R II (PF) .....	181
<i>m-natal plus</i> .....	198
<i>modafinil</i> .....	196
<i>moexipril</i> .....	80
<i>molindone</i> .....	64
<i>mometasone</i> .....	109, 160
MONOJECT INSULIN SAFETY SYRINGE.....	134
MONOJECT INSULIN SYRINGE.....	134, 135
MONOJECT SYRINGE....	134
MONOJECT ULTRA COMFORT INSULIN ....	149
<i>mono-lynyah</i> .....	101
<i>montelukast</i> .....	192
<i>morphine</i> .....	4, 5
MORPHINE .....	4, 5
<i>morphine concentrate</i> .....	4
MOUNJARO.....	47
MOVANTI K.....	162
<i>moxifloxacin</i> .....	16, 157
<i>moxifloxacin-sod.ace,sul- water</i> .....	16
<i>moxifloxacin- sod.chloride(iso)</i> .....	16
MRESVIA (PF) .....	181
MULTAQ .....	81
<i>mupirocin</i> .....	107
MVASI.....	28
<i>mycophenolate mofetil</i> .....	175
<i>mycophenolate mofetil (hcl)</i> .....	175
<i>mycophenolate sodium</i> ....	175
<i>mynatal</i> .....	198
<i>mynatal advance</i> .....	198
<i>mynatal plus</i> .....	198
<i>mynatal-z</i> .....	198
<i>mynate 90 plus</i> .....	198
MYRBETRIQ.....	164

<b>N</b>	
<i>nabumetone</i> .....	7
<i>nadolol</i> .....	82
<i>nafcillin</i> .....	16
<i>naloxone</i> .....	8
<i>naltrexone</i> .....	8
NAMZARIC.....	42
NANO 2ND GEN PEN NEEDLE.....	135
<i>naproxen</i> .....	7
<i>naratriptan</i> .....	55
NATACYN.....	157
<i>nateglinide</i> .....	47
NATPARA .....	185
NAYZILAM .....	39
<i>nebivolol</i> .....	82
<i>nefazodone</i> .....	44
<i>neomycin</i> .....	10
<i>neomycin-bacitracin-poly-hc</i> .....	157
<i>neomycin-bacitracin- polymyxin</i> .....	157
<i>neomycin-polymyxin b- dexameth</i> .....	157
<i>neomycin-polymyxin- gramicidin</i> .....	157
<i>neomycin-polymyxin-hc</i> ...	158
<i>neo-polycin</i> .....	158
<i>neo-polycin hc</i> .....	158
NERLYNX.....	28
<i>neuac</i> .....	107
NEULASTA ONPRO.....	75
NEUPRO .....	59
<i>nevirapine</i> .....	69
<i>newgen</i> .....	198
NEXLETOL .....	88
NEXLIZET.....	88
NEXPLANON .....	101
<i>niacin</i> .....	88
<i>niacor</i> .....	88
<i>nicardipine</i> .....	85
NICOTROL .....	8

NICOTROL NS .....	8
<i>nifedipine</i> .....	85
<i>nikki (28)</i> .....	101
NIKTIMVO.....	175
<i>nilutamide</i> .....	28
NINLARO.....	28
<i>nitazoxanide</i> .....	58
<i>nitisinone</i> .....	155
<i>nitrofurantoin macrocrystal</i> 11	
<i>nitrofurantoin monohyd/m- cryst</i> .....	11
<i>nitroglycerin</i> .....	89, 187
<i>niva-plus</i> .....	198
NIVESTYM.....	75
<i>nizatidine</i> .....	161
NORDITROPIN FLEXPRO .....	170
<i>norelgestromin- ethin.estradiol</i> .....	101
<i>norethindrone (contraceptive)</i> .....	101
<i>norethindrone acetate</i> .....	171
<i>norethindrone ac-eth estradiol</i> .....	101, 167
<i>norethindrone-e.estradiol-iron</i> .....	101
<i>norgestimate-ethinyl estradiol</i> .....	101
<i>norlyda</i> .....	101
<i>nortrel 1/35 (21)</i> .....	101
<i>nortrel 1/35 (28)</i> .....	102
<i>nortrel 7/7/7 (28)</i> .....	102
<i>nortriptyline</i> .....	44
NORVIR.....	69, 70
NOVOFINE 30 .....	135
NOVOFINE 32 .....	135
NOVOFINE PLUS.....	135
NOVOLIN 70/30 U-100 INSULIN .....	49
NOVOLIN 70-30 FLEXPEN U-100.....	49
NOVOLIN N FLEXPEN .....	49

NOVOLIN N NPH U-100		ORILISSA .....	170
INSULIN.....	49	ORKAMBI .....	195
NOVOLIN R FLEXPEN.....	50	ORSERDU .....	29
NOVOLIN R REGULAR		<i>oseltamivir</i> .....	71, 72
U100 INSULIN.....	50	OSMOLEX ER .....	60
NOVOTWIST .....	135	OTEZLA .....	176
NOXAFIL .....	52	OTEZLA STARTER .....	176
NUBEQA .....	28	<i>oxaliplatin</i> .....	29
NUCALA.....	194	<i>oxandrolone</i> .....	166
NULOJIX .....	175	<i>oxazepam</i> .....	10
NUPLAZID.....	64	<i>oxcarbazepine</i> .....	39
NURTEC ODT.....	55	<i>oxybutynin chloride</i> .....	164
<i>nyamyc</i> .....	52	<i>oxycodone</i> .....	5
<i>nylia 1/35 (28)</i> .....	102	<i>oxycodone-acetaminophen</i> .	5
<i>nylia 7/7/7 (28)</i> .....	102	<i>oxymorphone</i> .....	5
<i>nymyo</i> .....	102	OZEMPIC.....	47
<i>nystatin</i> .....	53	<b>P</b>	
<i>nystatin-triamcinolone</i> .....	53	<i>pacerone</i> .....	81
<i>nystop</i> .....	53	<i>paclitaxel</i> .....	30
NYVEPRIA .....	75	<i>paclitaxel protein-bound</i> ...	30
<b>O</b>		<i>paliperidone</i> .....	64
<i>obstetrix dha</i> .....	198	PALYNZIQ.....	155
<i>obstetrix dha prenatal duo</i>		PANRETIN .....	106
.....	198	<i>pantoprazole</i> .....	161
<i>o-cal prenatal</i> .....	198	<i>paricalcitol</i> .....	185
OCALIVA .....	162	<i>paromomycin</i> .....	58
OCREVUS.....	94	<i>paroxetine hcl</i> .....	44
OCREVUS ZUNOVO.....	94	PAXLOVID .....	72
<i>octreotide acetate</i> .....	170	<i>pazopanib</i> .....	30
ODEFSEY .....	70	PEDIARIX (PF).....	181
ODOMZO .....	29	PEDVAX HIB (PF) .....	181
OFEV.....	194	<i>peg 3350-electrolytes</i> .....	163
<i>ofloxacin</i> .....	158	PEGASYS.....	73
OGIVRI.....	29	<i>peg-electrolyte soln</i> .....	163
OGSIVEO .....	29	PEMAZYRE .....	30
OJEMDA .....	29	<i>pemetrexed</i> .....	30
OJJAARA .....	29	<i>pemetrexed disodium</i> .....	30
<i>olanzapine</i> .....	64	PEMRYDI RTU .....	30
<i>olmesartan</i> .....	79	PEN NEEDLE .	127, 136, 138
<i>olmesartan-amlodipin-</i>		PEN NEEDLE, DIABETIC	
<i>hcthiazyd</i> .....	79	.....	118, 133, 134, 136, 138
<i>olmesartan-</i>			
<i>hydrochlorothiazide</i> .....	79		
<i>olopatadine</i> .....	156		
<i>omega-3 acid ethyl esters</i> .	88		
<i>omeprazole</i> .....	161		
<i>omeprazole-sodium</i>			
<i>bicarbonate</i> .....	161		
OMNIPOD 5 (G6/LIBRE 2			
PLUS).....	135		
OMNIPOD 5 G6-G7 INTRO			
KT(GEN5) .....	135		
OMNIPOD 5 G6-G7 PODS			
(GEN 5).....	135		
OMNIPOD 5			
INTRO(G6/LIBRE2PLUS)			
.....	135		
OMNIPOD CLASSIC PDM			
KIT(GEN 3) .....	135		
OMNIPOD CLASSIC PODS			
(GEN 3).....	135		
OMNIPOD DASH INTRO KIT			
(GEN 4).....	135		
OMNIPOD DASH PDM KIT			
(GEN 4).....	135		
OMNIPOD DASH PODS			
(GEN 4).....	135		
ONAPGO .....	59		
<i>ondansetron</i> .....	57		
<i>ondansetron hcl</i> .....	57		
ONGENTYS .....	60		
ONTRUZANT .....	29		
ONUREG .....	29		
OPDIVO.....	29		
OPDIVO QVANTIG .....	29		
OPDUALAG.....	29		
OPSUMIT .....	197		
ORENCIA .....	176		
ORENCIA (WITH MALTOSE)			
.....	175		
ORENCIA CLICKJECT ...	176		
ORFADIN.....	155		
ORGOVYX .....	170		

PEN NEEDLE, DIABETIC, SAFETY .....	139	<i>pirmella</i> .....	102	<i>prenatabs fa</i> .....	199
PENBRAYA (PF) .....	181	<i>piroxicam</i> .....	7	<i>prenatal 19</i> .....	199
PENBRAYA MENACWY COMPONENT(PF) .....	181	<i>pitavastatin calcium</i> .....	88	<i>prenatal 19 (with docusate)</i> .....	199
PENBRAYA MENB COMPONENT (PF) .....	181	PLASMA-LYTE A.....	190	<i>prenatal low iron</i> .....	199
<i>penciclovir</i> .....	106	PLEGRIDY .....	94	<i>prenatal plus</i> .....	199
<i>penicillamine</i> .....	165	<i>pnv 29-1</i> .....	198	<i>prenatal plus (calcium carb)</i> .....	198
<i>penicillin g potassium</i> .....	16	<i>pnv-dha + docusate</i> .....	198	<i>prenatal vitamin plus low iron</i> .....	199
<i>penicillin g procaine</i> .....	16	<i>pnv-omega</i> .....	198	<i>prenatal-u</i> .....	199
<i>penicillin v potassium</i> .....	16	<i>podofilox</i> .....	106	<i>preplus</i> .....	199
PENTACEL (PF).....	181	<i>polycin</i> .....	158	<i>pretab</i> .....	199
<i>pentamidine</i> .....	58	<i>polymyxin b sulfate</i> .....	11	<i>prevalite</i> .....	88
PENTIPS PEN NEEDLE..	136	<i>polymyxin b sulf-trimethoprim</i> .....	158	PREVENT DROPSAFE PEN NEEDLE .....	136
<i>pentoxifylline</i> .....	76	POMALYST .....	30	<i>previfem</i> .....	102
<i>perindopril erbumine</i> .....	80	<i>portia 28</i> .....	102	PREVYMIS .....	72
<i>periogard</i> .....	105	<i>posaconazole</i> .....	53	PREZCOBIX .....	70
<i>permethrin</i> .....	110	<i>potassium chloride</i> .....	190	PREZISTA.....	70
<i>perphenazine</i> .....	64	<i>potassium chloride-0.45 %</i> <i>nacl</i> .....	190	PRIFTIN .....	56
<i>perphenazine-amitriptyline</i> .....	45	<i>potassium citrate</i> .....	190	PRIMAQUINE .....	58
PERSERIS .....	65	<i>pr natal 400</i> .....	198	<i>primidone</i> .....	40
<i>phenelzine</i> .....	45	<i>pr natal 400 ec</i> .....	198	PRIORIX (PF).....	181
<i>phenobarbital</i> .....	39	<i>pr natal 430</i> .....	198	PRO COMFORT ALCOHOL PADS.....	137
PHENYTEK.....	39	<i>pr natal 430 ec</i> .....	198	PRO COMFORT INSULIN SYRINGE .....	137
<i>phenytoin</i> .....	39	<i>pramipexole</i> .....	60	PRO COMFORT PEN NEEDLE .....	137
<i>phenytoin sodium</i> .....	39	<i>prasugrel hcl</i> .....	76	PROAIR RESPICLICK ...	193
<i>phenytoin sodium extended</i> .....	39	<i>pravastatin</i> .....	88	<i>probenecid</i> .....	53
<i>philith</i> .....	102	<i>praziquantel</i> .....	58	<i>probenecid-colchicine</i> .....	53
PIFELTRO .....	70	<i>prazosin</i> .....	78	PROCALAMINE 3% .....	78
<i>pilocarpine hcl</i> .....	105, 188	<i>prednisolone</i> .....	168	<i>prochlorperazine</i> .....	57
<i>pimecrolimus</i> .....	109	<i>prednisolone acetate</i> .....	160	<i>prochlorperazine edisylate</i> 57, 65	
<i>pimozide</i> .....	65	<i>prednisolone sodium</i> <i>phosphate</i> .....	160, 168	<i>prochlorperazine maleate</i> ..	57
<i>pimtree (28)</i> .....	102	<i>prednisone</i> .....	168	<i>procto-med hc</i> .....	109
<i>pindolol</i> .....	82	<i>pregabalin</i> .....	40	<i>proctosol hc</i> .....	109
<i>pioglitazone</i> .....	47	PREHEVBRIO (PF).....	181	<i>proctozone-hc</i> .....	110
<i>pioglitazone-metformin</i> .....	47	PREMARIN.....	167		
PIP PEN NEEDLE.....	136	PREMPHASE .....	167		
<i>piperacillin-tazobactam</i> .....	16	PREMPRO .....	168		
PIQRAY .....	30	<i>prena1 true</i> .....	199		
<i>pirfenidone</i> .....	195	<i>prenaissance</i> .....	199		
		<i>prenaissance plus</i> .....	199		

PRODIGY INSULIN	<i>ranolazine</i> .....	84	RIVFLOZA .....	187
SYRINGE.....	<i>rasagiline</i> .....	60	<i>rizatriptan</i> .....	55
<i>progesterone micronized</i> ..	RASUVO (PF) .....	176	<i>r-natal ob</i> .....	199
PROGRAF.....	RAVICTI.....	162	ROCKLATAN .....	189
PROLIA .....	RAYALDEE .....	185	<i>roflumilast</i> .....	195
PROMACTA .....	<i>reclipsen (28)</i> .....	102	ROLVEDON .....	76
<i>promethazine</i> .....	RECOMBIVAX HB (PF) ..	182	ROMVIMZA.....	31
<i>promethegan</i> .....	REGRANEX .....	106	<i>ropinirole</i> .....	60
<i>propafenone</i> .....	RELENZA DISKHALER ....	72	<i>rosadan</i> .....	107
<i>propranolol</i> .....	RELISTOR.....	163	<i>rosuvastatin</i> .....	89
<i>propylthiouracil</i> .....	RENFLEXIS.....	176	ROTARIX .....	182
PROQUAD (PF).....	<i>repaglinide</i> .....	47	ROTATEQ VACCINE .....	182
PROSOL 20 % .....	REPATHA PUSHTRONEX ..	88	ROZLYTREK.....	31
<i>protriptyline</i> .....	REPATHA SURECLICK ....	88	RUBRACA .....	31
PULMOZYME .....	REPATHA SYRINGE .....	88	<i>rufinamide</i> .....	40
PURE COMFORT ALCOHOL	RETACRIT .....	76	RUKOBIA.....	70
PADS .....	RETEVMO .....	30	RUXIENCE .....	31
PURE COMFORT PEN	RETROVIR .....	70	RYBELSUS.....	47
NEEDLE .....	REVCovi.....	155	RYBREVANT .....	31
PURE COMFORT SAFETY	REVUFORJ .....	30, 31	RYDAPT.....	31
PEN NEEDLE.....	REXULTI.....	65	RYKINDO.....	65
PURIXAN .....	REYATAZ .....	70	RYTELO.....	31
<i>pyrazinamide</i> .....	REZLIDHIA.....	31	<b>S</b>	
<i>pyridostigmine bromide</i> ....	REZUROCK .....	176	SAFESNAP INSULIN	
<i>pyrimethamine</i> .....	RHOPRESSA .....	189	SYRINGE .....	138, 139
<b>Q</b>	RIABNI.....	31	SAFETY PEN NEEDLE... 139	
QINLOCK .....	<i>ribavirin</i> .....	73	<i>sajazir</i> .....	84
QUADRACEL (PF).....	RIDAURA.....	176	SANTYL .....	106
<i>quetiapine</i> .....	<i>rifabutin</i> .....	56	<i>sapropterin</i> .....	155
<i>quinapril</i> .....	<i>rifampin</i> .....	56	SAVELLA .....	94
<i>quinapril-hydrochlorothiazide</i>	<i>rilpivirine</i> .....	70	SCEMBLIX.....	31
.....	<i>riluzole</i> .....	94	<i>scopolamine base</i> .....	57
<i>quinidine gluconate</i> .....	<i>rimantadine</i> .....	72	SECUADO .....	65
<i>quinidine sulfate</i> .....	RINVOQ.....	176	SECURESAFE INSULIN	
<i>quinine sulfate</i> .....	RINVOQ LQ.....	176	SYRINGE .....	139
QULIPTA .....	<i>risedronate</i> .....	185	SECURESAFE PEN	
<b>R</b>	<i>risperidone</i> .....	65	NEEDLE .....	139
RABAVERT (PF) .....	<i>risperidone microspheres</i> ..	65	SELARSDI .....	176
<i>rabeprazole</i> .....	<i>ritonavir</i> .....	70	<i>select-ob</i> .....	199
RALDESY.....	RITUXAN HYCELA .....	31	<i>select-ob (folic acid)</i> .....	199
<i>raloxifene</i> .....	<i>rivastigmine</i> .....	42	<i>selegiline hcl</i> .....	60
<i>ramipril</i> .....	<i>rivastigmine tartrate</i> .....	42	<i>selenium sulfide</i> .....	107

SELZENTRY .....	70	<i>solifenacin</i> .....	164	<i>sumatriptan succinate</i> .....	55
SEMGLEE(INSULIN		SOLQUA 100/33.....	50	<i>sumatriptan-naproxen</i> .....	55
GLARGINE-YFGN) .....	50	SOLTAMOX .....	31	<i>sunitinib malate</i> .....	32
SEMGLEE(INSULIN		SOMATULINE DEPOT ...	170	SUNLENCA .....	70
GLARG-YFGN)PEN .....	50	SOMAVERT .....	170	SURE COMFORT ALCOHOL	
<i>se-natal 19 chewable</i> .....	199	<i>sorafenib</i> .....	32	PREP PADS .....	140
SEREVENT DISKUS .....	193	<i>sorine</i> .....	82	SURE COMFORT INS. SYR.	
SEROSTIM.....	170	<i>sotalol</i> .....	82	U-100.....	139
<i>sertraline</i> .....	45	<i>sotalol af</i> .....	82	SURE COMFORT INSULIN	
<i>setlakin</i> .....	102	SPIRIVA RESPIMAT .....	193	SYRINGE .....	139, 140
<i>sevelamer carbonate</i> .....	164	<i>spironolactone</i> .....	86, 89	SURE COMFORT PEN	
<i>sevelamer hcl</i> .....	164	<i>spironolacton-</i>		NEEDLE .....	140
SEZABY .....	40	<i>hydrochlorothiaz</i> .....	86	SURE COMFORT SAFETY	
<i>sf 5000 plus</i> .....	105	SPRAVATO .....	45	PEN NEEDLE .....	139
<i>sharobel</i> .....	102	<i>sprintec (28)</i> .....	102	SURE-FINE PEN NEEDLES	
SHINGRIX (PF).....	182	SPRITAM .....	40	.....	140
SIGNIFOR .....	170	<i>sps (with sorbitol)</i> .....	163	SURE-JECT INSULIN	
<i>sildenafil (pulm.hypertension)</i>		<i>sronyx</i> .....	103	SYRINGE .....	141
.....	197	<i>ssd</i> .....	107	SURE-PREP ALCOHOL	
<i>silver sulfadiazine</i> .....	107	<i>stavudine</i> .....	70	PREP PADS .....	141
SIMBRINZA.....	189	STELARA .....	177	SUTAB .....	164
<i>simliya (28)</i> .....	102	STERILE PADS .....	139	<i>syeda</i> .....	103
<i>simpesse</i> .....	102	STIMUFEND.....	76	SYMDEKO .....	195
<i>simvastatin</i> .....	89	STIOLTO RESPIMAT .....	193	SYMJEPI.....	84
<i>sirolimus</i> .....	176	STIVARGA .....	32	SYMLINPEN 120.....	47
SIRTURO .....	56	STRENSIQ .....	155	SYMLINPEN 60.....	47
SKY SAFETY PEN NEEDLE		<i>streptomycin</i> .....	10	SYMPAZAN .....	40
.....	139	STRIBILD.....	70	SYMTUZA .....	71
SKYLA.....	102	STRIVERDI RESPIMAT ..	193	SYNAREL .....	170
SKYRIZI .....	177	<i>subvenite</i> .....	40	SYNERCID .....	11
SLYND.....	102	<i>sucrafate</i> .....	161	SYNJARDY .....	47
<i>sodium chloride 0.45 %</i> ...	190	<i>sulfacetamide sodium</i> ....	158	SYNJARDY XR.....	47, 48
<i>sodium chloride 0.9 %</i> ....	190,	<i>sulfacetamide sodium (acne)</i>		SYNRIBO.....	32
191		.....	107	SYRINGE WITH NEEDLE,	
<i>sodium fluoride-pot nitrate</i>		<i>sulfacetamide-prednisolone</i>		SAFETY .....	139
.....	105	.....	158	<b>T</b>	
<i>sodium oxybate</i> .....	196	<i>sulfadiazine</i> .....	16	TABLOID .....	32
<i>sodium phenylbutyrate</i> .....	163	<i>sulfamethoxazole-</i>		TABRECTA .....	32
<i>sodium polystyrene sulfonate</i>		<i>trimethoprim</i> .....	16, 17	<i>tacrolimus</i> .....	110, 177
.....	163	<i>sulfasalazine</i> .....	184	<i>tadalafil</i> .....	197
<i>sodium,potassium,mag</i>		<i>sulindac</i> .....	7	TAFINLAR.....	32
<i>sulfates</i> .....	164	<i>sumatriptan</i> .....	55	<i>tafluprost (pf)</i> .....	189

TAGRISSE	32	<i>terazosin</i>	165	<i>tobramycin-dexamethasone</i>	158
TAKHZYRO	187	<i>terbinafine hcl</i>	53	<i>tolterodine</i>	165
TALVEY	32	<i>terbutaline</i>	193	TOPCARE CLICKFINE	143
TALZENNA	32	<i>terconazole</i>	54	TOPCARE ULTRA	
<i>tamoxifen</i>	32	<i>teriflunomide</i>	94	COMFORT	143
<i>tamsulosin</i>	165	<i>teriparatide</i>	185	<i>topiramate</i>	40
<i>tarina 24 fe</i>	103	TERUMO INSULIN		<i>toposar</i>	33
<i>tarina fe 1-20 eq (28)</i>	103	SYRINGE	142, 143	<i>toremifene</i>	33
<i>taron-c dha</i>	199	<i>testosterone</i>	166	<i>torpenz</i>	33
<i>taron-prex prenatal-dha</i>	199	<i>testosterone cypionate</i>	166	<i>torse mide</i>	86
TASIGNA	32	<i>testosterone enanthate</i>	166	TOUJEO MAX U-300	
<i>tasimelton</i>	196	TETANUS,DIPHThERIA		SOLOSTAR	50
TAVALISSE	76	TOX PED(PF)	182	TOUJEO SOLOSTAR U-300	
TAVNEOS	177	<i>tetrabenazine</i>	94	INSULIN	50
<i>taysofy</i>	103	<i>tetracycline</i>	18	TRADJENTA	48
<i>tazarotene</i>	110	TEVIMBRA	33	<i>tramadol</i>	5
<i>tazicef</i>	13	THALOMID	187	<i>tramadol-acetaminophen</i>	5
<i>taztia xt</i>	83	<i>theophylline</i>	193	<i>trandolapril</i>	80
TAZVERIK	32	THINPRO INSULIN		<i>trandolapril-verapamil</i>	81
TDVAX	182	SYRINGE	143	<i>tranexamic acid</i>	76
TECENTRIQ	32	<i>thioridazine</i>	66	<i>tranylcypromine</i>	45
TECENTRIQ HYBREZA	32	<i>thiothixene</i>	66	TRAVASOL 10 %	78
TECHLITE INSULIN		<i>tiadylt er</i>	83	<i>travoprost</i>	189
SYRINGE	141, 142	<i>tiagabine</i>	40	TRAZIMERA	33
TECHLITE INSULN		TIBSOVO	33	<i>trazodone</i>	45
SYR(HALF UNIT)	141	TICE BCG	33	TRECTOR	56
TECHLITE PEN NEEDLE	142	TICOVAC	183	TRELEGY ELLIPTA	194
TECHLITE PLUS PEN		<i>tigecycline</i>	18	TRELSTAR	33
NEEDLE	142	<i>tilia fe</i>	103	TREMFYA	177
TECVAYLI	32	<i>timolol</i>	189	TREMFYA PEN	177
TEFLARO	13	<i>timolol maleate</i>	82, 189	<i>treprostinil sodium</i>	197
<i>telmisartan</i>	79	<i>tinidazole</i>	58	TRESIBA FLEXTOUCH U-	
<i>telmisartan-amlodipine</i>	79	<i>tiopronin</i>	165	100	50
<i>telmisartan-</i>		<i>tiotropium bromide</i>	193	TRESIBA FLEXTOUCH U-	
<i>hydrochlorothiazid</i>	79	TIVDAK	33	200	50
<i>temazepam</i>	10	TIVICAY	71	TRESIBA U-100 INSULIN	50
TEMIXYS	71	TIVICAY PD	71	<i>tretinoin</i>	110
<i>tencon</i>	5	<i>tizanidine</i>	196	<i>tretinoin (antineoplastic)</i>	33
TENIVAC (PF)	182	TOBI PODHALER	10	<i>tri femynor</i>	103
<i>tenofovir disoproxil fumarate</i>		<i>tobramycin</i>	11, 158	<i>triamcinolone acetonide</i>	105,
	71	<i>tobramycin in 0.225 % nacl</i>	10	110, 169	
TEPMETKO	33	<i>tobramycin sulfate</i>	11		

<i>triamterene-</i>			
<i>hydrochlorothiazid</i> .....	86		
<i>triazolam</i> .....	10		
<i>trientine</i> .....	165		
<i>tri-estarylla</i> .....	103		
<i>trifluoperazine</i> .....	66		
<i>trifluridine</i> .....	158		
<i>trihexyphenidyl</i> .....	60		
TRIJARDY XR .....	48		
TRIKAFTA .....	195		
<i>tri-legest fe</i> .....	103		
<i>tri-linyah</i> .....	103		
<i>tri-lo-estarylla</i> .....	103		
<i>tri-lo-marzia</i> .....	103		
<i>tri-lo-mili</i> .....	103		
<i>tri-lo-sprintec</i> .....	103		
<i>trimethoprim</i> .....	11		
<i>tri-mili</i> .....	103		
<i>trimipramine</i> .....	45		
TRINTELLIX .....	45		
<i>tri-nymyo</i> .....	103		
<i>tri-previfem (28)</i> .....	103		
<i>tri-sprintec (28)</i> .....	103		
TRIUMEQ .....	71		
TRIUMEQ PD .....	71		
<i>triveen-duo dha</i> .....	199		
<i>trivora (28)</i> .....	103		
<i>tri-vylibra</i> .....	104		
<i>tri-vylibra lo</i> .....	104		
TRIZIVIR .....	71		
TROGARZO .....	71		
TROPHAMINE 10 % .....	78		
<i>trosipium</i> .....	165		
TRUE COMFORT ALCOHOL PADS .....	144		
TRUE COMFORT INSULIN SYRINGE .....	144		
TRUE COMFORT PEN NEEDLE .....	144		
TRUE COMFORT PRO ALCOHOL PADS .....	145		
TRUE COMFORT PRO INS SYRINGE .....	143, 144, 145		
TRUE COMFORT SAFE INSULIN SYRG ...	144, 145		
TRUE COMFORT SAFETY PEN NEEDLE .....	144		
TRUEPLUS INSULIN .....	145, 146		
TRUEPLUS PEN NEEDLE .....	145		
TRULICITY .....	48		
TRUMENBA .....	183		
TRUQAP .....	33		
TRUXIMA .....	33		
TUKYSA .....	33		
TURALIO .....	33		
<i>turqoz (28)</i> .....	104		
TWINRIX (PF) .....	183		
TYBOST .....	187		
TYENNE .....	178		
TYENNE AUTOINJECTOR .....	177		
TYMLOS .....	185		
TYPHIM VI .....	183		
TYVASO .....	197		
U			
UBRELVY .....	56		
ULTICARE .....	146, 147		
ULTICARE INSULIN SYRINGE .....	146		
ULTICARE INSULN SYR(HALF UNIT) .....	146		
ULTICARE PEN NEEDLE .....	146, 147		
ULTICARE SAFETY PEN NEEDLE .....	147		
ULTIGUARD SAFEPACK- INSULIN SYR .....	147, 148		
ULTIGUARD SAFEPACK- PEN NEEDLE .....	147, 148		
ULTILET ALCOHOL SWAB .....	148		
ULTILET INSULIN SYRINGE .....	130, 148		
ULTILET PEN NEEDLE ...	148		
ULTRA CMFT INS SYR (HALF UNIT) .....	128, 139		
ULTRA COMFORT INSULIN SYRINGE ...	123, 128, 148, 149		
ULTRA FLO INSUL SYR(HALF UNIT) .....	149		
ULTRA FLO INSULIN SYRINGE .....	149		
ULTRA FLO PEN NEEDLE .....	149		
ULTRA THIN PEN NEEDLE .....	149		
ULTRACARE INSULIN SYRINGE .....	149, 150		
ULTRACARE PEN NEEDLE .....	150		
ULTRA-FINE INS SYR (HALF UNIT) .....	150		
ULTRA-FINE INSULIN SYRINGE .....	150, 151		
ULTRA-FINE PEN NEEDLE .....	151		
ULTRA-THIN II (SHORT) INS SYR .....	151		
ULTRA-THIN II (SHORT) PEN NDL .....	151		
ULTRA-THIN II INS PEN NEEDLES .....	151		
ULTRA-THIN II INSULIN SYRINGE .....	151		
UNIFINE OTC PEN NEEDLE .....	151		
UNIFINE PEN NEEDLE ..	151		
UNIFINE PENTIPS .	135, 151, 152		
UNIFINE PENTIPS MAXFLOW .....	152		
UNIFINE PENTIPS PLUS	152		



UNIFINE PENTIPS PLUS MAXFLOW .....	152	<i>venlafaxine</i> .....	45	VIZIMPRO .....	34
UNIFINE PROTECT .....	152	<i>venlafaxine besylate</i> .....	45	VOCABRIA .....	71
UNIFINE SAFECONTROL .....	153	VEOZAH .....	187	<i>volnea (28)</i> .....	104
UNIFINE SAFECONTROL PEN NEEDLE .....	153	<i>verapamil</i> .....	83, 84	VONJO .....	34
UNIFINE ULTRA PEN NEEDLE .....	153	VERIFINE INSULIN SYRINGE .....	153, 154	VORANIGO .....	34
UPTRAVI .....	197	VERIFINE PEN NEEDLE .....	153, 154	<i>voriconazole</i> .....	53
<i>ursodiol</i> .....	163	VERIFINE PLUS PEN NEEDLE .....	154	VOSEVI .....	72
UZEDY .....	66	VERIFINE PLUS PEN NEEDLE-SHARP .....	154	VOWST .....	187
<b>V</b>		VERQUVO .....	84	<i>vp-ch-pnv</i> .....	200
<i>valacyclovir</i> .....	73	VERSACLOZ .....	66	<i>vp-pnv-dha</i> .....	200
VALCHLOR .....	106	VERSALON .....	154	VRAYLAR .....	66
<i>valganciclovir</i> .....	73	VERZENIO .....	34	VUMERITY .....	94
<i>valproate sodium</i> .....	40	<i>vestura (28)</i> .....	104	VYALEV .....	60
<i>valproic acid</i> .....	40	V-GO 20 .....	154	<i>vyfemla (28)</i> .....	104
<i>valproic acid (as sodium salt)</i> .....	40	V-GO 30 .....	154	<i>vylibra</i> .....	104
<i>valsartan</i> .....	79	V-GO 40 .....	154	VYLOY .....	34
<i>valsartan-hydrochlorothiazide</i> .....	79	<i>vienva</i> .....	104	VYZULTA .....	189
VALTOCO .....	41	<i>vigabatrin</i> .....	41	<b>W</b>	
<i>valtya</i> .....	104	<i>vigadrone</i> .....	41	<i>warfarin</i> .....	74
<i>vancomycin</i> .....	11, 12	<i>vigopoder</i> .....	41	WEBCOL .....	154
VANFLYTA .....	33	<i>vilazodone</i> .....	45	WELIREG .....	34
VANISHPOINT INSULIN SYRINGE .....	153	VIMKUNYA .....	183	WINREVAIR .....	195
VANISHPOINT SYRINGE	153	<i>vinblastine</i> .....	34	<i>wixela inhub</i> .....	192
VAQTA (PF) .....	183	<i>vincasar pfs</i> .....	34	<b>X</b>	
<i>varenicline tartrate</i> .....	9	<i>vincristine</i> .....	34	XALKORI .....	35
VARIVAX (PF) .....	183	<i>vinorelbine</i> .....	34	<i>xarah fe</i> .....	104
VAXCHORA VACCINE ...	183	<i>viocele (28)</i> .....	104	XARELTO .....	74
VEGZELMA .....	34	VIRACEPT .....	71	XARELTO DVT-PE TREAT 30D START .....	74
<i>velivet triphasic regimen (28)</i> .....	104	VIREAD .....	71	XATMEP .....	35
VELTASSA .....	163	<i>virt-c dha</i> .....	199	XCOPRI .....	41
VEMLIDY .....	71	<i>virt-nate dha</i> .....	199	XCOPRI MAINTENANCE PACK .....	41
VENCLEXTA .....	34	<i>virt-pn dha</i> .....	200	XCOPRI TITRATION PACK .....	41
VENCLEXTA STARTING PACK .....	34	<i>virt-pn plus</i> .....	200	XDEMVEY .....	158
		<i>vitafol gummies</i> .....	200	XELJANZ .....	178
		<i>vitafol nano</i> .....	200	XELJANZ XR .....	178
		<i>vitafol-ob+dha</i> .....	200	XERMELO .....	163
		VITRAKVI .....	34	XGEVA .....	185
		VIVOTIF .....	183	XIFAXAN .....	12
				XIGDUO XR .....	48

XIIDRA.....	160	ZOLADEX.....	36
XOLAIR.....	195	ZOLINZA.....	36
XOSPATA.....	35	<i>zolmitriptan</i> .....	56
XPOVIO.....	35	<i>zolpidem</i> .....	196
XTANDI.....	35	ZONISADE.....	41
<i>xulane</i> .....	104	<i>zonisamide</i> .....	41
XULTOPHY 100/3.6.....	50	<i>zovia 1-35 (28)</i> .....	104
XYOSTED.....	166	ZTALMY.....	41
<b>Y</b>		ZTLIDO.....	8
<i>yargesa</i> .....	155	<i>zumandimine (28)</i> .....	104
YERVOY.....	35	ZURZUVAE.....	45
YESINTEK.....	178	ZYDELIG.....	36
YF-VAX (PF).....	183	ZYKADIA.....	36
YONSA.....	35	ZYLET.....	159
YUFLYMA(CF).....	178	ZYMFENTRA.....	188
YUFLYMA(CF) AI CROHN'S- UC-HS.....	178	ZYNLONTA.....	36
YUFLYMA(CF) AUTOINJECTOR.....	178	ZYNYZ.....	36
<i>yuvaferm</i> .....	168	ZYPREXA RELPREVV.....	67
<b>Z</b>			
<i>zafemy</i> .....	104		
<i>zafirlukast</i> .....	192		
<i>zaleplon</i> .....	196		
ZARXIO.....	76		
<i>zatean-pn dha</i> .....	200		
<i>zatean-pn plus</i> .....	200		
<i>zebutal</i> .....	5		
ZEGALOGUE AUTOINJECTOR.....	187		
ZEGALOGUE SYRINGE.....	187		
ZEJULA.....	35, 36		
ZELBORAF.....	36		
<i>zenatane</i> .....	106		
ZENPEP.....	156		
<i>zidovudine</i> .....	71		
ZIIHERA.....	36		
<i>zingiber</i> .....	200		
<i>ziprasidone hcl</i> .....	66		
<i>ziprasidone mesylate</i> .....	66		
ZIRABEV.....	36		
ZIRGAN.....	159		



## GOLD KIDNEY HEALTH PLAN

P.O. Box 285, Portsmouth, NH 03802

[www.goldkidney.com](http://www.goldkidney.com)



This formulary was updated on 04/25/2025. For more recent information or other questions, please contact Gold Kidney Health Plan Member Services at 1 (844) 294-6535 (TTY users should call 711). Our office hours are 8 a.m. to 8 p.m., local time, 7 days a week from October 1 – March 31 (except holidays), and 8 a.m. to 8 p.m., local time, Monday through Friday, April 1 – September 30 (except holidays), or visit [www.goldkidney.com](http://www.goldkidney.com).

Gold Kidney Health Plan, Inc., is an HMO-POS and HMO-POS C-SNP with a Medicare contract. Enrollment in Gold Kidney Health Plan depends on contract renewal.