



GOLD KIDNEY HEALTH PLAN

# Gold Kidney Health Plan

## Formulario de 2026

### Lista de medicamentos cubiertos o “Lista de medicamentos”

#### **LEA LO SIGUIENTE:**

Este documento contiene información acerca de los medicamentos que cubrimos en este plan.

ID del formulario: 26346

Y0171\_Formulary\_1T\_3\_0925\_C

Este formulario fue actualizado el 02/01/2026. Para obtener información más reciente, o si tiene otras preguntas, llame a Servicios para miembros de Gold Kidney Health Plan al 1 (844) 294-6535. (Los usuarios de TTY deben llamar al 711.) Nuestro horario de atención es de 8 a.m. a 8 p.m., hora local, los 7 días a la semana desde el 1 de octubre hasta el 31 de marzo (excepto festivos), y de 8 a.m. a 8 p.m., hora local, de lunes a viernes, desde el 1 de abril hasta el 30 de septiembre (excepto festivos), o visite [www.goldkidney.com](http://www.goldkidney.com).

**H1526-004 Gold Kidney of Florida Gold Dialysis & Kidney Complete (HMO-POS C-SNP)**  
**H4869-014 Gold Kidney of Arizona Gold Dialysis & Kidney Complete (HMO-POS C-SNP)**

Última actualización: 02/01/2026

**Nota para los miembros actuales:** Este Formulario ha cambiado con respecto al año pasado. Revise este documento para asegurarse de que aún contiene los medicamentos que toma.

Cuando esta Lista de medicamentos (Formulario) menciona “nosotros”, “nos” o “nuestro”, hace referencia a Gold Kidney Health Plan. Cuando dice “plan” o “nuestro plan”, hace referencia a Gold Kidney Health Plan.

Este documento incluye una Lista de medicamentos (Formulario) de nuestro plan, que está vigente a partir del 02/01/2026. Para obtener una lista de medicamentos (Formulario) actualizada, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización de la Lista de medicamentos (Formulario), aparece en las páginas de la portada y la portada posterior.

Generalmente, debe concurrir a las farmacias de la red para usar el beneficio de medicamentos con receta. Los beneficios, el formulario, la red de farmacias o los copagos/el coseguro pueden cambiar el 1 de enero de 2026 y periódicamente durante el año.

## ¿Qué es el Formulario de Gold Kidney Health Plan?

En este documento, los términos Lista de medicamentos y Formulario significan lo mismo. Un Formulario es una Lista de medicamentos cubiertos seleccionados por Gold Kidney Health Plan con la colaboración de un equipo de proveedores de atención médica, que representa los tratamientos con receta que se consideran una parte necesaria de un programa de tratamiento de calidad. Normalmente, Gold Kidney Health Plan cubrirá los medicamentos incluidos en el formulario, siempre que el medicamento sea médicamente necesario, el medicamento con receta se surta en una farmacia de la red de Gold Kidney Health Plan y se cumpla con otras normas del plan. Para obtener más información sobre cómo obtener sus medicamentos con receta, consulte la Evidencia de Cobertura.

## ¿El Formulario puede cambiar?

La mayoría de los cambios en la cobertura para medicamentos ocurre el 1 de enero, pero Gold Kidney Health Plan podríamos/podría agregar o quitar medicamentos del Formulario durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las normas de Medicare al hacer estos cambios. Las actualizaciones del Formulario se publican todos los meses en nuestro sitio web: [www.goldkidney.com](http://www.goldkidney.com).

**Cambios que pueden afectarlo este año:** En los casos a continuación, usted se verá afectado por los cambios de cobertura durante el año:

- **Sustitución inmediata de determinadas versiones nuevas de medicamentos de marca y productos biológicos originales.** Podemos eliminar inmediatamente un medicamento de nuestro Formulario si lo reemplazamos con una cierta versión nueva de ese medicamento que aparecerá en con las mismas restricciones o menos. Cuando

agregamos una nueva versión de un medicamento a nuestro Formulario, podemos decidir mantener el medicamento de marca o productos biológicos originales en nuestro Formulario, pero inmediatamente moverlo a un agregar nuevas restricciones. Podemos realizar estos cambios inmediatos solo si estamos sumando una nueva versión genérica de un medicamento de marca, o si agregamos ciertas nuevas versiones biosimilares de un producto biológico original, que ya estaba en el Formulario (por ejemplo, agregar un biosimilar intercambiable que puede ser sustituido por un producto biológico original por una farmacia sin una receta nueva). Si actualmente está tomando el medicamento de marca o el producto biológico original, quizás no le informemos con anticipación que realizaremos un cambio inmediato, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.

Si realizamos un cambio, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo para usted el medicamento que se cambiará. Para obtener más información, consulte la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?”

Algunos de estos tipos de medicamentos pueden ser nuevos para usted. Para obtener más información, consulte la sección a continuación titulada “¿Qué son los productos biológicos originales y cómo se relacionan con los biosimilares?”.

- **Medicamentos retirados del mercado.** Si un fabricante retira un medicamento de la venta o la Administración de Alimentos y Medicamentos (Food and Drug Administration, FDA) determina que se debe retirar por razones de seguridad o eficacia, podemos eliminar inmediatamente el medicamento de nuestro Formulario y, luego, notificarles a los miembros que toman el medicamento.
- **Otros cambios.** Podemos hacer otros cambios que afectan a los miembros que actualmente toman un medicamento. Por ejemplo, podemos eliminar un medicamento de marca del formulario al añadir un equivalente genérico, o eliminar un producto biológico original al añadir un biosimilar. También podemos aplicar nuevas restricciones al medicamento de marca o al producto biológico original. Podemos realizar cambios basándonos en nuevas guías clínicas. Si eliminamos medicamentos de nuestro formulario o añadimos requisitos de autorización previa, límites de cantidad o restricciones de terapia escalonada a un medicamento, debemos notificar a los miembros afectados con al menos 30 días de antelación a la fecha en que el cambio entre en vigor. Alternativamente, cuando un miembro solicite una nueva receta del medicamento, podrá recibir un suministro para 30 días y la notificación del cambio.
- Si realizamos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción para usted y continuemos la cobertura del medicamento que ha estado tomando. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted también puede

encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?”.

**Cambios que no lo afectarán si actualmente toma el medicamento.** En general, si usted toma un medicamento de nuestro Formulario para 2026 que estaba cubierto al comienzo del año, nosotros no discontinuaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2026, excepto como se describe anteriormente. Esto significa que, por el resto del año de cobertura, estos medicamentos continuarán disponibles al mismo costo compartido y sin nuevas restricciones para aquellos miembros que estén tomándolos. No recibirá un aviso directo este año sobre cambios que no lo afectan. Sin embargo, dichos cambios lo afectarían a partir del 1 de enero del año siguiente, y es importante que verifique el Formulario del nuevo año de beneficios por cualquier cambio en los medicamentos. El Formulario adjunto entra en vigencia el 02/01/2026. Para recibir información actualizada sobre los medicamentos cubiertos por Gold Kidney Health Plan, comuníquese con nosotros. Nuestra información de contacto aparece en las páginas de la portada y la contratapa. Si se realizan cambios no relacionados con el mantenimiento en el formulario de medicamentos durante el año del plan, los cambios en el formulario de medicamentos de Gold Kidney Health Plan se publicarán en nuestro sitio web en [www.goldkidney.com](http://www.goldkidney.com).

## ¿Cómo utilizo el Formulario?

Hay dos formas para encontrar su medicamento dentro del formulario:

### **Afección médica**

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página 1. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

### **Listado alfabético**

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página I-1. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

## ¿Qué son los medicamentos genéricos?

Gold Kidney Health Plan cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la Administración de Drogas y Alimentos (Food and

Drug Administration, FDA) dado que se considera que tiene el mismo ingrediente activo que el medicamento de marca. Por lo general, los medicamentos genéricos funcionan igual de bien y, suelen costar menos que los de marca. Hay medicamentos genéricos sustitutos disponibles para muchos medicamentos de marca. Normalmente, los medicamentos genéricos pueden sustituir a los medicamentos de marca en la farmacia sin necesidad de obtener una receta nueva, según las leyes estatales.

## ¿Qué son los productos biológicos originales y cómo se relacionan con los biosimilares?

En el Formulario, cuando nos referimos a medicamentos, esto podría significar un medicamento o un producto biológico. Los productos biológicos son medicamentos más complejos que los medicamentos habituales. Dado que los productos biológicos son más complejos que los medicamentos típicos, en lugar de tener una forma genérica, tienen alternativas que se denominan biosimilares. Por lo general, los biosimilares funcionan tan bien como el producto biológico original y pueden costar menos. Existen alternativas biosimilares para algunos productos biológicos originales. Algunos biosimilares son biosimilares intercambiables y, según las leyes estatales, pueden reemplazar al producto biológico original en la farmacia sin necesidad de una nueva receta, al igual que los medicamentos genéricos pueden sustituir a medicamentos de marca.

- Para consultar los tipos de medicamentos, consulte la Evidencia de Cobertura, Capítulo 5, Sección 3.1, “La ‘Lista de medicamentos’ indica qué medicamentos de la Parte D están cubiertos”.

## ¿Hay alguna restricción en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir lo siguiente:

- Autorización previa: Gold Kidney Health Plan exige que usted o la persona autorizada a dar recetas obtenga una autorización previa para determinados medicamentos. Esto significa que necesitará contar con la aprobación de Gold Kidney Health Plan antes de surtir sus medicamentos con receta. Si no consigue la autorización, es posible que Gold Kidney Health Plan no cubra el medicamento.
- Límites de cantidad: Para ciertos medicamentos, Gold Kidney Health Plan limita la cantidad del medicamento que Gold Kidney Health Plan cubrirá. Por ejemplo, Gold Kidney Health Plan proporciona 30 por receta para tabletas Farxiga 10mg. Esto puede ser complementario a un suministro estándar para un mes o tres meses.
- Tratamiento escalonado: En algunos casos, Gold Kidney Health Plan requiere que usted primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa afección. Por ejemplo, si el medicamento A y el medicamento B tratan su afección médica, es posible que Gold Kidney Health Plan no cubra el medicamento B a menos que usted pruebe primero el medicamento

A. Si el medicamento A no funciona para usted, entonces Gold Kidney Health Plan cubrirá el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, consulte el Formulario que empieza en la página 1. También puede obtener más información sobre las restricciones que se aplican a medicamentos cubiertos específicos en nuestro sitio web. Hemos publicado en línea documentos que explican nuestras restricciones de autorización previa y de terapia escalonada. También puede solicitarnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior. Puede pedirle a Gold Kidney Health Plan que haga una excepción a estas restricciones o límites, o puede solicitarle una lista de otros medicamentos similares que podrían tratar su afección médica. Consulte la sección “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?” en la página vi para obtener información acerca de cómo solicitar una excepción.

## ¿Qué pasa si mi medicamento no está en el Formulario?

Si el medicamento que toma no está incluido en este Formulario (lista de medicamentos cubiertos), primero debe comunicarse con Servicios para los miembros y preguntar si su medicamento está cubierto.

Si resulta que Gold Kidney Health Plan no cubre el medicamento que toma, tiene dos alternativas:

- Puede pedir a Servicios para los miembros una lista de medicamentos similares que estén cubiertos por Gold Kidney Health Plan. Cuando reciba la lista, muéstrésela a su médico y pídale que le recete un medicamento similar que esté cubierto por Gold Kidney Health Plan.
- Puede solicitar que Gold Kidney Health Plan haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

## ¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?

Puede solicitar a Gold Kidney Health Plan que haga una excepción a nuestras normas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento, incluso si no está en nuestro formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le brindemos el medicamento a un nivel de costo compartido menor.

- Puede pedirnos que no apliquemos una restricción de cobertura, incluidos la autorización previa, el tratamiento escalonado o el límite de cantidad de su medicamento. Por ejemplo, para ciertos medicamentos, Gold Kidney Health Plan limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que hagamos una excepción al límite y cubramos una cantidad mayor.

Por lo general, Gold Kidney Health Plan solo aprobará su solicitud de una excepción si los medicamentos alternativos incluidos en el Formulario del plan, el medicamento de menor costo, o la aplicación de la restricción no fueran tan efectivos para usted o pudieran causarle efectos adversos.

Usted o la persona autorizada a dar recetas deben comunicarse con nosotros para solicitar una excepción al Formulario, incluida una excepción a una restricción de cobertura. **Cuando solicite una excepción, la persona autorizada a dar recetas necesitará explicar las razones médicas por las que usted necesita la excepción.** Por lo general, debemos tomar una decisión dentro de las 72 horas a partir de la fecha de haber recibido la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas. Puede pedir una decisión acelerada (rápida) si usted considera, y nosotros estamos de acuerdo, que esperar 72 horas para la toma de la decisión podría perjudicar gravemente su salud. Si aceptamos, o si la persona autorizada a dar recetas pide una decisión rápida, debemos comunicarle nuestra decisión, a más tardar, en un período de 24 horas después de recibir la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas.

## ¿Qué puedo hacer si mi medicamento no está en el Formulario o si tiene una restricción?

Como miembro nuevo o permanente de nuestro plan, es posible que esté tomando medicamentos que no están incluidos en el formulario. También es posible que esté tomando un medicamento que está en nuestro Formulario, pero que tiene una restricción de cobertura, como la autorización previa. Debe hablar con la persona autorizada a dar recetas para solicitar una decisión de cobertura para demostrar que cumple con los criterios de aprobación, cambiar a un medicamento alternativo que cubramos o solicitar una excepción al Formulario para que cubramos el medicamento que toma. Mientras usted y su médico determinan el procedimiento adecuado para seguir en su caso, podemos cubrir su medicamento, en ciertos casos, durante los primeros 90 días en que usted sea miembro de nuestro plan.

Para cada uno de los medicamentos que no están en nuestro Formulario o que tienen una restricción de cobertura, cubriremos un suministro temporal de 30 días. Si su receta está indicada para menos días, permitiremos que realice resurtidos por un máximo de hasta 30 días del medicamento. Si no se aprueba la cobertura, después del primer suministro 30 días, no seguiremos pagando estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no está en el Formulario o si su capacidad para conseguir los medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia del medicamento para 31 días mientras solicita la excepción al formulario.

Para los miembros cuyo nivel de atención cambia, proporcionamos un suministro de emergencia para 30 días de la siguiente manera:

- Los miembros actuales que necesiten un suministro de emergencia único o a quienes se les recete un medicamento no incluido en el formulario como resultado de un cambio en el nivel de atención pueden ser incluidos en un programa de transición mediante un código de aclaración enviado por la farmacia. Gold Kidney Health Plan ha autorizado a su administrador de beneficios farmacéuticos a procesar un suministro único en esta situación mediante una anulación manual en el punto de venta de la farmacia.
- Cuando se recibe una nueva transacción de reclamo de la farmacia para el ingreso o reingreso de un miembro a un centro de atención a largo plazo (long-term care facility, LTC), nuestro sistema de reclamos reconocerá que el miembro actual es elegible para recibir suministros de transición y aplicará la aprobación en el punto de venta.

## Para obtener más información

Para obtener información más detallada sobre la cobertura para medicamentos con receta de Gold Kidney Health Plan, consulte la Evidencia de Cobertura y otra documentación del plan. Si tiene alguna pregunta sobre Gold Kidney Health Plan, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Si tiene preguntas generales sobre su cobertura para medicamentos con receta de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O visite <http://www.medicare.gov>.

# Formulario de Gold Kidney Health Plan

El formulario que comienza en la página siguiente proporciona información sobre la cobertura de los medicamentos cubiertos por Gold Kidney Health Plan. Si tiene alguna dificultad para encontrar el medicamento que toma en la lista, consulte el Índice que comienza en la página I-1.

La primera columna de la tabla menciona el nombre del medicamento. Los medicamentos de marca están en letra mayúscula (por ejemplo, FARXIGA), y los medicamentos genéricos están en letra minúscula y cursiva (por ejemplo, *simvastatin*).

La información incluida en la columna de Requisitos/límites indica si Gold Kidney Health Plan tiene algún requisito especial para la cobertura del medicamento.

## Leyenda de la Lista de Medicamentos

| SIMBOLO | TERMINOLOGÍA                                   | DESCRIPCIÓN                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BvD     | Parte B de Medicare versus Parte D de Medicare | Es posible que algunos medicamentos requieran una determinación de cobertura de la Parte B o la Parte D, según las reglas de cobertura de Medicare.                                                                                                                                                                                                                                                                                                                            |
| EX      | Medicamento excluido                           | Este medicamento recetado normalmente no está cubierto por un plan de medicamentos recetados de Medicare. El monto que paga cuando obtiene una receta para este medicamento no cuenta para los costos totales del medicamento (es decir, el monto que paga no lo ayuda a calificar para la cobertura catastrófica). Además, si recibe ayuda adicional para pagar sus recetas, no recibirá ninguna ayuda adicional para pagar este medicamento.                                 |
| LA      | Acceso Limitado                                | Esta receta puede estar disponible sólo en determinadas farmacias. Para obtener más información, consulte su Directorio de farmacias o llame a Servicios para Miembros al 1 (844) 294-6535 (TTY: 711), de 8 a. m. a 8 p. m., los siete días de la semana, del 1 de octubre al 31 de marzo (excepto feriados) y los 8 a. m. a 8 p. m., de lunes a viernes, del 1 de abril al 30 de septiembre (excepto feriados), o visite <a href="http://goldkidney.com">goldkidney.com</a> . |
| NDS     | Suministro de Días no Extendidos               | Este medicamento sólo se puede obtener para un suministro de un mes o menos.                                                                                                                                                                                                                                                                                                                                                                                                   |
| NM      | No disponible por correo                       | Este medicamento no está disponible a través de la farmacia de pedidos por correo.                                                                                                                                                                                                                                                                                                                                                                                             |
| NSO     | Solo nuevo comienzo                            | Si no ha tomado este medicamento antes, usted o su médico deben obtener autorización previa.                                                                                                                                                                                                                                                                                                                                                                                   |
| PA      | Autorización previa                            | La cobertura de esta receta requiere autorización previa.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| QL      | Límite de cantidad                             | Este medicamento tiene un límite de dosis o cantidad de prescripción.                                                                                                                                                                                                                                                                                                                                                                                                          |
| ST      | Terapia escalonada                             | La cobertura de esta receta se proporciona cuando se han probado otras terapias con medicamentos preferidos o de primera línea.                                                                                                                                                                                                                                                                                                                                                |

## 2026 Abreviaturas de formas farmacéuticas

| Forma de Dosificación Abreviada | Definición                       | Forma de Dosificación Abreviada | Definición                                |
|---------------------------------|----------------------------------|---------------------------------|-------------------------------------------|
| 8 hr                            | 8 hora                           | HFA                             | hidrofluoroalcano                         |
| 12 hr or 12hr                   | 12 hora                          | hi                              | alto                                      |
| 24 hr or 24hr                   | 24 hora                          | IR                              | liberación inmediata                      |
| 72 hr                           | 72 hora                          | liqd                            | líquido                                   |
| act                             | activado                         | loz                             | lozenge                                   |
| aero                            | aerosol                          | lo                              | low                                       |
| admin                           | administración                   | lozeng                          | gragea                                    |
| ampul                           | ampolla                          | mini lozenge                    | miniatura gragea                          |
| app                             | utensilio para aplicar           | misc                            | misceláneos                               |
| appl                            | utensilio para aplicar           | MP                              | Bomba dosificada                          |
| auto                            | automático                       | muco                            | mucoso                                    |
| cap                             | cápsula                          | pak                             | paquete                                   |
| chew                            | masticable                       | Pack                            | paquete                                   |
| CT                              | cantidad                         | PCA                             | administración controlada por el paciente |
| comb                            | combinación                      | pell                            | bolita                                    |
| del                             | demorado                         | pk                              | paquete                                   |
| delayed                         | demorado                         | Powdr                           | polvo                                     |
| disinteg                        | desintegrándose                  | pt                              | paciente                                  |
| disintegrat                     | desintegrándose                  | recon                           | reconstituido                             |
| dose                            | dosificación                     | rel                             | liberar                                   |
| DR                              | lanzamiento retrasado            | releas                          | liberar                                   |
| EC                              | recubrimiento entérico           | soln                            | solución                                  |
| emolnt                          | emolliente                       | sprinkl                         | espolvorear                               |
| ENFit                           | conector de alimentación enteral | susp                            | suspensión                                |
| er                              | liberación extendida             | suspen                          | suspensión                                |
| ER                              | liberación extendida             | syring                          | syringa                                   |
| ext                             | extendido                        | tab                             | tableta                                   |
| extnd                           | extendido                        | TD                              | transdérmico                              |
| extend                          | extendido                        | var                             | variable                                  |
| gast                            | gástrico                         | w/                              | con                                       |

## Su Costo Compartido de Medicamentos

H1526-004 Gold Kidney of Florida Gold Dialysis & Kidney Complete (HMO-POS C-SNP)

H4869-014 Gold Kidney of Arizona Gold Dialysis & Kidney Complete (HMO-POS C-SNP)

### Cobertura inicial

Usted permanece en la Etapa de Cobertura Inicial hasta que haya pagado \$2,100 de su bolsillo por los medicamentos de la Parte D; pasará a la siguiente etapa (la Etapa de Cobertura Catastrófica).

| Deducible | Tipo de Farmacia/Días de Suministro         | Nivel único                                              |
|-----------|---------------------------------------------|----------------------------------------------------------|
| \$615*    | Suministro minorista estándar para 30 días  | 25% coseguro                                             |
|           | Cuidados a largo plazo                      | 25% coseguro                                             |
|           | Suministro de 31 días                       | 25% coseguro                                             |
|           | Suministro de 30 días fuera de la red       | 25% coseguro                                             |
| \$615*    | Insulinas                                   | lo que sea menor entre 25% de coseguro o \$35 de copago  |
|           | Suministro minorista de 100 días            | 25% coseguro                                             |
| \$615*    | Insulinas                                   | lo que sea menor entre 25% de coseguro o \$105 de copago |
|           | Pedido por correo de suministro de 100 días | 25% coseguro                                             |
| \$615*    | Insulinas                                   | lo que sea menor entre 25% de coseguro o \$105 de copago |

\*Su deducible y costos compartidos de medicamentos pueden ser más bajos si recibe “Ayuda adicional” con sus medicamentos recetados.

### Etapa de cobertura catastrófica

Usted ingresa a la etapa de cobertura catastrófica cuando sus costos de bolsillo han alcanzado el límite de \$2,100 para el año calendario. Una vez que esté en la Etapa de Cobertura Catastrófica, permanecerá en esta etapa de pago hasta el final del año calendario. Durante esta etapa, usted no paga nada por los medicamentos de la Parte D.

# Notice of Availability

**English:** ATTENTION: If you speak English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-844-294-6535 (TTY: 711) or speak to your provider.

**Spanish:** ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles de forma gratuita ayuda y servicios auxiliares apropiados para proporcionar información en formatos accesibles. Llame al 1-844-294-6535 (TTY: 711) o hable con su proveedor.

**Navajo:** SHOOH: Diné bee yáníłti'gogo, saad bee aná'awo' bee áka'anída'awo'ít'áá jiik'eh ná hóló. Bee ahił hane'go bee nida'anishí t'áá ákodaat'éhígíí dóó bee áka'anída'wo'í áko bee baa hane'í bee hadadilyaa bich'j' ahoot'i'ígíí éí t'áá jiik'eh hóló. Kohjį 1-844-294-6535 (TTY: 711) hodíilnih doodago nika'análwo'í bich'j' hanidziih.

**Haitian:** ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd aladispozisyon w gratis pou lang ou pale a. Èd ak sèvis siplemantè apwopriye pou bay enfòmasyon nan fòm aksesib yo disponib gratis tou. Rele nan 1-844-294-6535 (TTY: 711) oswa pale avèk founisè w la.

**French:** ATTENTION: Si vous parlez Français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-844-294-6535 (TTY : 711) ou parlez à votre fournisseur.

**Portuguese:** ATENÇÃO: Se você fala português, serviços gratuitos de assistência linguística estão disponíveis para você. Auxílios e serviços auxiliares apropriados para fornecer informações em formatos acessíveis também estão disponíveis gratuitamente. Ligue para 1-844-294-6535 (TTY: 711) ou fale com seu provedor.

**Simplified Chinese:** 注意：如果您说中文，我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务，以无障碍格式提供信息。致电 1-844-294-6535（文本电话：711）或咨询您的服务提供商。

**Tagalog:** PAALALA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyong tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo upang magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-844-294-6535 (TTY: 711) o makipag-usap sa iyong provider.

**Vietnamese:** LƯU Ý: Nếu bạn nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-844-294-6535 (Người khuyết tật: 711) hoặc trao đổi với người cung cấp dịch vụ của bạn.

**Arabic:** تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-844-294-6535 (711) أو تحدث إلى مقدم الخدمة.

**German:** ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose Sprachassistentendienste zur Verfügung. Entsprechende Hilfsmittel und Dienste zur Bereitstellung von Informationen in barrierefreien Formaten stehen ebenfalls kostenlos zur Verfügung. Rufen Sie 1-844-294-6535 (TTY: 711) an oder sprechen Sie mit Ihrem Provider.

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएँ भी निःशुल्क उपलब्ध हैं। 1-844-294-6535 (TTY: 711) पर कॉल करें या अपने प्रदाता से बात करें।

**Russian:** ВНИМАНИЕ: Если вы говорите на русский, вам доступны бесплатные услуги языковой поддержки. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-844-294-6535 (TTY: 711) или обратитесь к своему поставщику услуг.

**Italian:** ATTENZIONE: se parli Italiano, sono disponibili servizi di assistenza linguistica gratuiti. Sono inoltre disponibili gratuitamente ausili e servizi ausiliari adeguati per fornire informazioni in formati accessibili. Chiama l'1-844-294-6535 (tty: 711) o parla con il tuo fornitore.

**Gujarati:** ધ્યાન આપો: જો તમે ગુજરાતી બોલતા હો તો મફત ભાષાકીય સહાયતા સેવાઓ તમારા માટે ઉપલબ્ધ છે. યોગ્ય ઓફિસિલરી સહાય અને એક્સેસિબલ ફોર્મેટમાં માહિતી પૂરી પાડવા માટેની સેવાઓ પણ વિના મૂલ્યે ઉપલબ્ધ છે. 1-844-295-6535 (TTY: 711) પર કોલ કરો અથવા તમારા પ્રદાતા સાથે વાત કરો.

**Korean:** 주의: 한국어를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-844-294-6535(TTY: 711)번으로 전화하거나 서비스 제공업체에 문의하십시오.

## Tabla de Contenido

|                                                                          |            |
|--------------------------------------------------------------------------|------------|
| <b>Agentes Anti Cáncer .....</b>                                         | <b>3</b>   |
| <b>Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias .....</b> | <b>22</b>  |
| <b>Agentes Antiansiedad .....</b>                                        | <b>23</b>  |
| <b>Agentes Antidemencia .....</b>                                        | <b>24</b>  |
| <b>Agentes Antidiabetico .....</b>                                       | <b>25</b>  |
| <b>Agentes Antigota .....</b>                                            | <b>30</b>  |
| <b>Agentes Antimigraña .....</b>                                         | <b>31</b>  |
| <b>Agentes Antinausea.....</b>                                           | <b>32</b>  |
| <b>Agentes Antiparasitarios .....</b>                                    | <b>33</b>  |
| <b>Agentes Antiparkinson .....</b>                                       | <b>34</b>  |
| <b>Agentes Antipsicóticos .....</b>                                      | <b>36</b>  |
| <b>Agentes Calóricos.....</b>                                            | <b>43</b>  |
| <b>Agentes Cardiovasculares .....</b>                                    | <b>44</b>  |
| <b>Agentes De Enfermedad Intestinal Inflamatoria .....</b>               | <b>56</b>  |
| <b>Agentes De Enfermedad Ósea Metabólica .....</b>                       | <b>57</b>  |
| <b>Agentes De Trastorno De Sueño .....</b>                               | <b>58</b>  |
| <b>Agentes Del Sistema Nervioso Central.....</b>                         | <b>58</b>  |
| <b>Agentes Del Tracto Respiratorio .....</b>                             | <b>63</b>  |
| <b>Agentes Dentales Y Orales .....</b>                                   | <b>68</b>  |
| <b>Agentes Dermatológicos .....</b>                                      | <b>69</b>  |
| <b>Agentes Gastrointestinales .....</b>                                  | <b>74</b>  |
| <b>Agentes Genitourinarios.....</b>                                      | <b>78</b>  |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador .....</b>       | <b>79</b>  |
| <b>Agentes Inmunológicos .....</b>                                       | <b>85</b>  |
| <b>Agentes Oftálmicos .....</b>                                          | <b>97</b>  |
| <b>Agentes Para Los Ojos, Oídos, Nariz, Garganta.....</b>                | <b>99</b>  |
| <b>Agentes Terapeuticos Misceláneos .....</b>                            | <b>103</b> |

|                                                                       |            |
|-----------------------------------------------------------------------|------------|
| <b>Agentes Vasodilatadores .....</b>                                  | <b>105</b> |
| <b>Analgésicos.....</b>                                               | <b>106</b> |
| <b>Anestésicos .....</b>                                              | <b>110</b> |
| <b>Antagonistas De Metales Pesados.....</b>                           | <b>111</b> |
| <b>Anti Infecciosos (Membrana Cutánea Y Mucosa).....</b>              | <b>112</b> |
| <b>Antibacterianos .....</b>                                          | <b>112</b> |
| <b>Anticonceptivos .....</b>                                          | <b>120</b> |
| <b>Anticonvulsivos .....</b>                                          | <b>129</b> |
| <b>Antidepresivos .....</b>                                           | <b>135</b> |
| <b>Antifúngicos.....</b>                                              | <b>138</b> |
| <b>Antihistamínicos.....</b>                                          | <b>141</b> |
| <b>Antimicobacteriales .....</b>                                      | <b>141</b> |
| <b>Antivirales (Sitémico) .....</b>                                   | <b>142</b> |
| <b>Cofactores Enzimáticos/Otros .....</b>                             | <b>148</b> |
| <b>Dispositivos .....</b>                                             | <b>148</b> |
| <b>Preparaciones De Reemplazo.....</b>                                | <b>193</b> |
| <b>Productos Sanguíneos/Modificadores/Expansores De Volumen .....</b> | <b>194</b> |
| <b>Reemplazo/Modificadores De Enzima .....</b>                        | <b>198</b> |
| <b>Relajantes Musculares Esqueléticos.....</b>                        | <b>199</b> |
| <b>Vitaminas Y Minerales .....</b>                                    | <b>199</b> |

| Nombre del Medicamento                                            | Nivel del Medicamento | Requerimientos/<br>Límites            |
|-------------------------------------------------------------------|-----------------------|---------------------------------------|
| <b>Agentes Anti Cáncer</b>                                        |                       |                                       |
| <b>Agentes Anti Cáncer</b>                                        |                       |                                       |
| <i>abiraterone oral tablet 250 mg</i> (Abirtega)                  | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                    | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abiraterone, submicronized oral tablet 125 mg</i> (Yonsa)      | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 1                     | PA NSO; QL (120 per 30 days)          |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 1                     | PA BvD                                |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 1                     | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                        | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 1                     | PA NSO; NM; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1                     |                                       |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 1                     | PA NSO; NM; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                        | 1                     | PA NSO; NM; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 1                     | PA NSO; NM; NDS; QL (24 per 28 days)  |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                       | 1                     | PA NSO; NM; NDS; QL (66 per 28 days)  |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                       | 1                     | NM; NDS                               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                             | Nivel del Medicamento | Requerimientos/<br>Límites            |
|--------------------------------------------------------------------|-----------------------|---------------------------------------|
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG           | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)            | 1                     | NM; NDS                               |
| BALVERSA ORAL TABLET 3 MG                                          | 1                     | PA NSO; NM; NDS; QL (84 per 28 days)  |
| BALVERSA ORAL TABLET 4 MG                                          | 1                     | PA NSO; NM; NDS; QL (56 per 28 days)  |
| BALVERSA ORAL TABLET 5 MG                                          | 1                     | PA NSO; NM; NDS; QL (28 per 28 days)  |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 1                     | PA NSO; NM; NDS                       |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)               | 1                     | PA NSO; NM; NDS                       |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)               | 1                     | PA NSO; NM; NDS                       |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                   | 1                     | PA NSO; NM; NDS                       |
| <i>bexarotene topical gel 1 %</i> (Targretin)                      | 1                     | PA NSO; NM; NDS                       |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                    | 1                     |                                       |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)           | 1                     | PA NSO; NM; NDS; QL (75 per 28 days)  |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i>             | 1                     |                                       |
| <i>bortezomib injection recon soln 1 mg, 2.5 mg</i>                | 1                     | PA NSO                                |
| <i>bortezomib injection recon soln 3.5 mg</i> (Velcade)            | 1                     | PA NSO; NM; NDS                       |
| BORUZU INJECTION SOLUTION 2.5 MG/ML                                | 1                     | PA NSO                                |
| BOSULIF ORAL CAPSULE 100 MG                                        | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG                                         | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG                                         | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                         | Nivel del Medicamento | Requerimientos/<br>Límites               |
|--------------------------------------------------------------------------------|-----------------------|------------------------------------------|
| BOSULIF ORAL TABLET 400 MG, 500 MG                                             | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)     |
| BRAFTOVI ORAL CAPSULE 75 MG                                                    | 1                     | PA NSO; NM; NDS; QL (180 per 30 days)    |
| BRUKINSA ORAL CAPSULE 80 MG                                                    | 1                     | PA NSO; NM; NDS; QL (120 per 30 days)    |
| BRUKINSA ORAL TABLET 160 MG                                                    | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CABOMETYX ORAL TABLET 20 MG, 60 MG                                             | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)     |
| CABOMETYX ORAL TABLET 40 MG                                                    | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                               | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CALQUENCE ORAL CAPSULE 100 MG                                                  | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CAMCEVI (6 MONTH) SUBCUTANEOUS SYRINGE 42 MG                                   | 1                     | PA NSO                                   |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                       | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)     |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                       | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)     |
| <i>carboplatin intravenous solution 10 mg/ml</i> (Kyxata)                      | 1                     |                                          |
| <i>cladribine intravenous solution 10 mg/10 ml</i>                             | 1                     | PA BvD                                   |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 1                     | PA NSO; NM; NDS                          |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                            | 1                     | PA NSO; NM; NDS; QL (112 per 28 days)    |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                             | 1                     | PA NSO; NM; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG                                                     | 1                     | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>          | 1                     | PA BvD; NM; NDS                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|----------------------------------------------------------------------------|------------------------------|---------------------------------------|
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>          | 1                            | PA BvD; NM; NDS                       |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)         | 1                            | PA BvD; NM; NDS                       |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                          | 1                            | PA BvD; ST                            |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                           | 1                            | PA BvD; ST                            |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                      | 1                            | PA NSO; NM; NDS; QL (120 per 28 days) |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                          | 1                            | PA NSO; NM; NDS; QL (112 per 28 days) |
| DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML           | 1                            | PA NSO; NM; NDS                       |
| DARZALEX INTRAVENOUS SOLUTION 20 MG/ML                                     | 1                            | PA NSO; NM; LA; NDS                   |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Phyrago) | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>dasatinib oral tablet 20 mg</i> (Phyrago)                               | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                     | 1                            | PA NSO; NM; NDS                       |
| DAURISMO ORAL TABLET 100 MG                                                | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| DAURISMO ORAL TABLET 25 MG                                                 | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>decitabine intravenous recon soln 50 mg</i>                             | 1                            | NM; NDS                               |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)  | 1                            | PA BvD; NM; NDS                       |
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                                       | 1                            | PA NSO; NM; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                             | 1                            | PA NSO                                |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                               | 1                            | PA NSO                                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                       | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>       |
|---------------------------------------------------------------------|------------------------------|------------------------------------------|
| ELIGARD (6 MONTH)<br>SUBCUTANEOUS SYRINGE 45<br>MG                  | 1                            | PA NSO                                   |
| ELIGARD SUBCUTANEOUS<br>SYRINGE 7.5 MG (1 MONTH)                    | 1                            | PA NSO                                   |
| ELREXFIO 44 MG/1.1 ML VIAL<br>INNER, SUV, P/F 40 MG/ML              | 1                            | PA NSO; NM; NDS                          |
| ELREXFIO SUBCUTANEOUS<br>SOLUTION 40 MG/ML                          | 1                            | PA NSO; NM; NDS; QL<br>(9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG                                           | 1                            | NM; NDS                                  |
| EMRELIS INTRAVENOUS<br>RECON SOLN 100 MG, 20 MG                     | 1                            | PA NSO; NM; NDS                          |
| EPKINLY SUBCUTANEOUS<br>SOLUTION 4 MG/0.8 ML, 48<br>MG/0.8 ML       | 1                            | PA NSO; NM; NDS                          |
| ERBITUX INTRAVENOUS<br>SOLUTION 100 MG/50 ML, 200<br>MG/100 ML      | 1                            | PA NSO; NM; NDS                          |
| ERIVEDGE ORAL CAPSULE 150<br>MG                                     | 1                            | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |
| ERLEADA ORAL TABLET 240<br>MG                                       | 1                            | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                           | 1                            | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>                          | 1                            | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| <i>erlotinib oral tablet 150 mg</i>                                 | 1                            | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| ETOPOPHOS INTRAVENOUS<br>RECON SOLN 100 MG                          | 1                            |                                          |
| <i>etoposide intravenous solution 20<br/>mg/ml</i>                  | 1                            |                                          |
| EULEXIN ORAL CAPSULE 125 (flutamide)<br>MG                          | 1                            | NM; NDS                                  |
| <i>everolimus (antineoplastic) oral<br/>tablet 10 mg</i> (Torpenz)  | 1                            | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| <i>everolimus (antineoplastic) oral<br/>tablet 2.5 mg</i> (Torpenz) | 1                            | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                            | Nivel del Medicamento | Requerimientos/<br>Límites            |
|---------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| <i>everolimus (antineoplastic) oral tablet 5 mg, 7.5 mg</i> (Torpenz)                             | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 1                     | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                    | 1                     |                                       |
| FAKZYNJA ORAL TABLET 200 MG                                                                       | 1                     | PA NSO; NM; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 1                     | PA BvD; NM; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 1                     | PA BvD                                |
| <i>floxuridine injection recon soln 0.5 gram</i>                                                  | 1                     | PA BvD                                |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 1                     | PA BvD                                |
| <i>flutamide oral capsule 125 mg</i> (Eulexin)                                                    | 1                     |                                       |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                             | 1                     | PA NSO; NM; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                                        | 1                     | PA NSO; NM; NDS; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                                                        | 1                     | PA NSO; NM; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)                                   | 1                     | NM; NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG                                           | 1                     | PA NSO; NM; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG                                                                       | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)                                                      | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)  |
| <i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>                                  | 1                     | PA BvD                                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites            |
|--------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml)</i> (Avgemsi) | 1                     | PA BvD                                |
| <i>gemcitabine intravenous solution 200 mg/5.26 ml (38 mg/ml)</i>                                      | 1                     | PA BvD                                |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                                                               | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| GOMEKLI ORAL CAPSULE 1 MG                                                                              | 1                     | PA NSO; NM; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG                                                                              | 1                     | PA NSO; NM; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG                                                                | 1                     | PA NSO; NM; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML                                        | 1                     | PA NSO; NM; NDS; QL (5 per 21 days)   |
| HERNEXEOS ORAL TABLET 60 MG                                                                            | 1                     | PA NSO; NM; NDS; QL (90 per 30 days)  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                                                        | 1                     |                                       |
| HYRNUO ORAL TABLET 10 MG                                                                               | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                                                             | 1                     | PA NSO; NM; NDS; QL (21 per 28 days)  |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                                                              | 1                     | PA NSO; NM; NDS; QL (21 per 28 days)  |
| IBTROZI ORAL CAPSULE 200 MG                                                                            | 1                     | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                                                         | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                                                       | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)                                                 | 1                     |                                       |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>                                      | 1                     |                                       |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                                                           | 1                     | PA NSO; QL (180 per 30 days)          |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                                                           | 1                     | PA NSO; QL (60 per 30 days)           |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                            | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|------------------------------------------------------------------------------------------|------------------------------|---------------------------------------|
| IMBRUVICA ORAL CAPSULE 140 MG                                                            | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                                             | 1                            | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                                       | 1                            | PA NSO; NM; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG                                     | 1                            | PA NSO; NM; NDS; QL (28 per 28 days)  |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG                                             | 1                            | PA NSO; NM; NDS                       |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML                                                     | 1                            | PA NSO; NM; NDS                       |
| IMKELDI ORAL SOLUTION 80 MG/ML                                                           | 1                            | PA NSO; NM; NDS; QL (280 per 28 days) |
| INLEXZO INTRAVESICAL IMPLANT 225 MG                                                      | 1                            | PA BvD; NM; NDS                       |
| INLURIYO ORAL TABLET 200 MG                                                              | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| INLYTA ORAL TABLET 1 MG                                                                  | 1                            | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                                                  | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG                                                             | 1                            | PA NSO; NM; NDS; QL (5 per 28 days)   |
| INREBIC ORAL CAPSULE 100 MG                                                              | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar) | 1                            |                                       |
| <i>irinotecan intravenous solution 500 mg/25 ml</i>                                      | 1                            |                                       |
| ITOVEBI ORAL TABLET 3 MG                                                                 | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                                                 | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                                               | 1                            | PA NSO; NM; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                                      | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                          | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|----------------------------------------------------------------------------------------|------------------------------|---------------------------------------|
| JAYPIRCA ORAL TABLET 100 MG                                                            | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                                             | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML                                                 | 1                            | PA NSO; NM; NDS                       |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                                          | 1                            | PA BvD; ST                            |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML                                                 | 1                            | PA NSO; NM; NDS                       |
| KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML | 1                            | PA NSO; NM; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML                                           | 1                            | PA NSO; NM; NDS; QL (2 per 28 days)   |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG                       | 1                            | PA NSO; NM; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG                       | 1                            | PA NSO; NM; NDS; QL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG                       | 1                            | PA NSO; NM; NDS; QL (91 per 28 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                                            | 1                            | PA NSO; NM; NDS; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                                            | 1                            | PA NSO; NM; NDS; QL (42 per 28 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                                            | 1                            | PA NSO; NM; NDS; QL (63 per 28 days)  |
| KOSELUGO ORAL CAPSULE 10 MG                                                            | 1                            | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG                                                            | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG                                                   | 1                            | PA NSO; NM; NDS; QL (600 per 30 days) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG                                                 | 1                            | PA NSO; NM; NDS; QL (390 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------------|
| KRAZATI ORAL TABLET 200 MG                                                                                                                                                                                         | 1                     | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                       | 1                     | PA NSO; NM; NDS                          |
| LAZCLUZE ORAL TABLET 240 MG                                                                                                                                                                                        | 1                     | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| LAZCLUZE ORAL TABLET 80 MG                                                                                                                                                                                         | 1                     | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)                                                                                                                               | 1                     | PA NSO; NM; NDS; QL<br>(28 per 28 days)  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 1                     | PA NSO; NM; NDS                          |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                       | 1                     |                                          |
| LEUKERAN ORAL TABLET 2 MG                                                                                                                                                                                          | 1                     | NM; NDS                                  |
| <i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))                                                                                                  | 1                     | PA NSO                                   |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                                                                                                                                                     | 1                     | PA NSO                                   |
| <i>lomustine oral capsule 10 mg</i> (Gleostine)                                                                                                                                                                    | 1                     |                                          |
| <i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)                                                                                                                                                            | 1                     | NM; NDS                                  |
| LONSURF ORAL TABLET 15-6.14 MG                                                                                                                                                                                     | 1                     | PA NSO; NM; NDS; QL<br>(100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG                                                                                                                                                                                     | 1                     | PA NSO; NM; NDS; QL<br>(80 per 28 days)  |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)                                                                                                                                                               | 1                     | PA NSO; NM; NDS                          |
| LORBRENA ORAL TABLET 100 MG                                                                                                                                                                                        | 1                     | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                                                                                                                                                                                         | 1                     | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------------|
| LUMAKRAS ORAL TABLET 120 MG                                                                                | 1                            | PA NSO; NM; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG                                                                                | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                                                | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML                                                                      | 1                            | PA NSO; NM; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG                                                   | 1                            | PA NSO; NM; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                                                     | 1                            | PA NSO; NM; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                                                     | 1                            | PA NSO; NM; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG                                                              | 1                            | PA NSO; NM; NDS                       |
| LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide acetate (3 month)) | 1                            | PA NSO                                |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML                                                                     | 1                            | PA NSO; NM; NDS; QL (15 per 8 days)   |
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML                                                                    | 1                            | PA NSO; NM; NDS; QL (40 per 28 days)  |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                                                        | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG                                                                                | 1                            | NM; NDS                               |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)                       | 1                            | PA NSO; NM; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML                                                                     | 1                            | PA NSO; NM; NDS                       |
| MATULANE ORAL CAPSULE 50 MG                                                                                | 1                            | NM; NDS                               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                      | Nivel del Medicamento | Requerimientos/<br>Límites             |
|-------------------------------------------------------------|-----------------------|----------------------------------------|
| <i>megestrol oral tablet 20 mg, 40 mg</i>                   | 1                     |                                        |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML                         | 1                     | PA NSO; NM; NDS; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG                                 | 1                     | PA NSO; NM; NDS; QL (90 per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                   | 1                     | PA NSO; NM; NDS; QL (30 per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                   | 1                     | PA NSO; NM; NDS; QL (180 per 30 days)  |
| <i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)    | 1                     | NM; NDS                                |
| <i>mercaptopurine oral tablet 50 mg</i>                     | 1                     |                                        |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 1                     |                                        |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 1                     |                                        |
| <i>methotrexate sodium injection solution 25 mg/ml</i>      | 1                     |                                        |
| <i>methotrexate sodium oral tablet 2.5 mg</i>               | 1                     | PA BvD; ST                             |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>         | 1                     |                                        |
| MODEYSO ORAL CAPSULE 125 MG                                 | 1                     | PA NSO; NM; NDS; QL (20 per 28 days)   |
| NERLYNX ORAL TABLET 40 MG                                   | 1                     | PA NSO; NM; NDS; QL (180 per 30 days)  |
| <i>nilutamide oral tablet 150 mg</i>                        | 1                     | NM; NDS                                |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                     | 1                     | PA NSO; NM; NDS; QL (3 per 28 days)    |
| NUBEQA ORAL TABLET 300 MG                                   | 1                     | PA NSO; NM; NDS; QL (120 per 30 days)  |
| ODOMZO ORAL CAPSULE 200 MG                                  | 1                     | PA NSO; NM; LA; NDS                    |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG                | 1                     | PA NSO; NM; NDS                        |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                          | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)   |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites               |
|----------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------------|
| OGSIVEO ORAL TABLET 50 MG                                                                                | 1                     | PA NSO; NM; NDS; QL<br>(180 per 30 days) |
| OJEMDA ORAL SUSPENSION<br>FOR RECONSTITUTION 25<br>MG/ML                                                 | 1                     | PA NSO; NM; NDS; QL<br>(96 per 28 days)  |
| OJEMDA ORAL TABLET 400<br>MG/WEEK (100 MG X 4), 500<br>MG/WEEK (100 MG X 5), 600<br>MG/WEEK (100 MG X 6) | 1                     | PA NSO; NM; NDS; QL<br>(24 per 28 days)  |
| OJJAARA ORAL TABLET 100<br>MG, 150 MG, 200 MG                                                            | 1                     | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ONUREG ORAL TABLET 200 MG,<br>300 MG                                                                     | 1                     | PA NSO; NM; NDS; QL<br>(14 per 28 days)  |
| OPDIVO INTRAVENOUS<br>SOLUTION 100 MG/10 ML, 120<br>MG/12 ML, 240 MG/24 ML, 40<br>MG/4 ML                | 1                     | PA NSO; NM; NDS                          |
| OPDIVO QVANTIG<br>SUBCUTANEOUS SOLUTION 600<br>MG-10,000 UNIT/5 ML                                       | 1                     | PA NSO; NM; NDS                          |
| OPDUALAG INTRAVENOUS<br>SOLUTION 240-80 MG/20 ML                                                         | 1                     | PA NSO; NM; NDS                          |
| ORSERDU ORAL TABLET 345<br>MG                                                                            | 1                     | PA NSO; NM; NDS; QL<br>(30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                                | 1                     | PA NSO; NM; NDS; QL<br>(90 per 30 days)  |
| <i>oxaliplatin intravenous recon soln<br/>100 mg, 50 mg</i>                                              | 1                     |                                          |
| <i>oxaliplatin intravenous solution 100<br/>mg/20 ml, 200 mg/40 ml, 50 mg/10<br/>ml (5 mg/ml)</i>        | 1                     |                                          |
| <i>paclitaxel intravenous concentrate 6<br/>mg/ml</i>                                                    | 1                     | PA BvD                                   |
| <i>paclitaxel protein-bound intravenous (Abraxane)<br/>suspension for reconstitution 100 mg</i>          | 1                     | PA BvD; NM; NDS                          |
| <i>pazopanib oral tablet 200 mg (Votrient)</i>                                                           | 1                     | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| <i>pazopanib oral tablet 400 mg</i>                                                                      | 1                     | PA NSO; NM; NDS; QL<br>(60 per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|-----------------------------------------------------------------------------------------------|------------------------------|---------------------------------------|
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG                                                    | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>                            | 1                            | NM; NDS                               |
| <i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)                     | 1                            | NM; NDS                               |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i>                                      | 1                            | NM; NDS                               |
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML                                                     | 1                            | NM; NDS                               |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)                                                    | 1                            | PA NSO; NM; NDS; QL (28 per 28 days)  |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)                   | 1                            | PA NSO; NM; NDS; QL (56 per 28 days)  |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                                                  | 1                            | PA NSO; NM; NDS; QL (21 per 28 days)  |
| QINLOCK ORAL TABLET 50 MG                                                                     | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| RETEVMO ORAL CAPSULE 40 MG                                                                    | 1                            | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG                                                                    | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG                                                     | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG                                                                     | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| REVUFORJ ORAL TABLET 110 MG                                                                   | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG                                                                   | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG                                                                    | 1                            | PA NSO; NM; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                 | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 1                            | PA NSO; NM; NDS                       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites            |
|-----------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                                                     | 1                     | PA NSO; NM; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                 | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                 | 1                     | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                        | 1                     | PA NSO; NM; NDS; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                                    | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| RYBREVANT FASPRO SUBCUTANEOUS SOLUTION 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML | 1                     | PA NSO; NM; NDS                       |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML                                                       | 1                     | PA NSO; NM; NDS                       |
| RYDAPT ORAL CAPSULE 25 MG                                                                     | 1                     | PA NSO; NM; NDS; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG                                                   | 1                     | PA NSO; NM; NDS                       |
| SCSEMBLIX ORAL TABLET 100 MG                                                                  | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| SCSEMBLIX ORAL TABLET 20 MG                                                                   | 1                     | PA NSO; NM; NDS; QL (60 per 30 days)  |
| SCSEMBLIX ORAL TABLET 40 MG                                                                   | 1                     | PA NSO; NM; NDS; QL (300 per 30 days) |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                                            | 1                     | NM; NDS                               |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                                 | 1                     | PA NSO; NM; NDS; QL (120 per 30 days) |
| STIVARGA ORAL TABLET 40 MG                                                                    | 1                     | PA NSO; NM; NDS; QL (84 per 28 days)  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)                  | 1                     | PA NSO; NM; NDS; QL (28 per 28 days)  |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG                                                        | 1                     | PA NSO; NM; NDS                       |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                                       | 1                     | NM; NDS                               |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                                           | 1                     | PA NSO; NM; NDS; QL (112 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>       |
|-----------------------------------------------------------------------------------|------------------------------|------------------------------------------|
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                                | 1                            | PA NSO; NM; NDS; QL (120 per 30 days)    |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                         | 1                            | PA NSO; NM; NDS; QL (900 per 30 days)    |
| TAGRISSO ORAL TABLET 40 MG, 80 MG                                                 | 1                            | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                                    | 1                            | PA NSO; NM; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG             | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)     |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                         | 1                            |                                          |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)                               | 1                            | PA NSO; NM; NDS; QL (112 per 28 days)    |
| TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)                                        | 1                            | PA NSO; NM; NDS; QL (120 per 30 days)    |
| TAZVERIK ORAL TABLET 200 MG                                                       | 1                            | PA NSO; NM; NDS; QL (240 per 30 days)    |
| TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML                | 1                            | PA NSO; NM; NDS                          |
| TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML) | 1                            | PA NSO; NM; NDS                          |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                                 | 1                            | PA NSO; NM; NDS                          |
| TEPMETKO ORAL TABLET 225 MG                                                       | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)     |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML                                            | 1                            | PA NSO; NM; NDS                          |
| TIBSOVO ORAL TABLET 250 MG                                                        | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)     |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG                         | 1                            |                                          |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG                                               | 1                            | PA NSO; NM; NDS; QL (5 per 21 days)      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                   | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>        |
|---------------------------------------------------------------------------------|------------------------------|-------------------------------------------|
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide)                        | 1                            |                                           |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                  | 1                            | NM; NDS                                   |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))                  | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)      |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))   | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)      |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 1                            | PA NSO                                    |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                            | 1                            | NM; NDS                                   |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                               | 1                            | PA NSO; NM; NDS; QL (64 per 28 days)      |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML                                           | 1                            | PA NSO; NM; NDS                           |
| TUKYSA ORAL TABLET 150 MG                                                       | 1                            | PA NSO; NM; NDS; QL (120 per 30 days)     |
| TUKYSA ORAL TABLET 50 MG                                                        | 1                            | PA NSO; NM; NDS; QL (300 per 30 days)     |
| TURALIO ORAL CAPSULE 125 MG, 200 MG                                             | 1                            | PA NSO; NM; NDS; QL (120 per 30 days)     |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                           | 1                            | PA NSO; NM; NDS                           |
| VENCLEXTA ORAL TABLET 10 MG                                                     | 1                            | PA NSO; LA; QL (60 per 30 days)           |
| VENCLEXTA ORAL TABLET 100 MG                                                    | 1                            | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG                                                     | 1                            | PA NSO; NM; LA; NDS; QL (30 per 30 days)  |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG              | 1                            | PA NSO; NM; LA; NDS                       |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                              | 1                            | PA NSO; NM; NDS; QL (56 per 28 days)      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                             | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|---------------------------------------------------------------------------|------------------------------|---------------------------------------|
| <i>vinblastine intravenous solution 1 mg/ml</i>                           | 1                            | PA BvD                                |
| <i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine) | 1                            | PA BvD                                |
| <i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS) | 1                            | PA BvD                                |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>              | 1                            |                                       |
| VITRAKVI ORAL CAPSULE 100 MG                                              | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| VITRAKVI ORAL CAPSULE 25 MG                                               | 1                            | PA NSO; NM; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                           | 1                            | PA NSO; NM; NDS; QL (300 per 30 days) |
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)                    | 1                            | PA NSO; NM; NDS                       |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                                  | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG                                                 | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| VORANIGO ORAL TABLET 10 MG, 40 MG                                         | 1                            | PA NSO; NM; NDS                       |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG                               | 1                            | PA NSO; NM; NDS                       |
| WELIREG ORAL TABLET 40 MG                                                 | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                       | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| XALKORI ORAL PELLET 150 MG                                                | 1                            | PA NSO; NM; NDS; QL (180 per 30 days) |
| XALKORI ORAL PELLET 20 MG                                                 | 1                            | PA NSO; NM; NDS; QL (240 per 30 days) |
| XALKORI ORAL PELLET 50 MG                                                 | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                            | 1                            | PA BvD; ST                            |
| XOSPATA ORAL TABLET 40 MG                                                 | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                           | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|-------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------------|
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1) | 1                            | PA NSO; NM; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)                                                                               | 1                            | PA NSO; NM; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                                                       | 1                            | PA NSO; NM; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)                                                                        | 1                            | PA NSO; NM; NDS; QL (24 per 28 days)  |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)                                                                        | 1                            | PA NSO; NM; NDS; QL (32 per 28 days)  |
| XTANDI ORAL CAPSULE 40 MG                                                                                               | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                                                                | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                                                                | 1                            | PA NSO; NM; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)                                               | 1                            | PA NSO; NM; NDS                       |
| YONSA ORAL TABLET 125 MG (abiraterone, submicronized)                                                                   | 1                            | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG                                                                                              | 1                            | PA NSO; NM; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                                                               | 1                            | PA NSO; NM; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                                                                             | 1                            | PA NSO; NM; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                                                                   | 1                            | PA NSO; NM; NDS                       |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                                                                   | 1                            | PA NSO; NM; NDS                       |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                                                                            | 1                            | PA NSO                                |
| ZOLINZA ORAL CAPSULE 100 MG                                                                                             | 1                            | NM; NDS                               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                     | Nivel del Medicamento | Requerimientos/<br>Límites           |
|--------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                                         | 1                     | PA NSO; NM; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG                                                                 | 1                     | PA NSO; NM; NDS; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                                      | 1                     | PA NSO; NM; NDS                      |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                                    | 1                     | PA NSO; NM; NDS; QL (20 per 28 days) |
| <b>Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias</b>                         |                       |                                      |
| <b>Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias</b>                         |                       |                                      |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>                             | 1                     |                                      |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                                      | 1                     |                                      |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 1                     |                                      |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                           | 1                     |                                      |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>             | 1                     |                                      |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                               | 1                     |                                      |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                           | 1                     | QL (4 per 30 days)                   |
| <i>naloxone injection solution 0.4 mg/ml</i>                                               | 1                     |                                      |
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>        | 1                     |                                      |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)                           | 1                     | QL (4 per 30 days)                   |
| <i>naltrexone oral tablet 50 mg</i>                                                        | 1                     |                                      |
| NICOTROL INHALATION CARTRIDGE 10 MG                                                        | 1                     |                                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| NICOTROL NS NASAL<br>SPRAY, NON-AEROSOL 10<br>MG/ML                                                     | 1                     | QL (240 per 180 days)      |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)                                          | 1                     | QL (336 per 365 days)      |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>                                                  | 1                     | QL (336 per 365 days)      |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 1                     |                            |
| <b>Agentes Antiansiedad</b>                                                                             |                       |                            |
| <b>Benzodiacepinas</b>                                                                                  |                       |                            |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                                             | 1                     | QL (120 per 30 days)       |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                                              | 1                     | QL (150 per 30 days)       |
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg</i>                                             | 1                     | QL (120 per 30 days)       |
| <i>alprazolam oral tablet extended release 24 hr 1 mg, 2 mg</i> (Xanax XR)                              | 1                     | QL (120 per 30 days)       |
| <i>alprazolam oral tablet extended release 24 hr 3 mg</i>                                               | 1                     | QL (90 per 30 days)        |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                                             | 1                     | QL (120 per 30 days)       |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                                                   | 1                     | QL (90 per 30 days)        |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                                           | 1                     | QL (300 per 30 days)       |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>                           | 1                     | QL (90 per 30 days)        |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                                                      | 1                     | QL (300 per 30 days)       |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>                                       | 1                     | QL (180 per 30 days)       |
| <i>diazepam injection solution 5 mg/ml</i>                                                              | 1                     | QL (10 per 28 days)        |
| <i>diazepam injection syringe 5 mg/ml</i>                                                               | 1                     |                            |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                                            | 1                     | QL (1200 per 30 days)      |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                                                       | 1                     | QL (1200 per 30 days)      |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)                                                  | 1                     | QL (120 per 30 days)       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                    | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>estazolam oral tablet 1 mg</i>                                         | 1                     | QL (60 per 30 days)        |
| <i>estazolam oral tablet 2 mg</i>                                         | 1                     | QL (30 per 30 days)        |
| <i>flurazepam oral capsule 15 mg</i>                                      | 1                     | QL (60 per 30 days)        |
| <i>flurazepam oral capsule 30 mg</i>                                      | 1                     | QL (30 per 30 days)        |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)                | 1                     | QL (150 per 30 days)       |
| <i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)             | 1                     | QL (2 per 30 days)         |
| <i>lorazepam injection syringe 2 mg/ml</i>                                | 1                     | QL (2 per 30 days)         |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)            | 1                     | QL (150 per 30 days)       |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                        | 1                     | QL (90 per 30 days)        |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                                | 1                     | QL (150 per 30 days)       |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                          | 1                     | QL (120 per 30 days)       |
| <i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg</i> (Restoril)            | 1                     | QL (30 per 30 days)        |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                           | 1                     | QL (120 per 30 days)       |
| <i>triazolam oral tablet 0.125 mg</i>                                     | 1                     | QL (120 per 30 days)       |
| <i>triazolam oral tablet 0.25 mg</i> (Halcion)                            | 1                     | QL (60 per 30 days)        |
| <b>Agentes Antidemencia</b>                                               |                       |                            |
| <b>Agentes Antidemencia</b>                                               |                       |                            |
| <i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)                 | 1                     | QL (30 per 30 days)        |
| <i>donepezil oral tablet,disintegrating 10 mg</i>                         | 1                     |                            |
| <i>donepezil oral tablet,disintegrating 5 mg</i>                          | 1                     | QL (30 per 30 days)        |
| <i>ergoloid oral tablet 1 mg</i>                                          | 1                     |                            |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | 1                     | QL (30 per 30 days)        |
| <i>galantamine oral solution 4 mg/ml</i>                                  | 1                     | QL (200 per 30 days)       |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>                          | 1                     | QL (60 per 30 days)        |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>        | 1                     | ST; QL (30 per 30 days)    |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)          | 1                     | ST; QL (30 per 30 days)    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>memantine oral solution 2 mg/ml</i>                                                                       | 1                     | QL (300 per 30 days)       |
| <i>memantine oral tablet 10 mg, 5 mg</i>                                                                     | 1                     | QL (60 per 30 days)        |
| <i>memantine-donepezil oral capsule, sprinkle, er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)           | 1                     | ST; QL (30 per 30 days)    |
| NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG                                           | 1                     | ST                         |
| NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7-10 MG                                                             | 1                     | ST; QL (30 per 30 days)    |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                         | 1                     |                            |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 1                     | QL (30 per 30 days)        |
| <b>Agentes Antidiabetico</b>                                                                                 |                       |                            |
| <b>Agentes Antidiabeticos, Varios</b>                                                                        |                       |                            |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)                                                   | 1                     |                            |
| <i>dapagliflozin propanediol oral tablet 10 mg, 5 mg</i> (Farxiga)                                           | 1                     | QL (30 per 30 days)        |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)                                                  | 1                     | QL (30 per 30 days)        |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                                                                        | 1                     | QL (30 per 30 days)        |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG                                                                   | 1                     | QL (60 per 30 days)        |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG                                                     | 1                     | QL (30 per 30 days)        |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                                           | 1                     | QL (60 per 30 days)        |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                                                                     | 1                     | QL (30 per 30 days)        |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                                           | 1                     | QL (30 per 30 days)        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                                  | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| JENTADUETO ORAL TABLET (linagliptin-metformin)<br>2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG                                                         | 1                            | QL (60 per 30 days)                |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR<br>2.5-1,000 MG                                                                              | 1                            | QL (60 per 30 days)                |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR<br>5-1,000 MG                                                                                | 1                            | QL (30 per 30 days)                |
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)                                                                                            | 1                            | QL (765 per 30 days)               |
| <i>metformin oral tablet 1,000 mg</i>                                                                                                          | 1                            | QL (75 per 30 days)                |
| <i>metformin oral tablet 500 mg</i>                                                                                                            | 1                            | QL (150 per 30 days)               |
| <i>metformin oral tablet 750 mg, 850 mg</i>                                                                                                    | 1                            | QL (90 per 30 days)                |
| <i>metformin oral tablet extended release 24 hr 500 mg</i>                                                                                     | 1                            | QL (120 per 30 days)               |
| <i>metformin oral tablet extended release 24 hr 750 mg</i>                                                                                     | 1                            | QL (60 per 30 days)                |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                                                                | 1                            | PA; NM; NDS; QL (112 per 28 days)  |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>                                                                                               | 1                            | QL (90 per 30 days)                |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML                       | 1                            | PA; QL (2 per 28 days)             |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                                                   | 1                            | QL (90 per 30 days)                |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 1                            | PA; QL (3 per 28 days)             |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)                                                                                    | 1                            | QL (30 per 30 days)                |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>                                                                                            | 1                            | QL (90 per 30 days)                |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)                                                                             | 1                            | QL (90 per 30 days)                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites                           |
|-----------------------------------------------------------------------------------------------|-----------------------|------------------------------------------------------|
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                   | 1                     | QL (120 per 30 days)                                 |
| <i>repaglinide oral tablet 2 mg</i>                                                           | 1                     | QL (240 per 30 days)                                 |
| RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG                                    | 1                     | PA; QL (30 per 30 days)                              |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                         | 1                     | QL (60 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG                      | 1                     | QL (30 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG                     | 1                     | QL (60 per 30 days)                                  |
| TRADJENTA ORAL TABLET 5 MG                                                                    | 1                     | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                  | 1                     | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG             | 1                     | QL (60 per 30 days)                                  |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 1                     | PA; QL (2 per 28 days)                               |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)    | 1                     | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG                                       | 1                     | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG                          | 1                     | QL (60 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)     | 1                     | QL (60 per 30 days)                                  |
| <b>Insulinas</b>                                                                              |                       |                                                      |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                     | 1                     | max \$35 copay per month supply; QL (30 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                     | Nivel del Medicamento                | Requerimientos/<br>Límites                                 |                                                            |
|--------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------|------------------------------------------------------------|
| FIASP PENFILL U-100 INSULIN<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (3 ML)                | 1                                    | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |                                                            |
| FIASP PUMPCART<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (1.6 ML)                           | 1                                    | max \$35 copay per<br>month supply                         |                                                            |
| FIASP U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                | 1                                    | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |                                                            |
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                     | 1                                    | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |                                                            |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3<br>ML)        | 1                                    | max \$35 copay per<br>month supply; QL (24<br>per 28 days) |                                                            |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous insulin pen 100 unit/ml<br/>(70-30)</i> | (Novolog Mix 70-<br>30FlexPen U-100) | 1                                                          | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous solution 100 unit/ml<br/>(70-30)</i>    | (Novolog Mix 70-30 U-<br>100 Insuln) | 1                                                          | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>cartridge 100 unit/ml</i>                         | (Novolog PenFill U-100<br>Insulin)   | 1                                                          | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>insulin pen 100 unit/ml (3 ml)</i>                | (Novolog FlexPen U-<br>100 Insulin)  | 1                                                          | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>solution 100 unit/ml</i>                          | (Novolog U-100 Insulin<br>aspart)    | 1                                                          | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin glargine-yfgn subcutaneous<br/>insulin pen 100 unit/ml (3 ml)</i>               | (Semglee(insulin glarg-<br>yfgn)Pen) | 1                                                          | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin glargine-yfgn subcutaneous<br/>solution 100 unit/ml</i>                         | (Semglee(insulin<br>glargine-yfgn))  | 1                                                          | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin lispro subcutaneous solution<br/>100 unit/ml</i>                                | (Admelog U-100 Insulin<br>lispro)    | 1                                                          | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                         | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>                         |
|-----------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------------------------------|
| LANTUS SOLOSTAR U-100 (insulin glargine)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)                 | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| LANTUS U-100 INSULIN (insulin glargine)<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                       | 1                            | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML (70-30)                                         | 1                            | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (70-30)                                        | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                   | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML                                                 | 1                            | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN R FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                   | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN R REGULAR U100<br>INSULIN INJECTION SOLUTION<br>100 UNIT/ML                                                   | 1                            | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG FLEXPEN U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)             | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin<br>aspart)<br>INSULN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML (70-30)    | 1                            | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG MIX 70-30FLEXPEN (insulin asp prt-insulin<br>aspart)<br>U-100 SUBCUTANEOUS INSULIN<br>PEN 100 UNIT/ML (70-30) | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG PENFILL U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>CARTRIDGE 100 UNIT/ML                         | 1                            | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites                             |
|-----------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------|
| NOVOLOG U-100 INSULIN (insulin aspart u-100)<br>ASPART SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                     | 1                     | max \$35 copay per month supply; QL (40 per 28 days)   |
| SOLIQUA 100/33<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-33 MCG/ML                                                | 1                     | max \$35 copay per month supply; QL (30 per 30 days)   |
| TOUJEO MAX U-300 SOLOSTAR (insulin glargine u-300 conc)<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (3 ML)       | 1                     | max \$35 copay per month supply; QL (18 per 28 days)   |
| TOUJEO SOLOSTAR U-300 (insulin glargine u-300 conc)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 300 UNIT/ML (1.5 ML) | 1                     | max \$35 copay per month supply; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-3.6 MG /ML (3 ML)                                      | 1                     | max \$35 copay per month supply; QL (15 per 28 days)   |
| <b>Sulfonilureas</b>                                                                                            |                       |                                                        |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>                                                                       | 1                     | QL (30 per 30 days)                                    |
| <i>glimepiride oral tablet 4 mg</i>                                                                             | 1                     | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet 10 mg</i>                                                                              | 1                     | QL (120 per 30 days)                                   |
| <i>glipizide oral tablet 2.5 mg</i>                                                                             | 1                     | QL (90 per 30 days)                                    |
| <i>glipizide oral tablet 5 mg</i>                                                                               | 1                     | QL (240 per 30 days)                                   |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>                                                        | 1                     | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>                                                 | 1                     | QL (30 per 30 days)                                    |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>                                                               | 1                     | QL (240 per 30 days)                                   |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>                                                     | 1                     | QL (120 per 30 days)                                   |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>                                                      | 1                     |                                                        |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                                                              | 1                     |                                                        |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                                        | 1                     |                                                        |
| <b>Agentes Antigota</b>                                                                                         |                       |                                                        |
| <b>Agentes Antigota, Otros</b>                                                                                  |                       |                                                        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites      |
|-----------------------------------------------------------------------------------------|-----------------------|---------------------------------|
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)                                        | 1                     |                                 |
| <i>allopurinol oral tablet 300 mg</i>                                                   | 1                     |                                 |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)                                        | 1                     | QL (60 per 30 days)             |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris)                                          | 1                     | QL (120 per 30 days)            |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                     | 1                     | ST; QL (30 per 30 days)         |
| <i>probenecid oral tablet 500 mg</i>                                                    | 1                     |                                 |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                     | 1                     |                                 |
| <b>Agentes Antimigraña</b>                                                              |                       |                                 |
| <b>Agentes Antimigraña</b>                                                              |                       |                                 |
| AIMOVIG AUTOINJECTOR<br>SUBCUTANEOUS AUTO-<br>INJECTOR 140 MG/ML, 70<br>MG/ML           | 1                     | PA; QL (1 per 30 days)          |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 1                     | ST; NM; NDS; QL (8 per 28 days) |
| EMGALITY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>120 MG/ML                                  | 1                     | PA; QL (2 per 30 days)          |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 120<br>MG/ML                                   | 1                     | PA; QL (2 per 30 days)          |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 300<br>MG/3 ML (100 MG/ML X 3)                 | 1                     | PA; QL (3 per 30 days)          |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>                                             | 1                     | QL (9 per 30 days)              |
| NURTEC ODT ORAL<br>TABLET, DISINTEGRATING 75<br>MG                                      | 1                     | PA; QL (18 per 30 days)         |
| QULIPTA ORAL TABLET 10 MG,<br>30 MG, 60 MG                                              | 1                     | PA; QL (30 per 30 days)         |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)                                           | 1                     | QL (18 per 30 days)             |
| <i>rizatriptan oral tablet 5 mg</i>                                                     | 1                     | QL (18 per 30 days)             |
| <i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)                       | 1                     | QL (18 per 30 days)             |
| <i>rizatriptan oral tablet, disintegrating 5 mg</i>                                     | 1                     | QL (18 per 30 days)             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>sumatriptan nasal spray, non-aerosol</i><br>20 mg/actuation, 5 mg/actuation                         | 1                     | QL (12 per 30 days)        |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)                                              | 1                     | QL (9 per 30 days)         |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)                                        | 1                     | QL (18 per 30 days)        |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 1                     | QL (4 per 28 days)         |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>                                         | 1                     | QL (5 per 28 days)         |
| <i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)                                           | 1                     | QL (9 per 27 days)         |
| UBRELVY ORAL TABLET 100 MG, 50 MG                                                                      | 1                     | PA; QL (16 per 30 days)    |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)                                                   | 1                     | QL (12 per 30 days)        |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>                                           | 1                     | QL (12 per 30 days)        |
| <b>Agentes Antinausea</b>                                                                              |                       |                            |
| <b>Agentes Antinausea</b>                                                                              |                       |                            |
| <i>aprepitant oral capsule 125 mg</i>                                                                  | 1                     | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                                                   | 1                     | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                                                           | 1                     | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)                                | 1                     | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)                                              | 1                     |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)                                           | 1                     | PA; QL (60 per 30 days)    |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)                                | 1                     | PA BvD; QL (6 per 28 days) |
| <i>granisetron hcl oral tablet 1 mg</i>                                                                | 1                     | PA BvD                     |
| <i>meclizine oral tablet 12.5 mg</i>                                                                   | 1                     |                            |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))                                             | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                            | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>ondansetron hcl oral solution 4 mg/5 ml</i>                                    | 1                     | PA BvD                     |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                                     | 1                     | PA BvD                     |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                         | 1                     | PA BvD                     |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>         | 1                     |                            |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)               | 1                     |                            |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro)                         | 1                     |                            |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan)                       | 1                     |                            |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>                             | 1                     |                            |
| <i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)        | 1                     |                            |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)        | 1                     |                            |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 1                     | QL (10 per 30 days)        |
| <b>Agentes Antiparasitarios</b>                                                   |                       |                            |
| <b>Agentes Antiparasitarios</b>                                                   |                       |                            |
| <i>albendazole oral tablet 200 mg</i>                                             | 1                     |                            |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                            | 1                     |                            |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)                     | 1                     |                            |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)           | 1                     |                            |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                           | 1                     |                            |
| COARTEM ORAL TABLET 20-120 MG                                                     | 1                     |                            |
| <i>hydroxychloroquine oral tablet 100 mg</i>                                      | 1                     | QL (180 per 30 days)       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                      | Nivel del Medicamento | Requerimientos/<br>Límites       |
|-------------------------------------------------------------|-----------------------|----------------------------------|
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)    | 1                     | QL (90 per 30 days)              |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)       | 1                     | QL (60 per 30 days)              |
| <i>hydroxychloroquine oral tablet 400 mg</i>                | 1                     | QL (60 per 30 days)              |
| IMPAVIDO ORAL CAPSULE 50 MG                                 | 1                     | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)             | 1                     |                                  |
| <i>ivermectin oral tablet 6 mg</i>                          | 1                     |                                  |
| <i>mefloquine oral tablet 250 mg</i>                        | 1                     |                                  |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)             | 1                     | NM; NDS; QL (60 per 30 days)     |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)  | 1                     | PA BvD                           |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)     | 1                     |                                  |
| <i>praziquantel oral tablet 600 mg</i> (Biltricide)         | 1                     |                                  |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                 | 1                     |                                  |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)           | 1                     | PA; NM; NDS                      |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)      | 1                     | PA                               |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                | 1                     |                                  |
| <b>Agentes Antiparkinson</b>                                |                       |                                  |
| <b>Agentes Antiparkinson</b>                                |                       |                                  |
| <i>amantadine hcl oral capsule 100 mg</i>                   | 1                     |                                  |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>              | 1                     |                                  |
| <i>amantadine hcl oral tablet 100 mg</i>                    | 1                     |                                  |
| <i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN) | 1                     | PA; NM; NDS; QL (60 per 30 days) |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>           | 1                     |                                  |
| <i>bromocriptine oral capsule 5 mg</i>                      | 1                     |                                  |
| <i>bromocriptine oral tablet 2.5 mg</i>                     | 1                     |                                  |
| <i>cabergoline oral tablet 0.5 mg</i>                       | 1                     |                                  |
| <i>carbidopa oral tablet 25 mg</i> (Lodosyn)                | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                                                                                         | 1                            |                                    |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                                                                                           | 1                            |                                    |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                                                                                                   | 1                            |                                    |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>                                                                       | 1                            |                                    |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>                                                             | 1                            |                                    |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1                            |                                    |
| <i>entacapone oral tablet 200 mg</i>                                                                                                              | 1                            |                                    |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG                                                                                             | 1                            | PA; NM; NDS; QL (300 per 30 days)  |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG                                                                                         | 1                            | PA; NM; NDS; QL (150 per 30 days)  |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG                                                                                                         | 1                            | PA; NM; NDS                        |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR                               | 1                            | ST; QL (30 per 30 days)            |
| ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML                                                                                                          | 1                            | PA; NM; NDS; QL (600 per 30 days)  |
| ONGENTYS ORAL CAPSULE 25 MG, 50 MG                                                                                                                | 1                            | PA; QL (30 per 30 days)            |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)                                             | 1                            | ST                                 |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                | Nivel del Medicamento | Requerimientos/<br>Límites        |
|---------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>       | 1                     |                                   |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                  | 1                     |                                   |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>           | 1                     |                                   |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>    | 1                     |                                   |
| <i>selegiline hcl oral capsule 5 mg</i>                                               | 1                     |                                   |
| <i>selegiline hcl oral tablet 5 mg</i>                                                | 1                     |                                   |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i>                                          | 1                     |                                   |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>                                         | 1                     |                                   |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                      | 1                     | PA; NM; NDS; QL (560 per 28 days) |
| <b>Agentes Antipsicóticos</b>                                                         |                       |                                   |
| <b>Agentes Antipsicóticos</b>                                                         |                       |                                   |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 720 MG/2.4 ML | 1                     | NM; NDS; QL (2.4 per 42 days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 960 MG/3.2 ML | 1                     | NM; NDS; QL (3.2 per 42 days)     |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG  | 1                     | NM; NDS; QL (2 per 28 days)       |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG | 1                     | NM; NDS; QL (2 per 28 days)       |
| <i>aripiprazole oral solution 1 mg/ml</i>                                             | 1                     |                                   |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 1                     |                                   |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                              | Nivel del Medicamento | Requerimientos/<br>Límites          |
|-------------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| <i>aripiprazole oral<br/>tablet,disintegrating 10 mg</i>                            | 1                     | ST; QL (90 per 30 days)             |
| <i>aripiprazole oral<br/>tablet,disintegrating 15 mg</i>                            | 1                     | ST; QL (60 per 30 days)             |
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML | 1                     | NM; NDS; QL (4.8 per<br>365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML         | 1                     | NM; NDS; QL (3.9 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML           | 1                     | NM; NDS; QL (1.6 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML           | 1                     | NM; NDS; QL (2.4 per<br>14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML           | 1                     | NM; NDS; QL (3.2 per<br>14 days)    |
| <i>asenapine maleate sublingual tablet</i> (Saphris)<br><i>10 mg, 2.5 mg, 5 mg</i>  | 1                     | QL (60 per 30 days)                 |
| CAPLYTA ORAL CAPSULE 10.5<br>MG, 21 MG, 42 MG                                       | 1                     | ST; NM; NDS; QL (30<br>per 30 days) |
| <i>chlorpromazine injection solution 25<br/>mg/ml</i>                               | 1                     |                                     |
| <i>chlorpromazine oral concentrate 100<br/>mg/ml, 30 mg/ml</i>                      | 1                     |                                     |
| <i>chlorpromazine oral tablet 10 mg,<br/>100 mg, 200 mg, 25 mg, 50 mg</i>           | 1                     |                                     |
| <i>clozapine oral tablet 100 mg, 200</i> (Clozaril)<br><i>mg, 25 mg, 50 mg</i>      | 1                     |                                     |
| <i>clozapine oral tablet,disintegrating<br/>100 mg, 12.5 mg, 25 mg</i>              | 1                     | ST; QL (90 per 30 days)             |
| <i>clozapine oral tablet,disintegrating<br/>150 mg</i>                              | 1                     | ST; QL (180 per 30<br>days)         |
| <i>clozapine oral tablet,disintegrating<br/>200 mg</i>                              | 1                     | ST; QL (120 per 30<br>days)         |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                  | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|--------------------------------------------------------------------------------|------------------------------|------------------------------------|
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                            | 1                            | ST; NM; NDS; QL (60 per 30 days)   |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG          | 1                            | ST; NM; NDS                        |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                   | 1                            | NM; NDS; QL (0.75 per 21 days)     |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML                                        | 1                            | NM; NDS; QL (1 per 21 days)        |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                    | 1                            | NM; NDS; QL (1.5 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                   | 1                            | NM; NDS; QL (2.25 per 21 days)     |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                    | 1                            | NM; NDS; QL (0.25 per 21 days)     |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                     | 1                            | NM; NDS; QL (0.5 per 21 days)      |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                  | 1                            | ST; NM; NDS; QL (60 per 30 days)   |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 1                            | ST                                 |
| FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 1                            | ST                                 |
| FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)       | 1                            | ST                                 |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>                      | 1                            |                                    |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>                           | 1                            |                                    |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>                               | 1                            |                                    |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>                                | 1                            |                                    |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                  | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                            | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 1                            |                                    |
| <i>haloperidol lactate injection solution 5 mg/ml</i>                                                    | 1                            |                                    |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i>                                                 | 1                            |                                    |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                                                      | 1                            |                                    |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                    | 1                            |                                    |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML                                               | 1                            | NM; NDS; QL (3.5 per 166 days)     |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML                                                 | 1                            | NM; NDS; QL (5 per 166 days)       |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML                                               | 1                            | NM; NDS; QL (0.75 per 21 days)     |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML                                                    | 1                            | NM; NDS; QL (1 per 21 days)        |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML                                                | 1                            | NM; NDS; QL (1.5 per 21 days)      |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML                                                | 1                            | QL (0.25 per 21 days)              |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML                                                 | 1                            | NM; NDS; QL (0.5 per 21 days)      |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML                                                 | 1                            | NM; NDS; QL (0.88 per 70 days)     |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML                                                 | 1                            | NM; NDS; QL (1.32 per 70 days)     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>      |
|-------------------------------------------------------------------------------|------------------------------|-----------------------------------------|
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML                      | 1                            | NM; NDS; QL (1.75 per<br>70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML                      | 1                            | NM; NDS; QL (2.63 per<br>70 days)       |
| <i>loxapine succinate oral capsule 10<br/>mg, 25 mg, 5 mg, 50 mg</i>          | 1                            |                                         |
| <i>lurasidone oral tablet 120 mg, 20 mg, (Latuda)<br/>40 mg, 60 mg</i>        | 1                            | QL (30 per 30 days)                     |
| <i>lurasidone oral tablet 80 mg (Latuda)</i>                                  | 1                            | QL (60 per 30 days)                     |
| LYBALVI ORAL TABLET 10-10<br>MG, 15-10 MG, 20-10 MG, 5-10<br>MG               | 1                            | NM; NDS; QL (30 per<br>30 days)         |
| <i>molindone oral tablet 10 mg</i>                                            | 1                            | QL (240 per 30 days)                    |
| <i>molindone oral tablet 25 mg</i>                                            | 1                            | QL (270 per 30 days)                    |
| <i>molindone oral tablet 5 mg</i>                                             | 1                            | NM; NDS; QL (120 per<br>30 days)        |
| NUPLAZID ORAL CAPSULE 34<br>MG                                                | 1                            | PA NSO; NM; NDS; QL<br>(30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG                                                    | 1                            | PA NSO; NM; NDS; QL<br>(30 per 30 days) |
| <i>olanzapine intramuscular recon soln (Zyprexa)<br/>10 mg</i>                | 1                            | QL (30 per 30 days)                     |
| <i>olanzapine oral tablet 10 mg, 15 mg,<br/>7.5 mg</i>                        | 1                            |                                         |
| <i>olanzapine oral tablet 2.5 mg, 20 mg, (Zyprexa)<br/>5 mg</i>               | 1                            |                                         |
| <i>olanzapine oral tablet, disintegrating<br/>10 mg, 15 mg, 20 mg, 5 mg</i>   | 1                            |                                         |
| OPIPZA ORAL FILM 10 MG, 2<br>MG, 5 MG                                         | 1                            | ST; NM; NDS                             |
| <i>paliperidone oral tablet extended<br/>release 24hr 1.5 mg</i>              | 1                            | QL (30 per 30 days)                     |
| <i>paliperidone oral tablet extended (Invega)<br/>release 24hr 3 mg, 9 mg</i> | 1                            | QL (30 per 30 days)                     |
| <i>paliperidone oral tablet extended (Invega)<br/>release 24hr 6 mg</i>       | 1                            | QL (60 per 30 days)                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                              | Nivel del Medicamento | Requerimientos/<br>Límites   |
|---------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                                             | 1                     |                              |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG                                                  | 1                     | NM; NDS; QL (1 per 30 days)  |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                              | 1                     |                              |
| <i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>                                                  | 1                     |                              |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)                               | 1                     |                              |
| <i>quetiapine oral tablet 150 mg</i>                                                                                | 1                     | QL (30 per 30 days)          |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)            | 1                     |                              |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                         | 1                     | NM; NDS; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)         | 1                     | QL (2 per 28 days)           |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml</i> (Rykindo)                    | 1                     | QL (2 per 28 days)           |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)      | 1                     | NM; NDS; QL (2 per 28 days)  |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                                | 1                     |                              |
| <i>risperidone oral tablet 0.25 mg</i>                                                                              | 1                     |                              |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                                           | 1                     |                              |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                               | 1                     |                              |
| RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres) | 1                     | NM; NDS; QL (2 per 28 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites           |
|-------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| SECUADO TRANSDERMAL<br>PATCH 24 HOUR 3.8 MG/24<br>HOUR, 5.7 MG/24 HOUR, 7.6<br>MG/24 HOUR | 1                     | ST; NM; NDS; QL (30<br>per 30 days)  |
| <i>thioridazine oral tablet 10 mg, 100<br/>mg, 25 mg, 50 mg</i>                           | 1                     |                                      |
| <i>thiothixene oral capsule 1 mg, 10 mg,<br/>2 mg, 5 mg</i>                               | 1                     |                                      |
| <i>trifluoperazine oral tablet 1 mg, 10<br/>mg, 2 mg, 5 mg</i>                            | 1                     |                                      |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 100 MG/0.28 ML                    | 1                     | NM; NDS; QL (0.28 per<br>28 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 125 MG/0.35 ML                    | 1                     | NM; NDS; QL (0.35 per<br>28 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 150 MG/0.42 ML                    | 1                     | NM; NDS; QL (0.42 per<br>56 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 200 MG/0.56 ML                    | 1                     | NM; NDS; QL (0.56 per<br>56 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 250 MG/0.7 ML                     | 1                     | NM; NDS; QL (0.7 per<br>56 days)     |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 50 MG/0.14 ML                     | 1                     | NM; NDS; QL (0.14 per<br>28 days)    |
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 75 MG/0.21 ML                     | 1                     | NM; NDS; QL (0.21 per<br>28 days)    |
| VERSACLOZ ORAL<br>SUSPENSION 50 MG/ML                                                     | 1                     | ST; NM; NDS; QL (540<br>per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5<br>MG, 3 MG, 4.5 MG, 6 MG                                        | 1                     | ST; NM; NDS; QL (30<br>per 30 days)  |
| VRAYLAR ORAL<br>CAPSULE,DOSE PACK 1.5 MG<br>(1)- 3 MG (6)                                 | 1                     | ST                                   |
| <i>ziprasidone hcl oral capsule 20 mg, (Geodon)<br/>40 mg, 60 mg, 80 mg</i>               | 1                     |                                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                         | Nivel del Medicamento | Requerimientos/<br>Límites  |
|------------------------------------------------------------------------------------------------|-----------------------|-----------------------------|
| <i>ziprasidone mesylate intramuscular</i> (Geodon)<br><i>recon soln 20 mg/ml (final conc.)</i> | 1                     | QL (6 per 28 days)          |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 210 MG                      | 1                     | QL (2 per 28 days)          |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 300 MG                      | 1                     | NM; NDS; QL (2 per 28 days) |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 405 MG                      | 1                     | NM; NDS; QL (1 per 28 days) |
| <b>Agentes Calóricos</b>                                                                       |                       |                             |
| <b>Agentes Calóricos</b>                                                                       |                       |                             |
| CLINIMIX 5%/D15W SULFITE<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %                        | 1                     | PA BvD                      |
| CLINIMIX 4.25%/D10W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %                     | 1                     | PA BvD                      |
| CLINIMIX 4.25%/D5W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %                    | 1                     | PA BvD                      |
| CLINIMIX 5%-D20W(SULFITE-<br>FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 5 %                      | 1                     | PA BvD                      |
| CLINIMIX 6%-D5W (SULFITE-<br>FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 6-5 %                    | 1                     | PA BvD                      |
| CLINIMIX 8%-D10W(SULFITE-<br>FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 8-10 %                   | 1                     | PA BvD                      |
| CLINIMIX 8%-D14W(SULFITE-<br>FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 8-14 %                   | 1                     | PA BvD                      |
| CLINIMIX E 2.75%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 2.75 %                    | 1                     | PA BvD                      |
| CLINIMIX E 4.25%/D10W SUL<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %                    | 1                     | PA BvD                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                            | Nivel del Medicamento | Requerimientos/<br>Límites  |
|-----------------------------------------------------------------------------------|-----------------------|-----------------------------|
| CLINIMIX E 4.25%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %       | 1                     | PA BvD                      |
| CLINIMIX E 5%/D15W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %          | 1                     | PA BvD                      |
| CLINIMIX E 5%/D20W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %          | 1                     | PA BvD                      |
| CLINIMIX E 8%-D10W<br>SULFITEFREE INTRAVENOUS<br>PARENTERAL SOLUTION 8-10 %       | 1                     | PA BvD                      |
| CLINIMIX E 8%-D14W<br>SULFITEFREE INTRAVENOUS<br>PARENTERAL SOLUTION 8-14 %       | 1                     | PA BvD                      |
| <i>dextrose 5 % in water (d5w)<br/>intravenous parenteral solution</i>            | 1                     |                             |
| PROSOL 20 % INTRAVENOUS<br>PARENTERAL SOLUTION                                    | 1                     | PA BvD                      |
| TRAVASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %                             | 1                     | PA BvD                      |
| TROPHAMINE 10 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 10 %                        | 1                     | PA BvD                      |
| <b>Agentes Cardiovasculares</b>                                                   |                       |                             |
| <b>Agentes Alfa-Adrenérgicos</b>                                                  |                       |                             |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2<br/>mg, 0.3 mg</i>                       | 1                     |                             |
| <i>clonidine transdermal patch weekly</i> (Catapres-TTS-1)<br><i>0.1 mg/24 hr</i> | 1                     |                             |
| <i>clonidine transdermal patch weekly</i> (Catapres-TTS-2)<br><i>0.2 mg/24 hr</i> | 1                     |                             |
| <i>clonidine transdermal patch weekly</i> (Catapres-TTS-3)<br><i>0.3 mg/24 hr</i> | 1                     |                             |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4<br/>mg, 8 mg</i> (Cardura)                 | 1                     |                             |
| <i>droxidopa oral capsule 100 mg</i> (Northera)                                   | 1                     | PA; QL (180 per 30<br>days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                         | Nivel del Medicamento | Requerimientos/<br>Límites        |
|--------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)                        | 1                     | PA; NM; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>                                       | 1                     |                                   |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>                               | 1                     |                                   |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>                                  | 1                     |                                   |
| <b>Agentes Antiarrítmicos</b>                                                  |                       |                                   |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                        | 1                     |                                   |
| <i>amiodarone oral tablet 400 mg</i>                                           | 1                     |                                   |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)            | 1                     |                                   |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)             | 1                     |                                   |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>                            | 1                     |                                   |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>                          | 1                     |                                   |
| MULTAQ ORAL TABLET 400 MG                                                      | 1                     |                                   |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)                | 1                     |                                   |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> | 1                     |                                   |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>                          | 1                     |                                   |
| <i>quinidine gluconate oral tablet extended release 324 mg</i>                 | 1                     |                                   |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                            | 1                     |                                   |
| <b>Agentes Bloqueadores Beta-Adrenérgicos</b>                                  |                       |                                   |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>                                  | 1                     |                                   |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)                    | 1                     |                                   |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 100)<br>100-25 mg                                           | 1                            |                                    |
| <i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 50)<br>50-25 mg                                             | 1                            |                                    |
| <i>betaxolol oral tablet</i> 10 mg, 20 mg                                                                         | 1                            |                                    |
| <i>bisoprolol fumarate oral tablet</i> 10 mg, 2.5 mg, 5 mg                                                        | 1                            |                                    |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg                              | 1                            |                                    |
| <i>carvedilol oral tablet</i> 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)                                           | 1                            |                                    |
| JAVADIN ORAL SOLUTION 0.02 MG/ML (20 MCG/ML)                                                                      | 1                            | PA; NM; NDS; QL (3600 per 30 days) |
| <i>labetalol oral tablet</i> 100 mg, 200 mg, 300 mg                                                               | 1                            |                                    |
| <i>metoprolol succinate oral tablet</i> (Toprol XL)<br><i>extended release</i> 24 hr 100 mg, 200 mg, 25 mg, 50 mg | 1                            |                                    |
| <i>metoprolol ta-hydrochlorothiaz oral tablet</i> 100-25 mg, 100-50 mg, 50-25 mg                                  | 1                            |                                    |
| <i>metoprolol tartrate oral tablet</i> 100 mg, 50 mg (Lopressor)                                                  | 1                            |                                    |
| <i>metoprolol tartrate oral tablet</i> 25 mg                                                                      | 1                            |                                    |
| <i>nadolol oral tablet</i> 20 mg, 40 mg, 80 mg                                                                    | 1                            |                                    |
| <i>nebivolol oral tablet</i> 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)                                                | 1                            |                                    |
| <i>pindolol oral tablet</i> 10 mg, 5 mg                                                                           | 1                            |                                    |
| <i>propranolol oral capsule, extended release</i> 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)                 | 1                            |                                    |
| <i>propranolol oral solution</i> 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)                                       | 1                            |                                    |
| <i>propranolol oral tablet</i> 10 mg, 20 mg, 40 mg, 60 mg, 80 mg                                                  | 1                            |                                    |
| <i>sorine oral tablet</i> 120 mg, 160 mg, 240 mg, 80 mg (sotalol)                                                 | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                      | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)                                               | 1                     |                            |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)                                               | 1                     |                            |
| <i>sotalol oral tablet 240 mg</i> (Betapace)                                                                | 1                     |                            |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                       | 1                     |                            |
| <b>Agentes Bloqueadores Da Canal De Calcio</b>                                                              |                       |                            |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)          | 1                     |                            |
| <i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)                                          | 1                     |                            |
| <i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)                                                            | 1                     |                            |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                               | 1                     |                            |
| <i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 360 mg, 420 mg</i> (Tiadylt ER)                | 1                     |                            |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)          | 1                     |                            |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)                                            | 1                     |                            |
| <i>diltiazem hcl oral tablet 90 mg</i>                                                                      | 1                     |                            |
| <i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)                                | 1                     |                            |
| <i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)  | 1                     |                            |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)                   | 1                     |                            |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)  | 1                     |                            |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl) | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                               | Nivel del Medicamento | Requerimientos/<br>Límites        |
|----------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 1                     |                                   |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>                                             | 1                     |                                   |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i>                                  | 1                     |                                   |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>                                                                    | 1                     |                                   |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                 | 1                     |                                   |
| <b>Agentes Cardiovasculares, Varios</b>                                                                              |                       |                                   |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG                                                                      | 1                     | PA; NM; NDS; QL (30 per 30 days)  |
| CORLANOR ORAL SOLUTION 5 MG/5 ML                                                                                     | 1                     | QL (600 per 30 days)              |
| DAWNZERA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML                                                                     | 1                     | PA; NM; NDS; QL (0.8 per 28 days) |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>                                                             | 1                     |                                   |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)                                           | 1                     |                                   |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)                                   | 1                     | QL (4 per 30 days)                |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)                                                | 1                     | QL (4 per 30 days)                |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                           | 1                     |                                   |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)                                                           | 1                     | PA; NM; NDS; QL (18 per 30 days)  |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                                                                | 1                     | QL (60 per 30 days)               |
| <i>metyrosine oral capsule 250 mg</i> (Demser)                                                                       | 1                     | PA; NM; NDS                       |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>                                                        | 1                     | QL (60 per 30 days)               |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i>                                                          | 1                     | QL (120 per 30 days)              |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)                                                           | 1                     | PA; NM; NDS; QL (18 per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                                                                         | 1                     | PA; QL (30 per 30 days)    |
| <b>Antagonistas De Receptores De Angiotensina II</b>                                                                            |                       |                            |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)                                                               | 1                     |                            |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)                                | 1                     |                            |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)                                                       | 1                     | QL (60 per 30 days)        |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG                                                                                 | 1                     | QL (240 per 30 days)       |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)                                                                           | 1                     |                            |
| <i>irbesartan oral tablet 75 mg</i>                                                                                             | 1                     |                            |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)                                            | 1                     |                            |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)                                                                       | 1                     |                            |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)                                     | 1                     |                            |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)                                                                      | 1                     |                            |
| <i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 1                     |                            |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                | 1                     |                            |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)                                                | 1                     | QL (60 per 30 days)        |
| <i>telmisartan oral tablet 20 mg</i>                                                                                            | 1                     |                            |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)                                                                          | 1                     |                            |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>                                                  | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                                       | 1                     |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)                                                                      | 1                     |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)                | 1                     |                            |
| <b>Dihidropiridinas</b>                                                                                                                 |                       |                            |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                                                                             | 1                     |                            |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)                                                 | 1                     |                            |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                                                                            | 1                     |                            |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)                                                    | 1                     |                            |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)                                              | 1                     |                            |
| <i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT) | 1                     |                            |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>                                                                | 1                     |                            |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>                                                                                             | 1                     |                            |
| KATERZIA ORAL SUSPENSION 1 MG/ML                                                                                                        | 1                     | ST; QL (300 per 30 days)   |
| <i>nicardipine oral capsule 20 mg, 30 mg</i>                                                                                            | 1                     |                            |
| <i>nifedipine oral capsule 10 mg, 20 mg</i>                                                                                             | 1                     |                            |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg</i> (Procardia XL)                                                         | 1                     |                            |
| <i>nifedipine oral tablet extended release 24hr 90 mg</i>                                                                               | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                      | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>                                          | 1                     |                            |
| <b>Dislipidémicos</b>                                                                                       |                       |                            |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)                                       | 1                     |                            |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | 1                     | QL (30 per 30 days)        |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>                                  | 1                     |                            |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)                                        | 1                     |                            |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)                                  | 1                     |                            |
| <i>cholestyramine light oral powder in packet 4 gram</i>                                                    | 1                     |                            |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)                                                | 1                     |                            |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                                                             | 1                     |                            |
| <i>colestipol oral packet 5 gram</i>                                                                        | 1                     |                            |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                                                             | 1                     |                            |
| EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG                                           | 1                     | ST                         |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                                                  | 1                     | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)                                           | 1                     | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)                                           | 1                     | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)                                           | 1                     | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)                                           | 1                     | QL (30 per 30 days)        |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>                             | 1                     |                            |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i> (Tricor)                                             | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                              | Nivel del Medicamento | Requerimientos/<br>Límites       |
|-------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i>                               | 1                     |                                  |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i>                                        | 1                     |                                  |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> | 1                     |                                  |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                                        | 1                     | QL (60 per 30 days)              |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)             | 1                     |                                  |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                                       | 1                     |                                  |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                              | 1                     | QL (240 per 30 days)             |
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                                | 1                     | QL (120 per 30 days)             |
| JUXTAPID ORAL CAPSULE 10 MG, 5 MG                                                   | 1                     | PA; NM; NDS; QL (28 per 28 days) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG                                                  | 1                     | PA; NM; NDS; QL (56 per 28 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                                   | 1                     |                                  |
| NEXLETOL ORAL TABLET 180 MG                                                         | 1                     | ST; QL (30 per 30 days)          |
| NEXLIZET ORAL TABLET 180-10 MG                                                      | 1                     | ST; QL (30 per 30 days)          |
| <i>niacin oral tablet 500 mg</i> (Niacor)                                           | 1                     |                                  |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>           | 1                     |                                  |
| <i>niacor oral tablet 500 mg</i> (niacin)                                           | 1                     |                                  |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)                       | 1                     | ST; QL (120 per 30 days)         |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)                   | 1                     | QL (30 per 30 days)              |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                           | 1                     |                                  |
| <i>prevalite oral powder in packet 4 gram</i>                                       | 1                     |                                  |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML                     | 1                     | ST; QL (7 per 28 days)           |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                | Nivel del Medicamento | Requerimientos/<br>Límites        |
|-----------------------------------------------------------------------|-----------------------|-----------------------------------|
| REPATHA SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>140 MG/ML           | 1                     | ST; QL (6 per 28 days)            |
| REPATHA SYRINGE<br>SUBCUTANEOUS SYRINGE 140<br>MG/ML                  | 1                     | ST; QL (6 per 28 days)            |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)   | 1                     |                                   |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)            | 1                     |                                   |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                            | 1                     |                                   |
| <b>Diuréticos</b>                                                     |                       |                                   |
| <i>amiloride oral tablet 5 mg</i>                                     | 1                     |                                   |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>              | 1                     |                                   |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                      | 1                     |                                   |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                        | 1                     |                                   |
| <i>furosemide injection solution 10 mg/ml</i>                         | 1                     |                                   |
| <i>furosemide injection syringe 10 mg/ml</i>                          | 1                     |                                   |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>        | 1                     |                                   |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)             | 1                     |                                   |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                       | 1                     |                                   |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>          | 1                     |                                   |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                         | 1                     |                                   |
| JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycystic kidney dis)) | 1                     | PA; NM; NDS; QL (120 per 30 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                     | 1                     |                                   |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)    | 1                     |                                   |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                                                           | Nivel del Medicamento | Requerimientos/<br>Límites       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>                                                                                                                                       | 1                     |                                  |
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 1                     | PA; NM; NDS; QL (56 per 28 days) |
| <i>torse mide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                                                                                                         | 1                     |                                  |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                                                                                                                    | 1                     |                                  |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>                                                                                                                           | 1                     |                                  |
| <b>Inhibidores De Enzima<br/>Convertidoras De Angiotensina</b>                                                                                                                                   |                       |                                  |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)                                                                                                                                     | 1                     |                                  |
| <i>benazepril oral tablet 5 mg</i>                                                                                                                                                               | 1                     |                                  |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                                                                                                | 1                     |                                  |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>                                                                                                                                      | 1                     |                                  |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                                                                                                                       | 1                     |                                  |
| <i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)                                                                                                                                          | 1                     | ST; QL (1200 per 30 days)        |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)                                                                                                                        | 1                     |                                  |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)                                                                                                                            | 1                     |                                  |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>                                                                                                                                       | 1                     |                                  |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>                                                                                                                                                | 1                     |                                  |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                                                                                                                         | 1                     |                                  |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)                                                                                                                 | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 1                     |                            |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>                                                      | 1                     |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                        | 1                     |                            |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                          | 1                     |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>               | 1                     |                            |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                                     | 1                     |                            |
| <i>ramipril oral capsule 10 mg</i>                                                              | 1                     |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                | 1                     |                            |
| <b>Inhibidores Del Sistema De Renina-Angiotensina-Aldosterona</b>                               |                       |                            |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                                          | 1                     |                            |
| <i>eplerenone oral tablet 25 mg</i> (Inspra)                                                    | 1                     |                            |
| <i>eplerenone oral tablet 50 mg</i>                                                             | 1                     |                            |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG                                                        | 1                     | PA; QL (30 per 30 days)    |
| <i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)                                     | 1                     | ST; QL (600 per 30 days)   |
| <b>Vasodilatadores</b>                                                                          |                       |                            |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>                                     | 1                     |                            |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)                                 | 1                     |                            |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                          | 1                     |                            |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>           | 1                     |                            |
| <i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)                                    | 1                     |                            |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                      | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             | 1                     |                            |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 1                     |                            |
| <b>Agentes De Enfermedad Intestinal Inflamatoria</b>                                                  |                       |                            |
| <b>Agentes De Enfermedad Intestinal Inflamatoria</b>                                                  |                       |                            |
| <i>alosetron oral tablet 0.5 mg</i> (Lotronex)                                                        | 1                     |                            |
| <i>alosetron oral tablet 1 mg</i> (Lotronex)                                                          | 1                     | NM; NDS                    |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                                                      | 1                     |                            |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i>                                         | 1                     |                            |
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris)                                                 | 1                     |                            |
| DIPENTUM ORAL CAPSULE 250 MG                                                                          | 1                     | ST; NM; NDS                |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)                                           | 1                     |                            |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i>                                          | 1                     |                            |
| <i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)                                     | 1                     |                            |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)                             | 1                     |                            |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)                              | 1                     | QL (120 per 30 days)       |
| <i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>                                         | 1                     |                            |
| <i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)                                                  | 1                     |                            |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa)                                                | 1                     |                            |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                                  | 1                     |                            |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)                 | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                             | Nivel del Medicamento | Requerimientos/<br>Límites      |
|------------------------------------------------------------------------------------|-----------------------|---------------------------------|
| <b>Agentes De Enfermedad Ósea Metabólica</b>                                       |                       |                                 |
| <b>Agentes De Enfermedad Ósea Metabólica</b>                                       |                       |                                 |
| <i>alendronate oral solution 70 mg/75 ml</i>                                       | 1                     | QL (300 per 28 days)            |
| <i>alendronate oral tablet 10 mg</i>                                               | 1                     | QL (30 per 30 days)             |
| <i>alendronate oral tablet 35 mg</i>                                               | 1                     | QL (4 per 28 days)              |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                     | 1                     | QL (4 per 28 days)              |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>             | 1                     |                                 |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                   | 1                     |                                 |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)                               | 1                     |                                 |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                              | 1                     | QL (60 per 30 days)             |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                     | 1                     | QL (120 per 30 days)            |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>                        | 1                     |                                 |
| <i>ibandronate oral tablet 150 mg</i>                                              | 1                     | QL (1 per 28 days)              |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 1                     | PA; NM; NDS; QL (2 per 28 days) |
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                            | 1                     | PA; NM; NDS                     |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                            | 1                     |                                 |
| <i>paricalcitol oral capsule 4 mcg</i>                                             | 1                     |                                 |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG                               | 1                     | NM; NDS; QL (60 per 30 days)    |
| <i>risedronate oral tablet 150 mg</i> (Actonel)                                    | 1                     | QL (1 per 28 days)              |
| <i>risedronate oral tablet 30 mg, 5 mg</i>                                         | 1                     | QL (30 per 30 days)             |
| <i>risedronate oral tablet 35 mg</i> (Actonel)                                     | 1                     | QL (4 per 28 days)              |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>                     | 1                     | QL (4 per 28 days)              |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                              | Nivel del Medicamento | Requerimientos/<br>Límites            |
|-------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)             | 1                     | QL (4 per 28 days)                    |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML                                              | 1                     | QL (1 per 180 days)                   |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 1                     | PA; NM; NDS; QL (2.24 per 28 days)    |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 1                     | PA; NM; NDS; QL (1.56 per 30 days)    |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                                | 1                     | PA; NM; NDS                           |
| <b>Agentes De Trastorno De Sueño</b>                                                |                       |                                       |
| <b>Agentes De Trastorno De Sueño</b>                                                |                       |                                       |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)              | 1                     | PA; QL (30 per 30 days)               |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                                      | 1                     | QL (30 per 30 days)                   |
| <i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)                                     | 1                     | QL (30 per 30 days)                   |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                           | 1                     | QL (30 per 30 days)                   |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML                                                  | 1                     | PA; NM; NDS; QL (150 per 30 days)     |
| <i>modafinil oral tablet 100 mg</i> (Provigil)                                      | 1                     | PA; QL (30 per 30 days)               |
| <i>modafinil oral tablet 200 mg</i> (Provigil)                                      | 1                     | PA; QL (60 per 30 days)               |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                               | 1                     | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> (Hetlioz)                                     | 1                     | PA; NM; NDS; QL (30 per 30 days)      |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                            | 1                     | QL (30 per 30 days)                   |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                                    | 1                     | QL (30 per 30 days)                   |
| <i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)    | 1                     | QL (30 per 30 days)                   |
| <b>Agentes Del Sistema Nervioso Central</b>                                         |                       |                                       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites        |
|--------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <b>Agentes Del Sistema Nervioso Central</b>                                                                        |                       |                                   |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>                                                         | 1                     | QL (60 per 30 days)               |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                                                               | 1                     | QL (30 per 30 days)               |
| AUSTEDO ORAL TABLET 12 MG, 9 MG                                                                                    | 1                     | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG                                                                                           | 1                     | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG                                                                | 1                     | PA; NM; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG                                                         | 1                     | PA; NM; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG                                           | 1                     | PA; NM; NDS; QL (30 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG                                                                 | 1                     | PA; NM; NDS; QL (210 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14) | 1                     | PA; NM; NDS                       |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML                                                                | 1                     | PA; NM; NDS; QL (1 per 28 days)   |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML                                                                     | 1                     | PA; NM; NDS; QL (1 per 28 days)   |
| BETASERON SUBCUTANEOUS KIT 0.3 MG                                                                                  | 1                     | PA; NM; NDS; QL (15 per 30 days)  |
| <i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>                                                     | 1                     |                                   |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)                                             | 1                     | PA; QL (60 per 30 days)           |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)                                                | 1                     | QL (60 per 30 days)               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                             |                      | Nivel del Medicamento | Requerimientos/<br>Límites       |
|----------------------------------------------------------------------------------------------------|----------------------|-----------------------|----------------------------------|
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i>                       | (Dexedrine Spansule) | 1                     | QL (120 per 30 days)             |
| <i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>                               |                      | 1                     | QL (120 per 30 days)             |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i>                                                 | (Zenzedi)            | 1                     | QL (180 per 30 days)             |
| <i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i>                           | (Zenzedi)            | 1                     | QL (120 per 30 days)             |
| <i>dextroamphetamine sulfate oral tablet 20 mg</i>                                                 | (Zenzedi)            | 1                     | QL (90 per 30 days)              |
| <i>dextroamphetamine sulfate oral tablet 30 mg</i>                                                 | (Zenzedi)            | 1                     | QL (60 per 30 days)              |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>        | (Adderall XR)        | 1                     | QL (30 per 30 days)              |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>       | (Adderall XR)        | 1                     | QL (60 per 30 days)              |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | (Adderall)           | 1                     | QL (60 per 30 days)              |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i>                               | (Tecfidera)          | 1                     | PA; QL (14 per 7 days)           |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>             | (Tecfidera)          | 1                     | PA                               |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i>                               | (Tecfidera)          | 1                     | PA; NM; NDS; QL (60 per 30 days) |
| ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML                                                            |                      | 1                     | PA; NM; NDS                      |
| <i>fingolimod oral capsule 0.5 mg</i>                                                              | (Gilenya)            | 1                     | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i>                                                    | (Glatopa)            | 1                     | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i>                                                    | (Glatopa)            | 1                     | PA; NM; NDS; QL (12 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                               |                                  | Nivel del Medicamento | Requerimientos/<br>Límites        |
|--------------------------------------------------------------------------------------|----------------------------------|-----------------------|-----------------------------------|
| <i>glatopa subcutaneous syringe 20 mg/ml</i>                                         | (glatiramer)                     | 1                     | PA; NM; NDS; QL (30 per 30 days)  |
| <i>glatopa subcutaneous syringe 40 mg/ml</i>                                         | (glatiramer)                     | 1                     | PA; NM; NDS; QL (12 per 28 days)  |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>          | (Intuniv ER)                     | 1                     |                                   |
| INGREZZA INITIATION<br>PK(TARDIV) ORAL<br>CAPSULE,DOSE PACK 40 MG (7)-<br>80 MG (21) |                                  | 1                     | PA; NM; NDS                       |
| INGREZZA ORAL CAPSULE 40<br>MG, 60 MG, 80 MG                                         |                                  | 1                     | PA; NM; NDS; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL<br>CAPSULE, SPRINKLE 40 MG, 60<br>MG, 80 MG                   |                                  | 1                     | PA; NM; NDS; QL (30 per 30 days)  |
| KESIMPTA PEN<br>SUBCUTANEOUS PEN INJECTOR<br>20 MG/0.4 ML                            |                                  | 1                     | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                         |                                  | 1                     |                                   |
| <i>lithium carbonate oral tablet 300 mg</i>                                          |                                  | 1                     |                                   |
| <i>lithium carbonate oral tablet extended release 300 mg</i>                         | (Lithobid)                       | 1                     |                                   |
| <i>lithium carbonate oral tablet extended release 450 mg</i>                         |                                  | 1                     |                                   |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                      |                                  | 1                     |                                   |
| MAVENCLAD (10 TABLET<br>PACK) ORAL TABLET 10 MG                                      | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |
| MAVENCLAD (4 TABLET PACK)<br>ORAL TABLET 10 MG                                       | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |
| MAVENCLAD (5 TABLET PACK)<br>ORAL TABLET 10 MG                                       | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |
| MAVENCLAD (6 TABLET PACK)<br>ORAL TABLET 10 MG                                       | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |
| MAVENCLAD (7 TABLET PACK)<br>ORAL TABLET 10 MG                                       | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |
| MAVENCLAD (8 TABLET PACK)<br>ORAL TABLET 10 MG                                       | (cladribine(multiple sclerosis)) | 1                     | PA; NM; NDS                       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                        | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| MAVENCLAD (9 TABLET PACK) (cladribine(multiple sclerosis))<br>ORAL TABLET 10 MG                                      | 1                            | PA; NM; NDS                        |
| MAYZENT ORAL TABLET 0.25 MG                                                                                          | 1                            | PA; NM; NDS; QL (112 per 28 days)  |
| MAYZENT ORAL TABLET 1 MG, 2 MG                                                                                       | 1                            | PA; NM; NDS; QL (30 per 30 days)   |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)                                               | 1                            | PA                                 |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)                                              | 1                            | PA; NM; NDS                        |
| <i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)                                          | 1                            | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)           | 1                            | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)                                       | 1                            | QL (60 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 40 mg, 60 mg</i>                                        | 1                            | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 20 mg</i> (Ritalin LA)                                         | 1                            | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>                                                      | 1                            | QL (60 per 30 days)                |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)                                            | 1                            | QL (900 per 30 days)               |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)                                                  | 1                            | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>                                                 | 1                            | QL (90 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i> | 1                            | QL (30 per 30 days)                |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)                          | 1                            | QL (30 per 30 days)                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites           |
|----------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| <i>methylphenidate hcl oral tablet</i> (Concerta)<br><i>extended release 24hr 36 mg</i>            | 1                     | QL (60 per 30 days)                  |
| <i>methylphenidate hcl oral tablet</i><br><i>extended release 24hr 36 mg (bx</i><br><i>rating)</i> | 1                     | QL (60 per 30 days)                  |
| <i>methylphenidate hcl oral tablet</i> (Relexxii)<br><i>extended release 24hr 72 mg</i>            | 1                     | QL (30 per 30 days)                  |
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 125 MCG/0.5 ML                                               | 1                     | PA; NM; NDS; QL (1<br>per 28 days)   |
| PLEGRIDY SUBCUTANEOUS<br>PEN INJECTOR 63 MCG/0.5 ML-<br>94 MCG/0.5 ML                              | 1                     | PA; NM; NDS                          |
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 125 MCG/0.5 ML                                                    | 1                     | PA; NM; NDS; QL (1<br>per 28 days)   |
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 63 MCG/0.5 ML- 94<br>MCG/0.5 ML                                   | 1                     | PA; NM; NDS                          |
| <i>riluzole oral tablet 50 mg</i>                                                                  | 1                     |                                      |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)                                             | 1                     | PA; NM; NDS; QL (30<br>per 30 days)  |
| <i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)                                                | 1                     | PA; QL (112 per 28<br>days)          |
| <i>tetrabenazine oral tablet 25 mg</i> (Xenazine)                                                  | 1                     | PA; NM; NDS; QL (112<br>per 28 days) |
| VUMERITY ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 231 MG                                          | 1                     | PA; NM; NDS; QL (120<br>per 30 days) |
| <b>Agentes Del Tracto Respiratorio</b>                                                             |                       |                                      |
| <b>Agentes Del Tracto Respiratorio, Otros</b>                                                      |                       |                                      |
| <i>acetylcysteine solution 100 mg/ml (10<br/>%), 200 mg/ml (20 %)</i>                              | 1                     | PA BvD                               |
| ALYFTREK ORAL TABLET 10-<br>50-125 MG                                                              | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| ALYFTREK ORAL TABLET 4-20-<br>50 MG                                                                | 1                     | PA; NM; NDS; QL (90<br>per 30 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                         | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>    |
|-----------------------------------------------------------------------|------------------------------|---------------------------------------|
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG              | 1                            | NM; NDS; QL (560 per 28 days)         |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>       | 1                            | PA BvD                                |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML                       | 1                            | PA; NM; NDS; QL (1 per 28 days)       |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                   | 1                            | PA; NM; NDS; QL (1 per 28 days)       |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 1                            | PA; NM; NDS; QL (56 per 28 days)      |
| KALYDECO ORAL TABLET 150 MG                                           | 1                            | PA; NM; NDS; QL (56 per 28 days)      |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                           | 1                            | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                 | 1                            | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML                                 | 1                            | PA; NM; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML                              | 1                            | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                      | 1                            | PA; NM; NDS; QL (60 per 30 days)      |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG      | 1                            | PA; NM; NDS; QL (56 per 28 days)      |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                            | 1                            | PA; NM; NDS; QL (112 per 28 days)     |
| <i>pirfenidone oral capsule 267 mg</i>                                | 1                            | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                       | 1                            | PA; NM; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 534 mg</i>                                 | 1                            | PA; NM; NDS; QL (90 per 30 days)      |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                       | 1                            | PA; NM; NDS; QL (90 per 30 days)      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                     | Nivel del Medicamento | Requerimientos/<br>Límites       |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML                                                                                      | 1                     | PA BvD; NM; NDS                  |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)                                                                                          | 1                     | QL (28 per 28 days)              |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)                                                                                          | 1                     | QL (30 per 30 days)              |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)                                                       | 1                     | PA; NM; NDS; QL (56 per 28 days) |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)                                      | 1                     | PA; NM; NDS; QL (56 per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)                                                 | 1                     | PA; NM; NDS; QL (84 per 28 days) |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)                                                             | 1                     | PA; NM; NDS; QL (1 per 21 days)  |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                                                     | 1                     | PA; NM; NDS                      |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG                                                                                                      | 1                     | PA; NM; NDS                      |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                                                           | 1                     | PA; NM; NDS                      |
| <b>Antiinflamatorios, Corticoesteroides Inhalados</b>                                                                                      |                       |                                  |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 1                     | QL (12 per 30 days)              |
| AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION                                                                                             | 1                     | QL (32.1 per 30 days)            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                     | Nivel del Medicamento | Requerimientos/<br>Límites      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------|
| ARNUITY ELLIPTA (fluticasone furoate)<br>INHALATION BLISTER WITH<br>DEVICE 100 MCG/ACTUATION,<br>200 MCG/ACTUATION, 50<br>MCG/ACTUATION                    | 1                     | QL (30 per 30 days)             |
| BREO ELLIPTA INHALATION (fluticasone furoate-<br>BLISTER WITH DEVICE 100-25 vilanterol)<br>MCG/DOSE, 200-25 MCG/DOSE                                       | 1                     | QL (60 per 30 days)             |
| BREO ELLIPTA INHALATION<br>BLISTER WITH DEVICE 50-25<br>MCG/DOSE                                                                                           | 1                     | QL (60 per 30 days)             |
| <i>breyina inhalation hfa aerosol inhaler</i> (budesonide-formoterol)<br><i>160-4.5 mcg/actuation, 80-4.5<br/>mcg/actuation</i>                            | 1                     | QL (30.9 per 30 days)           |
| <i>budesonide inhalation suspension for</i> (Pulmicort)<br><i>nebulization 0.25 mg/2 ml, 0.5 mg/2<br/>ml, 1 mg/2 ml</i>                                    | 1                     | PA BvD; QL (120 per 30<br>days) |
| <i>budesonide-formoterol inhalation hfa</i> (Breyna)<br><i>aerosol inhaler 160-4.5<br/>mcg/actuation, 80-4.5 mcg/actuation</i>                             | 1                     | QL (30.6 per 30 days)           |
| <i>fluticasone propionate inhalation hfa</i><br><i>aerosol inhaler 110 mcg/actuation</i>                                                                   | 1                     | QL (12 per 30 days)             |
| <i>fluticasone propionate inhalation hfa</i><br><i>aerosol inhaler 220 mcg/actuation</i>                                                                   | 1                     | QL (24 per 30 days)             |
| <i>fluticasone propionate inhalation hfa</i><br><i>aerosol inhaler 44 mcg/actuation</i>                                                                    | 1                     | QL (21.2 per 30 days)           |
| <i>fluticasone propion-salmeterol</i> (Wixela Inhub)<br><i>inhalation blister with device 100-50<br/>mcg/dose, 250-50 mcg/dose, 500-50<br/>mcg/dose</i>    | 1                     | QL (60 per 30 days)             |
| <i>wixela inhub inhalation blister with</i> (fluticasone propion-<br><i>device 100-50 mcg/dose, 250-50 salmeterol)</i><br><i>mcg/dose, 500-50 mcg/dose</i> | 1                     | QL (60 per 30 days)             |
| <b>Antileucotrinicos</b>                                                                                                                                   |                       |                                 |
| <i>montelukast oral tablet 10 mg</i> (Singulair)                                                                                                           | 1                     |                                 |
| <i>montelukast oral tablet, chewable 4</i> (Singulair)<br><i>mg, 5 mg</i>                                                                                  | 1                     |                                 |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)                                                                                                     | 1                     |                                 |
| <b>Broncodilatadores</b>                                                                                                                                   |                       |                                 |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| AIRSUPRA INHALATION HFA<br>AEROSOL INHALER 90-80<br>MCG/ACTUATION                                                                                             | 1                            | QL (32.1 per 30 days)              |
| <i>albuterol sulfate inhalation hfa</i> (Ventolin HFA)<br><i>aerosol inhaler 90 mcg/actuation</i>                                                             | 1                            | QL (17 per 30 days)                |
| <i>albuterol sulfate inhalation hfa</i><br><i>aerosol inhaler 90 mcg/actuation</i><br>(nda020503)                                                             | 1                            | QL (13.4 per 30 days)              |
| <i>albuterol sulfate inhalation hfa</i><br><i>aerosol inhaler 90 mcg/actuation</i><br>(nda020983)                                                             | 1                            | QL (36 per 30 days)                |
| <i>albuterol sulfate inhalation solution</i><br><i>for nebulization 0.63 mg/3 ml, 1.25</i><br><i>mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5</i><br><i>mg/0.5 ml</i> | 1                            | PA BvD                             |
| <i>albuterol sulfate oral syrup 2 mg/5</i><br><i>ml</i>                                                                                                       | 1                            |                                    |
| <i>albuterol sulfate oral tablet 2 mg, 4</i><br><i>mg</i>                                                                                                     | 1                            |                                    |
| ANORO ELLIPTA INHALATION (umeclidinium-<br>BLISTER WITH DEVICE 62.5-25 vilanterol)<br>MCG/ACTUATION                                                           | 1                            | QL (60 per 30 days)                |
| ATROVENT HFA INHALATION<br>HFA AEROSOL INHALER 17<br>MCG/ACTUATION                                                                                            | 1                            | QL (25.8 per 28 days)              |
| BREZTRI AEROSPHERE<br>INHALATION HFA AEROSOL<br>INHALER 160-9-4.8<br>MCG/ACTUATION                                                                            | 1                            | QL (10.7 per 30 days)              |
| COMBIVENT RESPIMAT<br>INHALATION MIST 20-100<br>MCG/ACTUATION                                                                                                 | 1                            | QL (8 per 30 days)                 |
| <i>ipratropium bromide inhalation</i><br><i>solution 0.02 %</i>                                                                                               | 1                            | PA BvD                             |
| <i>ipratropium-albuterol inhalation</i><br><i>solution for nebulization 0.5 mg-3</i><br><i>mg(2.5 mg base)/3 ml</i>                                           | 1                            | PA BvD; QL (540 per 30 days)       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| PROAIR RESPICLICK<br>INHALATION AEROSOL POWDR<br>BREATH ACTIVATED 90<br>MCG/ACTUATION                        | 1                     | QL (2 per 30 days)         |
| SEREVENT DISKUS<br>INHALATION BLISTER WITH<br>DEVICE 50 MCG/DOSE                                             | 1                     | QL (60 per 30 days)        |
| SPIRIVA RESPIMAT<br>INHALATION MIST 1.25<br>MCG/ACTUATION, 2.5<br>MCG/ACTUATION                              | 1                     | QL (4 per 30 days)         |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION                                                 | 1                     | QL (4 per 30 days)         |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION                                                   | 1                     | QL (4 per 28 days)         |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i>                                                                  | 1                     |                            |
| <i>theophylline oral solution 80 mg/15<br/>ml</i>                                                            | 1                     |                            |
| <i>theophylline oral tablet extended<br/>release 12 hr 100 mg, 200 mg, 300<br/>mg, 450 mg</i>                | 1                     |                            |
| <i>theophylline oral tablet extended<br/>release 24 hr 400 mg, 600 mg</i>                                    | 1                     |                            |
| <i>tiotropium bromide inhalation</i> (Spiriva with<br><i>capsule, w/inhalation device 18 mcg</i> HandiHaler) | 1                     | QL (30 per 30 days)        |
| TRELEGY ELLIPTA<br>INHALATION BLISTER WITH<br>DEVICE 100-62.5-25 MCG, 200-<br>62.5-25 MCG                    | 1                     | QL (60 per 30 days)        |

### Agentes Dentales Y Orales

#### Agentes Dentales Y Orales

|                                                                     |                     |   |  |
|---------------------------------------------------------------------|---------------------|---|--|
| <i>cevimeline oral capsule 30 mg</i>                                | (Evoxac)            | 1 |  |
| <i>chlorhexidine gluconate mucous<br/>membrane mouthwash 0.12 %</i> | (Periogard)         | 1 |  |
| <i>denta 5000 plus dental cream 1.1 %</i>                           | (fluoride (sodium)) | 1 |  |
| <i>dentagel dental gel 1.1 %</i>                                    | (fluoride (sodium)) | 1 |  |
| <i>fluoride (sodium) dental gel 1.1 %</i>                           | (DentaGel)          | 1 |  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                              | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)                          | 1                     |                            |
| <i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)         | 1                     |                            |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))             | 1                     |                            |
| <i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))                          | 1                     |                            |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive) | 1                     |                            |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)                         | 1                     |                            |
| <b>Agentes Dermatológicos</b>                                                       |                       |                            |
| <b>Agentes Antiinflamatorios Dermatológicos</b>                                     |                       |                            |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone)                                  | 1                     |                            |
| <i>ala-scalp topical lotion 2 %</i> (hydrocortisone)                                | 1                     |                            |
| <i>alclometasone topical cream 0.05 %</i>                                           | 1                     |                            |
| <i>alclometasone topical ointment 0.05 %</i>                                        | 1                     |                            |
| <i>betamethasone dipropionate topical cream 0.05 %</i>                              | 1                     |                            |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>                             | 1                     |                            |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>                           | 1                     |                            |
| <i>betamethasone valerate topical cream 0.1 %</i>                                   | 1                     |                            |
| <i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)                           | 1                     |                            |
| <i>betamethasone valerate topical lotion 0.1 %</i>                                  | 1                     |                            |
| <i>betamethasone valerate topical ointment 0.1 %</i>                                | 1                     |                            |
| <i>betamethasone, augmented topical cream 0.05 %</i>                                | 1                     |                            |
| <i>betamethasone, augmented topical gel 0.05 %</i>                                  | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                          | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           | 1                     |                            |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 1                     |                            |
| <i>clobetasol scalp solution 0.05 %</i>                                         | 1                     |                            |
| <i>clobetasol topical cream 0.05 %</i>                                          | 1                     |                            |
| <i>clobetasol topical foam 0.05 %</i> (Olux)                                    | 1                     |                            |
| <i>clobetasol topical gel 0.05 %</i>                                            | 1                     |                            |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex)                                | 1                     |                            |
| <i>clobetasol topical ointment 0.05 %</i>                                       | 1                     |                            |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                               | 1                     |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                | 1                     |                            |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)                        | 1                     |                            |
| <i>desonide topical cream 0.05 %</i>                                            | 1                     |                            |
| <i>desonide topical lotion 0.05 %</i>                                           | 1                     |                            |
| <i>desonide topical ointment 0.05 %</i>                                         | 1                     |                            |
| <i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)                   | 1                     | QL (120 per 30 days)       |
| <i>desoximetasone topical gel 0.05 %</i> (Topicort)                             | 1                     | QL (120 per 30 days)       |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)                | 1                     |                            |
| <i>diflorasone topical ointment 0.05 %</i>                                      | 1                     | QL (180 per 30 days)       |
| EUCRISA TOPICAL OINTMENT 2 %                                                    | 1                     |                            |
| <i>fluocinolone topical cream 0.01 %</i>                                        | 1                     |                            |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                             | 1                     |                            |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                          | 1                     |                            |
| <i>fluocinonide topical cream 0.05 %</i>                                        | 1                     |                            |
| <i>fluocinonide topical gel 0.05 %</i>                                          | 1                     |                            |
| <i>fluocinonide topical ointment 0.05 %</i>                                     | 1                     |                            |
| <i>fluocinonide topical solution 0.05 %</i>                                     | 1                     |                            |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)             | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>fluticasone propionate topical cream 0.05 %</i>                                 | 1                     |                            |
| <i>fluticasone propionate topical ointment 0.005 %</i>                             | 1                     |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 | 1                     |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              | 1                     |                            |
| <i>hydrocortisone 2.5% cream</i>                                                   | 1                     |                            |
| <i>hydrocortisone butyrate topical cream 0.1 %</i>                                 | 1                     | QL (120 per 30 days)       |
| <i>hydrocortisone butyrate topical lotion 0.1 %</i>                                | 1                     | QL (236 per 30 days)       |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i>                              | 1                     | QL (120 per 30 days)       |
| <i>hydrocortisone butyrate topical solution 0.1 %</i>                              | 1                     | QL (120 per 30 days)       |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 1                     |                            |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 1                     |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         | 1                     |                            |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1                     |                            |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1                     |                            |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 1                     |                            |
| <i>hydrocortisone valerate topical ointment 0.2 %</i>                              | 1                     |                            |
| <i>mometasone topical cream 0.1 %</i>                                              | 1                     |                            |
| <i>mometasone topical ointment 0.1 %</i>                                           | 1                     |                            |
| <i>mometasone topical solution 0.1 %</i>                                           | 1                     |                            |
| <i>pimecrolimus topical cream 1 %</i> (Elidel)                                     | 1                     | QL (100 per 30 days)       |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 1                     |                            |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  | 1                     |                            |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                 | Nivel del Medicamento | Requerimientos/<br>Límites     |
|------------------------------------------------------------------------|-----------------------|--------------------------------|
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                       | 1                     | QL (100 per 30 days)           |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>            | 1                     |                                |
| <i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)           | 1                     |                                |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>           | 1                     |                                |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>  | 1                     |                                |
| <b>Agentes Dermatológicos, Otros</b>                                   |                       |                                |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 1                     |                                |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>                    | 1                     |                                |
| <i>acyclovir topical cream 5 %</i> (Zovirax)                           | 1                     | QL (5 per 4 days)              |
| <i>acyclovir topical ointment 5 %</i> (Zovirax)                        | 1                     | QL (30 per 30 days)            |
| <i>ammonium lactate topical cream 12 %</i>                             | 1                     |                                |
| <i>ammonium lactate topical lotion 12 %</i> (AmLactin)                 | 1                     |                                |
| <i>calcipotriene scalp solution 0.005 %</i>                            | 1                     | QL (120 per 30 days)           |
| <i>calcipotriene topical cream 0.005 %</i>                             | 1                     | QL (120 per 30 days)           |
| <i>calcipotriene topical ointment 0.005 %</i>                          | 1                     | QL (120 per 30 days)           |
| <i>fluorouracil topical cream 0.5 %</i> (Carac)                        | 1                     | NM; NDS                        |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                         | 1                     |                                |
| <i>fluorouracil topical solution 2 %, 5 %</i>                          | 1                     |                                |
| <i>imiquimod topical cream in packet 5 %</i>                           | 1                     | QL (24 per 30 days)            |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                        | 1                     | ST; NM; NDS; QL (5 per 5 days) |
| <i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>          | 1                     | NM; NDS                        |
| PANRETIN TOPICAL GEL 0.1 %                                             | 1                     | NM; NDS; QL (60 per 28 days)   |
| <i>penciclovir topical cream 1 %</i> (Denavir)                         | 1                     |                                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                       | Nivel del Medicamento | Requerimientos/<br>Límites       |
|------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>podofilox topical solution 0.5 %</i>                                      | 1                     |                                  |
| REGRANEX TOPICAL GEL 0.01 %                                                  | 1                     | PA; NM; NDS; QL (30 per 30 days) |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                        | 1                     | QL (180 per 30 days)             |
| VALCHLOR TOPICAL GEL 0.016 %                                                 | 1                     | PA NSO; NM; NDS                  |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)       | 1                     |                                  |
| <b>Antibacterianos Dermatológicos</b>                                        |                       |                                  |
| <i>clindamycin phosphate topical foam 1 %</i> (Clindacin)                    | 1                     | QL (100 per 30 days)             |
| <i>clindamycin phosphate topical solution 1 %</i>                            | 1                     | QL (180 per 30 days)             |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)                | 1                     |                                  |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac) | 1                     |                                  |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                        | 1                     |                                  |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol)                 | 1                     |                                  |
| <i>erythromycin with ethanol topical gel 2 %</i>                             | 1                     |                                  |
| <i>erythromycin with ethanol topical solution 2 %</i>                        | 1                     |                                  |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)          | 1                     |                                  |
| <i>gentamicin topical cream 0.1 %</i>                                        | 1                     | QL (90 per 30 days)              |
| <i>gentamicin topical ointment 0.1 %</i>                                     | 1                     | QL (120 per 30 days)             |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                          | 1                     |                                  |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                            | 1                     |                                  |
| <i>metronidazole topical gel 1 %</i> (Metrogel)                              | 1                     |                                  |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion)                     | 1                     |                                  |
| <i>mupirocin topical ointment 2 %</i> (Centany)                              | 1                     | QL (220 per 30 days)             |
| <i>rosadan topical cream 0.75 %</i> (metronidazole)                          | 1                     |                                  |
| <i>selenium sulfide topical lotion 2.5 %</i>                                 | 1                     |                                  |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                           | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                                                     | 1                     |                            |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)                                    | 1                     |                            |
| <b>Escabicidas Y Pediculicidas</b>                                                                     |                       |                            |
| <i>malathion topical lotion 0.5 %</i> (Ovide)                                                          | 1                     |                            |
| <i>permethrin topical cream 5 %</i> (Elimite)                                                          | 1                     | QL (60 per 30 days)        |
| <b>Retinoides Dermatológicos</b>                                                                       |                       |                            |
| <i>adapalene topical cream 0.1 %</i> (Differin)                                                        | 1                     |                            |
| ALTRENO TOPICAL LOTION 0.05 %                                                                          | 1                     | PA                         |
| <i>tazarotene topical cream 0.05 %, 0.1 %</i> (Tazorac)                                                | 1                     |                            |
| <i>tretinoin topical cream 0.025 %</i> (Avita)                                                         | 1                     | PA                         |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)                                                 | 1                     | PA                         |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A)                                                          | 1                     | PA                         |
| <i>tretinoin topical gel 0.025 %</i> (Avita)                                                           | 1                     | PA                         |
| <i>tretinoin topical gel 0.05 %</i> (Atralin)                                                          | 1                     | PA                         |
| <b>Agentes Gastrointestinales</b>                                                                      |                       |                            |
| <b>Agentes Antiúlceras Y Supresores De Ácidos</b>                                                      |                       |                            |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                                    | 1                     |                            |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>                                                        | 1                     |                            |
| <i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))                                       | 1                     |                            |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>                                                   | 1                     |                            |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 1                     | QL (30 per 30 days)        |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)                      | 1                     | QL (60 per 30 days)        |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)         | 1                     | ST; QL (30 per 30 days)    |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)                | 1                     | ST; QL (60 per 30 days)    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites       |
|----------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>                    | 1                     |                                  |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                        | 1                     |                                  |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                 | 1                     |                                  |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole)) | 1                     | QL (30 per 30 days)              |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)                    | 1                     | QL (60 per 30 days)              |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                                    | 1                     |                                  |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>                                                | 1                     |                                  |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>                   | 1                     |                                  |
| <i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)               | 1                     | ST; NM; NDS; QL (30 per 30 days) |
| <i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>                             | 1                     | ST; QL (30 per 30 days)          |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)                    | 1                     | QL (30 per 30 days)              |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)                    | 1                     | QL (60 per 30 days)              |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)                      | 1                     | QL (30 per 30 days)              |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                                              | 1                     |                                  |
| VOQUEZNA ORAL TABLET 10 MG, 20 MG                                                            | 1                     | PA                               |
| <b>Agentes Gastrointestinales, Otros</b>                                                     |                       |                                  |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)                             | 1                     | PA; NM; NDS                      |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)                                    | 1                     |                                  |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                                    | 1                     |                                  |
| <i>dicyclomine oral capsule 10 mg</i>                                                        | 1                     |                                  |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                                                  | 1                     |                                  |
| <i>dicyclomine oral tablet 20 mg</i>                                                         | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                               | Nivel del Medicamento | Requerimientos/<br>Límites       |
|----------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>diphenoxylate-atropine oral liquid</i><br>2.5-0.025 mg/5 ml       | 1                     |                                  |
| <i>diphenoxylate-atropine oral tablet</i> (Lomotil)<br>2.5-0.025 mg  | 1                     |                                  |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)               | 1                     |                                  |
| GATTEX 30-VIAL<br>SUBCUTANEOUS KIT 5 MG                              | 1                     | PA; NM; NDS                      |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)              | 1                     |                                  |
| <i>glycerol phenylbutyrate oral liquid</i> (Ravicti)<br>1.1 gram/ml  | 1                     | PA; NM; NDS                      |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                     | 1                     |                                  |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)               | 1                     |                                  |
| IQIRVO ORAL TABLET 80 MG                                             | 1                     | PA; NM; NDS; QL (30 per 30 days) |
| <i>kionex (with sorbitol) oral suspension</i><br>15-20 gram/60 ml    | 1                     |                                  |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)            | 1                     |                                  |
| LINZESS ORAL CAPSULE 145<br>MCG, 290 MCG, 72 MCG                     | 1                     | QL (30 per 30 days)              |
| LIVDELZI ORAL CAPSULE 10<br>MG                                       | 1                     | PA; NM; NDS; QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN<br>PACKET 10 GRAM, 5 GRAM                     | 1                     |                                  |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal<br>(loperamide)) | 1                     |                                  |
| <i>lubiprostone oral capsule 24 mcg</i> (Amitiza)                    | 1                     | QL (60 per 30 days)              |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                     | 1                     | QL (120 per 30 days)             |
| <i>methscopolamine oral tablet 2.5 mg,</i><br>5 mg                   | 1                     |                                  |
| <i>metoclopramide hcl oral solution 5</i><br>mg/5 ml                 | 1                     |                                  |
| <i>metoclopramide hcl oral tablet 10</i> (Reglan)<br>mg, 5 mg        | 1                     |                                  |
| MOVANTIK ORAL TABLET 12.5<br>MG, 25 MG                               | 1                     | QL (30 per 30 days)              |
| OALIVA ORAL TABLET 10 MG,<br>5 MG                                    | 1                     | PA; NM; NDS; QL (30 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                        | Nivel del Medicamento | Requerimientos/<br>Límites         |
|-------------------------------------------------------------------------------|-----------------------|------------------------------------|
| RELISTOR ORAL TABLET 150 MG                                                   | 1                     | PA; NM; NDS; QL (90 per 30 days)   |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML                                   | 1                     | PA; NM; NDS; QL (16.8 per 28 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML                                    | 1                     | PA; NM; NDS; QL (16.8 per 28 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML                                     | 1                     | PA; NM; NDS; QL (11.2 per 28 days) |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)                    | 1                     | PA; NM; NDS                        |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>                       | 1                     |                                    |
| <i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>             | 1                     |                                    |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>                   | 1                     |                                    |
| TRULANCE ORAL TABLET 3 MG                                                     | 1                     | QL (30 per 30 days)                |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                         | 1                     | NM; NDS                            |
| <i>ursodiol oral capsule 300 mg</i>                                           | 1                     |                                    |
| <i>ursodiol oral tablet 250 mg</i>                                            | 1                     |                                    |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                               | 1                     |                                    |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM         | 1                     |                                    |
| XERMELO ORAL TABLET 250 MG                                                    | 1                     | PA; NM; NDS; QL (84 per 28 days)   |
| <b>Enlaces De Fosfato</b>                                                     |                       |                                    |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>                     | 1                     |                                    |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>                      | 1                     |                                    |
| <i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)     | 1                     | NM; NDS                            |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela) | 1                     |                                    |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)                       | 1                     |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| sevelamer hcl oral tablet 400 mg, 800 mg                                                 | 1                     |                            |
| <b>Laxantes</b>                                                                          |                       |                            |
| gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram (peg 3350-electrolytes)             | 1                     |                            |
| gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram (peg 3350-electrolytes)             | 1                     |                            |
| gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)                               | 1                     |                            |
| peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram (GaviLyte-G)             | 1                     |                            |
| peg-electrolyte soln oral recon soln 420 gram (GaviLyte-N)                               | 1                     |                            |
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit) | 1                     |                            |
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)          | 1                     |                            |
| <b>Agentes Genitourinarios</b>                                                           |                       |                            |
| <b>Agentes Genitourinarios, Varios</b>                                                   |                       |                            |
| alfuzosin oral tablet extended release 24 hr 10 mg (Uroxatral)                           | 1                     | QL (30 per 30 days)        |
| dutasteride oral capsule 0.5 mg (Avodart)                                                | 1                     |                            |
| dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg (Jalyn)              | 1                     |                            |
| finasteride oral tablet 5 mg (Proscar)                                                   | 1                     |                            |
| tamsulosin oral capsule 0.4 mg                                                           | 1                     |                            |
| terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg                                           | 1                     |                            |
| tiopronin oral tablet 100 mg (Thiola)                                                    | 1                     | NM; NDS                    |
| <b>Antiespasmódicos, Urinario</b>                                                        |                       |                            |
| bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg                               | 1                     |                            |
| fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg (Toviaz)                      | 1                     |                            |
| flavoxate oral tablet 100 mg                                                             | 1                     |                            |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)                   | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                                                                           | 1                     |                            |
| <i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>                                                                                       | 1                     |                            |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>                                                           | 1                     |                            |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                                                                                     | 1                     |                            |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>                                                                         | 1                     |                            |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>                                                                                                 | 1                     |                            |
| <i>trospium oral capsule, extended release 24hr 60 mg</i>                                                                                 | 1                     |                            |
| <i>trospium oral tablet 20 mg</i>                                                                                                         | 1                     |                            |
| <b>Agentes Hormonales, Estimulante/Reemplazo/Modificador</b>                                                                              |                       |                            |
| <b>Agentes Tiroideos Y Antitiroideos</b>                                                                                                  |                       |                            |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1                     |                            |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T)                                                                                         | 1                     |                            |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)                                                                            | 1                     |                            |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)                                                                            | 1                     |                            |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                                                | 1                     |                            |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                                                 | 1                     |                            |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG                                                                                                | 1                     | PA; NM; NDS                |
| <b>Andrógenos</b>                                                                                                                         |                       |                            |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                                                                         | 1                     |                            |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>                                                                                              | 1                     | PA                         |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)                                                  | 1                     | PA                         |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                                                                   | 1                     | PA                         |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                                                          | 1                     | PA; QL (5 per 28 days)     |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)                                        | 1                     | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)                                    | 1                     | PA; QL (150 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>                                                                  | 1                     | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)                                                         | 1                     | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>                                            | 1                     | PA; QL (180 per 30 days)   |
| <b>Estrógenos Y Antiestrógenos</b>                                                                                                 |                       |                            |
| <i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)                                                            | 1                     |                            |
| <i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)                                                                 | 1                     |                            |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)                                                     | 1                     |                            |
| <i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i> (Premarin)                                      | 1                     |                            |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 1                     | QL (8 per 28 days)         |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                    | 1                     |                            |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 1                     | QL (8 per 28 days)         |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>estradiol transdermal patch weekly</i> (Climara)<br>0.025 mg/24 hr, 0.0375 mg/24 hr,<br>0.05 mg/24 hr, 0.06 mg/24 hr, 0.075<br>mg/24 hr, 0.1 mg/24 hr           | 1                     | QL (4 per 28 days)         |
| <i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace)<br><i>mg/gram)</i>                                                                                            | 1                     |                            |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)                                                                                                                  | 1                     | QL (18 per 28 days)        |
| <i>estradiol valerate intramuscular oil</i> (Delestrogen)<br>10 mg/ml, 20 mg/ml                                                                                    | 1                     |                            |
| <i>estradiol valerate intramuscular oil</i><br>40 mg/ml                                                                                                            | 1                     |                            |
| <i>estradiol-norethindrone acet oral</i> (Abigale Lo)<br><i>tablet 0.5-0.1 mg</i>                                                                                  | 1                     |                            |
| <i>estradiol-norethindrone acet oral</i> (Abigale)<br><i>tablet 1-0.5 mg</i>                                                                                       | 1                     |                            |
| FEMRING VAGINAL RING 0.05<br>MG/24 HR, 0.1 MG/24 HR                                                                                                                | 1                     | QL (1 per 84 days)         |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> (norethindrone ac-eth<br><i>1-5 mg-mcg</i> estradiol)                                                                   | 1                     |                            |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth<br>estradiol)                                                                                          | 1                     |                            |
| <i>lyllana transdermal patch</i> (estradiol)<br><i>semiweekly 0.025 mg/24 hr, 0.0375</i><br><i>mg/24 hr, 0.05 mg/24 hr, 0.075</i><br><i>mg/24 hr, 0.1 mg/24 hr</i> | 1                     | QL (8 per 28 days)         |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone<br>acet)                                                                                               | 1                     |                            |
| <i>norethindrone ac-eth estradiol oral</i> (Fyavolv)<br><i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>                                                                   | 1                     |                            |
| PREMARIN VAGINAL CREAM<br>0.625 MG/GRAM                                                                                                                            | 1                     |                            |
| PREMPHASE ORAL TABLET<br>0.625 MG (14)/ 0.625MG-5MG(14)                                                                                                            | 1                     |                            |
| PREMPRO ORAL TABLET 0.3-1.5<br>MG, 0.45-1.5 MG, 0.625-2.5 MG,<br>0.625-5 MG                                                                                        | 1                     |                            |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                                                                                                       | 1                     |                            |
| <i>yuvaferm vaginal tablet 10 mcg</i> (estradiol)                                                                                                                  | 1                     | QL (18 per 28 days)        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                | Nivel del Medicamento | Requerimientos/<br>Límites       |
|-------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <b>Glucocorticoides/Mineralocorticoides</b>                                                           |                       |                                  |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>                                                        | 1                     |                                  |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                      | 1                     |                                  |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                            | 1                     |                                  |
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                             | 1                     |                                  |
| HEMADY ORAL TABLET 20 MG                                                                              | 1                     |                                  |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)                                         | 1                     |                                  |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)                         | 1                     |                                  |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                                      | 1                     |                                  |
| <i>methylprednisolone oral tablet 32 mg</i>                                                           | 1                     |                                  |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))                                 | 1                     |                                  |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>                                          | 1                     | PA BvD                           |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                          | 1                     | PA BvD                           |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 1                     | PA BvD                           |
| <i>prednisone oral solution 5 mg/5 ml</i>                                                             | 1                     | PA BvD                           |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                                 | 1                     | PA BvD                           |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>                | 1                     |                                  |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)                                | 1                     |                                  |
| <b>Pituitario</b>                                                                                     |                       |                                  |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML                                                               | 1                     | PA; NM; NDS; QL (35 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>       |
|----------------------------------------------------------------------------|------------------------------|------------------------------------------|
| CORTROPHIN GEL<br>SUBCUTANEOUS SYRINGE 40<br>UNIT/0.5 ML                   | 1                            | PA; NM; NDS; QL (15<br>per 30 days)      |
| CORTROPHIN GEL<br>SUBCUTANEOUS SYRINGE 80<br>UNIT/ML                       | 1                            | PA; NM; NDS; QL (30<br>per 30 days)      |
| <i>desmopressin 10 mcg/0.1 ml spr 10<br/>mcg/spray (0.1 ml)</i>            | 1                            |                                          |
| <i>desmopressin nasal spray, non-<br/>aerosol 10 mcg/spray (0.1 ml)</i>    | 1                            |                                          |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)                     | 1                            |                                          |
| EGRIFTA SV SUBCUTANEOUS<br>RECON SOLN 2 MG                                 | 1                            | PA; NM; NDS; QL (30<br>per 30 days)      |
| EGRIFTA WR SUBCUTANEOUS<br>KIT 11.6 MG                                     | 1                            | PA; NM; NDS; QL (4<br>per 28 days)       |
| INCRELEX SUBCUTANEOUS<br>SOLUTION 10 MG/ML                                 | 1                            | PA; NM; NDS                              |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)    | 1                            | PA NSO; NM; NDS; QL<br>(0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG            | 1                            | PA NSO; NM; NDS                          |
| LUPRON DEPOT<br>INTRAMUSCULAR SYRINGE KIT<br>3.75 MG                       | 1                            | PA NSO; NM; NDS                          |
| LUPRON DEPOT-PED (3 MONTH)<br>INTRAMUSCULAR SYRINGE KIT<br>11.25 MG, 30 MG | 1                            | PA; NM; NDS                              |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR KIT 11.25 MG,<br>15 MG, 7.5 MG (PED)     | 1                            | PA; NM; NDS                              |
| LUPRON DEPOT-PED<br>INTRAMUSCULAR SYRINGE KIT<br>45 MG                     | 1                            | PA; NM; NDS                              |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------------|
| NORDITROPIN FLEXP<br>SUBCUTANEOUS PEN INJECTOR<br>10 MG/1.5 ML (6.7 MG/ML), 15<br>MG/1.5 ML (10 MG/ML), 30 MG/3<br>ML (10 MG/ML), 5 MG/1.5 ML (3.3<br>MG/ML) | 1                     | PA; NM; NDS                              |
| <i>octreotide acetate injection solution</i><br><i>1,000 mcg/ml</i>                                                                                          | 1                     | NM; NDS                                  |
| <i>octreotide acetate injection solution</i> (Sandostatin)<br><i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>                                                       | 1                     |                                          |
| <i>octreotide acetate injection solution</i><br><i>200 mcg/ml</i>                                                                                            | 1                     |                                          |
| ORGOVYX ORAL TABLET 120<br>MG                                                                                                                                | 1                     | PA NSO; NM; NDS                          |
| ORILISSA ORAL TABLET 150 MG                                                                                                                                  | 1                     | PA; NM; NDS; QL (28<br>per 28 days)      |
| ORILISSA ORAL TABLET 200 MG                                                                                                                                  | 1                     | PA; NM; NDS; QL (56<br>per 28 days)      |
| SEROSTIM SUBCUTANEOUS<br>RECON SOLN 4 MG, 5 MG, 6 MG                                                                                                         | 1                     | PA; NM; NDS                              |
| SIGNIFOR SUBCUTANEOUS<br>SOLUTION 0.3 MG/ML (1 ML), 0.6<br>MG/ML (1 ML), 0.9 MG/ML (1 ML)                                                                    | 1                     | PA; NM; NDS; QL (60<br>per 30 days)      |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 60<br>MG/0.2 ML                                                                                        | 1                     | PA NSO; NM; NDS; QL<br>(0.2 per 28 days) |
| SOMATULINE DEPOT (lanreotide)<br>SUBCUTANEOUS SYRINGE 90<br>MG/0.3 ML                                                                                        | 1                     | PA NSO; NM; NDS; QL<br>(0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS<br>RECON SOLN 10 MG, 15 MG, 20<br>MG, 25 MG, 30 MG                                                                                     | 1                     | PA; NM; NDS                              |
| SYNAREL NASAL SPRAY, NON-<br>AEROSOL 2 MG/ML                                                                                                                 | 1                     | PA; NM; NDS                              |
| <b>Progestinas</b>                                                                                                                                           |                       |                                          |
| DEPO-SUBQ PROVERA 104<br>SUBCUTANEOUS SYRINGE 104<br>MG/0.65 ML                                                                                              | 1                     | QL (0.65 per 84 days)                    |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)                                                                                                    | 1                     |                                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                            | Nivel del Medicamento | Requerimientos/<br>Límites          |
|-----------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)      | 1                     |                                     |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)         | 1                     |                                     |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)              | 1                     |                                     |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | 1                     |                                     |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                         | 1                     |                                     |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)           | 1                     |                                     |
| <b>Agentes Inmunológicos</b>                                                      |                       |                                     |
| <b>Agentes Inmunológicos</b>                                                      |                       |                                     |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG                                           | 1                     | PA; NM; NDS                         |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)          | 1                     | PA BvD                              |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG (tacrolimus)                  | 1                     | PA BvD; NM; NDS                     |
| <i>auranofin oral capsule 3 mg</i> (Ridaura)                                      | 1                     | NM; NDS                             |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                    | 1                     | PA BvD                              |
| <i>azathioprine sodium injection recon soln 100 mg</i>                            | 1                     | PA BvD                              |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML                                     | 1                     | PA; NM; NDS; QL (8 per 28 days)     |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML                                           | 1                     | PA; NM; NDS; QL (8 per 28 days)     |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML                                           | 1                     | PA NSO; NM; NDS; QL (2 per 28 days) |
| CIMZIA 200 MG/ML SYRINGE KIT                                                      | 1                     | PA; NM; NDS                         |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)              | 1                     | PA; NM; NDS                         |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| CIMZIA STARTER KIT<br>SUBCUTANEOUS SYRINGE KIT<br>400 MG/2 ML (200 MG/ML X 2)                                      | 1                     | PA; NM; NDS                |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 400 MG/2 ML (200<br>MG/ML X 2)                                                  | 1                     | PA; NM; NDS                |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML                                                         | 1                     | PA; NM; NDS                |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                                                    | 1                     | PA; NM; NDS                |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                                                      | 1                     | PA; NM; NDS                |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML                                                  | 1                     | PA; NM; NDS                |
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br>250 mg/5 ml                                               | 1                     | PA BvD                     |
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br>100 mg, 25 mg                                               | 1                     | PA BvD                     |
| <i>cyclosporine modified oral capsule</i><br>50 mg                                                                 | 1                     | PA BvD                     |
| <i>cyclosporine modified oral solution</i> (Gengraf)<br>100 mg/ml                                                  | 1                     | PA BvD                     |
| <i>cyclosporine oral capsule 100 mg, 25</i> (Sandimmune)<br><i>mg</i>                                              | 1                     | PA BvD                     |
| CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm)<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML | 1                     | PA; NM; NDS                |
| CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm)<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML  | 1                     | PA; NM; NDS                |
| CYLTEZO(CF) PEN (adalimumab-adbm)<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML                   | 1                     | PA; NM; NDS                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites                       |
|------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------|
| CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm)<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML | 1                     | PA; NM; NDS                                      |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML                                               | 1                     | PA; NM; NDS                                      |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 1                     | PA; NM; NDS                                      |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                                                  | 1                     | PA; NM; NDS                                      |
| ENBREL SUBCUTANEOUS<br>RECON SOLN 25 MG (1 ML)                                                                         | 1                     | PA; NM; NDS                                      |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML                                                                           | 1                     | PA; NM; NDS                                      |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)                                                  | 1                     | PA; NM; NDS                                      |
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)                                                       | 1                     | PA; NM; NDS                                      |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.25 mg</i>                                         | 1                     | PA BvD                                           |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.5 mg, 0.75 mg, 1 mg</i>                           | 1                     | PA BvD; NM; NDS                                  |
| GAMMAGARD S-D (IGA < 1<br>MCG/ML) INTRAVENOUS<br>RECON SOLN 10 GRAM, 5 GRAM                                            | 1                     | PA BvD; NM; NDS                                  |
| GAMMAPLEX INTRAVENOUS<br>SOLUTION 10 %, 10 % (100 ML),<br>10 % (200 ML)                                                | 1                     | PA BvD; NM; NDS                                  |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)                                                                    | 1                     | PA BvD; NM; NDS                                  |
| <i>engraf oral capsule 100 mg, 25 mg (cyclosporine modified)</i>                                                       | 1                     | PA BvD                                           |
| <i>engraf oral solution 100 mg/ml (cyclosporine modified)</i>                                                          | 1                     | PA BvD                                           |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                                         | 1                     | PA; NM; NDS; Only<br>NDCs starting with<br>00074 |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites                 |
|-------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------|
| HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML                       | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML                                           | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML                                                    | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML                          | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML                          | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML          | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML                         | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML                    | 1                     | PA; NM; NDS; Only NDCs starting with 00074 |
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade)                                      | 1                     | PA; NM; NDS                                |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML                                                     | 1                     | PA; NM; NDS                                |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                             | 1                     |                                            |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)         | 1                     | PA BvD                                     |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)                                     | 1                     | PA BvD                                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)                                       | 1                            | PA BvD; NM; NDS                    |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)                                                                 | 1                            | PA BvD                             |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)                                 | 1                            | PA BvD                             |
| NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML                                                                                     | 1                            | PA NSO; NM; NDS                    |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG                                                                                      | 1                            | PA BvD; NM; NDS                    |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG                                                                       | 1                            | PA; NM; NDS                        |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML                                                                     | 1                            | PA; NM; NDS                        |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML                                                       | 1                            | PA; NM; NDS                        |
| OTEZLA ORAL TABLET 20 MG, 30 MG                                                                                            | 1                            | PA; NM; NDS                        |
| OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 1                            | PA; NM; NDS                        |
| OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG                                                    | 1                            | PA; NM; NDS                        |
| OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG                                                                         | 1                            | PA; NM; NDS                        |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML (tacrolimus)                                                                          | 1                            | PA BvD                             |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG                                                                               | 1                            | PA BvD                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| RASUVO (PF) SUBCUTANEOUS<br>AUTO-INJECTOR 10 MG/0.2 ML,<br>12.5 MG/0.25 ML, 15 MG/0.3 ML,<br>17.5 MG/0.35 ML, 20 MG/0.4 ML,<br>22.5 MG/0.45 ML, 25 MG/0.5 ML,<br>30 MG/0.6 ML, 7.5 MG/0.15 ML | 1                     | ST                                   |
| REZUROCK ORAL TABLET 200<br>MG                                                                                                                                                                | 1                     | PA NSO; NM; NDS                      |
| RIDAURA ORAL CAPSULE 3 MG (auranofin)                                                                                                                                                         | 1                     | NM; NDS                              |
| RINVOQ LQ ORAL SOLUTION 1<br>MG/ML                                                                                                                                                            | 1                     | PA; NM; NDS; QL (360<br>per 30 days) |
| RINVOQ ORAL TABLET<br>EXTENDED RELEASE 24 HR 15<br>MG, 30 MG, 45 MG                                                                                                                           | 1                     | PA; NM; NDS                          |
| SELARSDI INTRAVENOUS<br>SOLUTION 130 MG/26 ML                                                                                                                                                 | 1                     | PA; NM; NDS                          |
| SELARSDI SUBCUTANEOUS<br>SOLUTION 45 MG/0.5 ML                                                                                                                                                | 1                     | PA                                   |
| SELARSDI SUBCUTANEOUS (ustekinumab-aekn)<br>SYRINGE 45 MG/0.5 ML                                                                                                                              | 1                     | PA                                   |
| SELARSDI SUBCUTANEOUS (ustekinumab-aekn)<br>SYRINGE 90 MG/ML                                                                                                                                  | 1                     | PA; NM; NDS                          |
| <i>sirolimus oral solution 1 mg/ml</i>                                                                                                                                                        | 1                     | PA BvD                               |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2<br/>mg</i>                                                                                                                                           | 1                     | PA BvD                               |
| SKYRIZI INTRAVENOUS<br>SOLUTION 60 MG/ML                                                                                                                                                      | 1                     | PA; NM; NDS                          |
| SKYRIZI SUBCUTANEOUS PEN<br>INJECTOR 150 MG/ML                                                                                                                                                | 1                     | PA; NM; NDS                          |
| SKYRIZI SUBCUTANEOUS<br>SYRINGE 150 MG/ML                                                                                                                                                     | 1                     | PA; NM; NDS                          |
| SKYRIZI SUBCUTANEOUS<br>WEARABLE INJECTOR 180<br>MG/1.2 ML (150 MG/ML), 360<br>MG/2.4 ML (150 MG/ML)                                                                                          | 1                     | PA; NM; NDS                          |
| STELARA INTRAVENOUS (ustekinumab)<br>SOLUTION 130 MG/26 ML                                                                                                                                    | 1                     | PA; NM; NDS                          |
| STELARA SUBCUTANEOUS (ustekinumab)<br>SOLUTION 45 MG/0.5 ML                                                                                                                                   | 1                     | PA; NM; NDS                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>   |
|--------------------------------------------------------------------------------------------------------------|------------------------------|--------------------------------------|
| STELARA SUBCUTANEOUS (ustekinumab)<br>SYRINGE 45 MG/0.5 ML, 90<br>MG/ML                                      | 1                            | PA; NM; NDS                          |
| <i>tacrolimus oral capsule 0.5 mg, 1<br/>mg, 5 mg</i> (Prograf)                                              | 1                            | PA BvD                               |
| TAVNEOS ORAL CAPSULE 10<br>MG                                                                                | 1                            | PA; NM; NDS; QL (180<br>per 30 days) |
| TREMFYA INTRAVENOUS<br>SOLUTION 200 MG/20 ML (10<br>MG/ML)                                                   | 1                            | PA; NM; NDS                          |
| TREMFYA ONE-PRESS<br>SUBCUTANEOUS AUTO-<br>INJECTOR 100 MG/ML                                                | 1                            | PA; NM; NDS                          |
| TREMFYA PEN INDUCTION<br>PK(2PEN) SUBCUTANEOUS PEN<br>INJECTOR 200 MG/2 ML                                   | 1                            | PA; NM; NDS                          |
| TREMFYA PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/2 ML                                                      | 1                            | PA; NM; NDS                          |
| TREMFYA SUBCUTANEOUS<br>SYRINGE 100 MG/ML, 200 MG/2<br>ML                                                    | 1                            | PA; NM; NDS                          |
| TYENNE AUTOINJECTOR<br>SUBCUTANEOUS PEN INJECTOR<br>162 MG/0.9 ML                                            | 1                            | PA; NM; NDS                          |
| TYENNE INTRAVENOUS<br>SOLUTION 200 MG/10 ML (20<br>MG/ML), 400 MG/20 ML (20<br>MG/ML), 80 MG/4 ML (20 MG/ML) | 1                            | PA; NM; NDS                          |
| TYENNE SUBCUTANEOUS<br>SYRINGE 162 MG/0.9 ML                                                                 | 1                            | PA; NM; NDS                          |
| <i>ustekinumab intravenous solution</i> (Stelara)<br><i>130 mg/26 ml</i>                                     | 1                            | PA; NM; NDS                          |
| <i>ustekinumab subcutaneous solution</i> (Stelara)<br><i>45 mg/0.5 ml</i>                                    | 1                            | PA; NM; NDS                          |
| <i>ustekinumab subcutaneous syringe</i> (Stelara)<br><i>45 mg/0.5 ml, 90 mg/ml</i>                           | 1                            | PA; NM; NDS                          |
| XELJANZ ORAL SOLUTION 1<br>MG/ML                                                                             | 1                            | PA; NM; NDS                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                   | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| XELJANZ ORAL TABLET 10 MG, 5 MG                                                                                 | 1                            | PA; NM; NDS                        |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG                                                      | 1                            | PA; NM; NDS                        |
| YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML                                                                      | 1                            | PA; NM; NDS                        |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                                     | 1                            | PA                                 |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML                                                                      | 1                            | PA                                 |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML                                                                          | 1                            | PA; NM; NDS                        |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty)<br>HS SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 80 MG/0.8 ML             | 1                            | PA; NM; NDS                        |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty)<br>SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 40 MG/0.4 ML, 80<br>MG/0.8 ML | 1                            | PA; NM; NDS                        |
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty)<br>SYRINGE KIT 20 MG/0.2 ML, 40<br>MG/0.4 ML                         | 1                            | PA; NM; NDS                        |
| <b>Vacunas</b>                                                                                                  |                              |                                    |
| ABRYSVO (PF)<br>INTRAMUSCULAR RECON SOLN<br>120 MCG/0.5 ML                                                      | 1                            | \$0 copay                          |
| ACTHIB (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                                           | 1                            |                                    |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION<br>2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML                | 1                            | \$0 copay                          |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML                   | 1                            | \$0 copay                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| AREXVY (PF) INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 120 MCG/0.5<br>ML              | 1                            | \$0 copay                          |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION 50 MG                | 1                            | \$0 copay                          |
| BEXSERO INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                                   | 1                            | \$0 copay                          |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                         | 1                            | \$0 copay                          |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                           | 1                            | \$0 copay                          |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML    | 1                            |                                    |
| DENG VAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML | 1                            | QL (3 per 365 days)                |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                       | 1                            | PA BvD; \$0 copay                  |
| ENGRIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                          | 1                            | PA BvD; \$0 copay                  |
| ENGRIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML                            | 1                            | PA BvD; \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                                        | 1                            | \$0 copay                          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML                                           | 1                            | \$0 copay                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------|------------------------------|------------------------------------|
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                   | 1                            | \$0 copay                          |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                 | 1                            |                                    |
| HEPLISAV-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/0.5 ML                  | 1                            | PA BvD; \$0 copay                  |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                     | 1                            |                                    |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT         | 1                            | PA BvD; \$0 copay                  |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML | 1                            |                                    |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                           | 1                            | \$0 copay                          |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                          | 1                            | \$0 copay                          |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5   | 1                            | \$0 copay                          |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML          | 1                            |                                    |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML                    | 1                            | \$0 copay                          |
| MENQUADFI (PF)<br>INTRAMUSCULAR SOLUTION 10<br>MCG/0.5 ML                  | 1                            | \$0 copay                          |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML        | 1                            | \$0 copay                          |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML     | 1                            | \$0 copay                          |
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                     | 1                            | \$0 copay                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                       | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML                            | 1                            |                                    |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML                                         | 1                            |                                    |
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML                                              | 1                            | \$0 copay                          |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 1                            | \$0 copay                          |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 1                            | \$0 copay                          |
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                          | 1                            | \$0 copay                          |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG     | 1                            | \$0 copay                          |
| PENMENVY MENB<br>COMPONENT (PF)<br>INTRAMUSCULAR SYRINGE 50-<br>50-50-25 MCG/0.5 ML                 | 1                            | \$0 copay                          |
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15LF-<br>20MCG-5LF- 62 DU/0.5 ML                                 | 1                            |                                    |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3.4-4.2-<br>3.3CCID50/0.5ML      | 1                            | \$0 copay                          |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5      | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                           | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML             | 1                            |                                    |
| QUADRACEL (PF)<br>INTRAMUSCULAR SYRINGE 15<br>LF-48 MCG- 5 LF UNIT/0.5ML                | 1                            |                                    |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                | 1                            | PA BvD; \$0 copay                  |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML | 1                            | PA BvD; \$0 copay                  |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                  | 1                            | PA BvD; \$0 copay                  |
| ROTARIX ORAL SUSPENSION<br>10EXP6 CCID50 /1.5 ML                                        | 1                            |                                    |
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                       | 1                            |                                    |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML                                                   | 1                            |                                    |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML        | 1                            | \$0 copay; QL (2 per 365 days)     |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                                    | 1                            | \$0 copay                          |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML                  | 1                            | \$0 copay                          |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                             | 1                            | \$0 copay                          |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                        | 1                            |                                    |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                         | 1                            | \$0 copay                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                       | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                                                                    | 1                            | \$0 copay                          |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML                                                                  | 1                            | \$0 copay                          |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                                                                   | 1                            | \$0 copay                          |
| TYPHIM VI INTRAMUSCULAR (typhoid vi polysacch<br>SYRINGE 25 MCG/0.5 ML vaccine)                                                     | 1                            | \$0 copay                          |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                                                                               | 1                            |                                    |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                                                                   | 1                            | \$0 copay                          |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                                                                                  | 1                            |                                    |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                                                                      | 1                            | \$0 copay                          |
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 1,350<br>UNIT/0.5 ML                                                  | 1                            | \$0 copay                          |
| VAXCHORA VACCINE ORAL<br>SUSPENSION FOR<br>RECONSTITUTION 4X10EXP8 TO<br>2X 10EXP9 CF UNIT                                          | 1                            | \$0 copay                          |
| VIMKUNYA INTRAMUSCULAR<br>SYRINGE 40 MCG/0.8 ML                                                                                     | 1                            | \$0 copay                          |
| VIVOTIF ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 2 BILLION<br>UNIT                                                                 | 1                            | \$0 copay                          |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10 EXP4.74<br>UNIT/0.5 ML, 10 EXP4.74<br>UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 1                            | \$0 copay                          |
| <b>Agentes Oftálmicos</b>                                                                                                           |                              |                                    |
| <b>Agentes Antiglaucoma</b>                                                                                                         |                              |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                             | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>acetazolamide oral capsule, extended release 500 mg</i>                | 1                            |                                    |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                           | 1                            |                                    |
| <i>acetazolamide sodium injection recon soln 500 mg</i>                   | 1                            |                                    |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                             | 1                            |                                    |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i>                          | 1                            | QL (2.5 per 25 days)               |
| <i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)      | 1                            |                                    |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                           | 1                            |                                    |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)    | 1                            |                                    |
| <i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)         | 1                            |                                    |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                               | 1                            |                                    |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                             | 1                            |                                    |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt) | 1                            |                                    |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)               | 1                            | QL (2.5 per 25 days)               |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                           | 1                            |                                    |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                                     | 1                            | QL (2.5 per 25 days)               |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                             | 1                            |                                    |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>               | 1                            |                                    |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %                                   | 1                            | QL (2.5 per 25 days)               |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %                             | 1                            | QL (2.5 per 25 days)               |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %                       | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                           | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>tafluprost (pf) ophthalmic (eye)</i> (Zioptan (PF))<br><i>dropperette 0.0015 %</i>            | 1                     | QL (30 per 30 days)        |
| <i>timolol maleate ophthalmic (eye)</i><br><i>drops 0.25 %, 0.5 %</i>                            | 1                     |                            |
| <i>timolol maleate ophthalmic (eye) gel</i><br><i>forming solution 0.25 %, 0.5 %</i>             | 1                     |                            |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)                                            | 1                     |                            |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z)<br><i>0.004 %</i>                          | 1                     | QL (2.5 per 25 days)       |
| VYZULTA OPTHALMIC (EYE)<br>DROPS 0.024 %                                                         | 1                     | QL (5 per 30 days)         |
| <b>Agentes Para Los Ojos, Oídos, Nariz, Garganta</b>                                             |                       |                            |
| <b>Agentes Antiinfecciosos De Ojos, Oídos, Nariz Y Garganta</b>                                  |                       |                            |
| <i>acetic acid otic (ear) solution 2 %</i>                                                       | 1                     |                            |
| <i>bacitracin ophthalmic (eye) ointment</i><br><i>500 unit/gram</i>                              | 1                     |                            |
| <i>bacitracin-polymyxin b ophthalmic</i> (Polycin)<br><i>(eye) ointment 500-10,000 unit/gram</i> | 1                     |                            |
| <i>ciprofloxacin hcl ophthalmic (eye)</i><br><i>drops 0.3 %</i>                                  | 1                     |                            |
| <i>ciprofloxacin-dexamethasone otic</i><br><i>(ear) drops,suspension 0.3-0.1 %</i>               | 1                     | QL (7.5 per 7 days)        |
| <i>erythromycin ophthalmic (eye)</i><br><i>ointment 5 mg/gram (0.5 %)</i>                        | 1                     | QL (3.5 per 4 days)        |
| <i>gatifloxacin ophthalmic (eye) drops</i><br><i>0.5 %</i>                                       | 1                     |                            |
| <i>gentak ophthalmic (eye) ointment 0.3</i><br><i>% (3 mg/gram)</i>                              | 1                     |                            |
| <i>gentamicin ophthalmic (eye) drops</i><br><i>0.3 %</i>                                         | 1                     |                            |
| <i>hydrocortisone-acetic acid otic (ear)</i><br><i>drops 1-2 %</i>                               | 1                     |                            |
| <i>moxifloxacin ophthalmic (eye) drops</i> (Vigamox)<br><i>0.5 %</i>                             | 1                     |                            |
| NATACYN OPTHALMIC (EYE)<br>DROPS,SUSPENSION 5 %                                                  | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                               |                                 | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------|----------------------------|
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>             | (Neo-Polycin HC)                | 1                     |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>         | (Neo-Polycin)                   | 1                     |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | (Maxitrol)                      | 1                     |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>          |                                 | 1                     |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>           |                                 | 1                     |                            |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>           |                                 | 1                     |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                |                                 | 1                     |                            |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                        |                                 | 1                     |                            |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>                          | (neomycin-bacitracin-poly-hc)   | 1                     |                            |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>                           | (neomycin-bacitracin-polymyxin) | 1                     |                            |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i>                                                        | (Ocuflox)                       | 1                     |                            |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                                              |                                 | 1                     |                            |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>                                        | (bacitracin-polymyxin b)        | 1                     |                            |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>                     |                                 | 1                     |                            |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                                              |                                 | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                        | Nivel del Medicamento | Requerimientos/<br>Límites       |
|-------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                    | 1                     |                                  |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 1                     |                                  |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                | 1                     |                                  |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>   | 1                     |                                  |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                                | 1                     |                                  |
| XDEMVI OPTHALMIC (EYE) DROPS 0.25 %                                           | 1                     | PA; NM; NDS; QL (10 per 42 days) |
| ZIRGAN OPTHALMIC (EYE) GEL 0.15 %                                             | 1                     |                                  |
| ZYLET OPTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % (tobramycin-lotepred)        | 1                     |                                  |
| <b>Agentes Antiinflamatorios De Ojos, Oídos, Nariz Y Garganta</b>             |                       |                                  |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)                     | 1                     |                                  |
| <i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)                    | 1                     |                                  |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>                                | 1                     |                                  |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)            | 1                     | QL (60 per 30 days)              |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>            | 1                     |                                  |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>                         | 1                     |                                  |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)                  | 1                     |                                  |
| EYSUVIS OPTHALMIC (EYE) DROPS,SUSPENSION 0.25 %                               | 1                     | QL (8.3 per 14 days)             |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                   | 1                     | QL (50 per 25 days)              |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                         | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                       | 1                     |                            |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)                 | 1                     |                            |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>                                       | 1                     |                            |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1                     | QL (16 per 30 days)        |
| ILEVRO OPTHALMIC (EYE)<br>DROPS,SUSPENSION 0.3 %                                               | 1                     |                            |
| INVELTYS OPTHALMIC (EYE)<br>DROPS,SUSPENSION 1 %                                               | 1                     | QL (5.6 per 14 days)       |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)                                         | 1                     | QL (10 per 25 days)        |
| LOTEMAX OPTHALMIC (EYE)<br>OINTMENT 0.5 %                                                      | 1                     | QL (3.5 per 14 days)       |
| LOTEMAX SM OPTHALMIC<br>(EYE) DROPS,GEL 0.38 %                                                 | 1                     | QL (5 per 16 days)         |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)                        | 1                     | QL (10 per 14 days)        |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)                   | 1                     | ST                         |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>                           | 1                     | QL (15 per 19 days)        |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))        | 1                     | QL (34 per 30 days)        |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)                 | 1                     |                            |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>                                | 1                     |                            |
| XIIDRA OPTHALMIC (EYE)<br>DROPPERETTE 5 %                                                      | 1                     | QL (60 per 30 days)        |
| <b>Agentes De Ojos, Oídos, Nariz Y Garganta, Varios</b>                                        |                       |                            |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i>                                              | 1                     |                            |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)                                   | 1                     |                            |
| <i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>                                      | 1                     | QL (60 per 30 days)        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                              | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>azelastine nasal spray,non-aerosol</i> (Astepro Allergy)<br>205.5 mcg (0.15 %)   | 1                     | QL (30 per 25 days)        |
| <i>azelastine ophthalmic (eye) drops</i><br>0.05 %                                  | 1                     |                            |
| <i>bepotastine besilate ophthalmic (eye) drops</i> (Bepreve)<br>1.5 %               | 1                     | ST                         |
| <i>cromolyn ophthalmic (eye) drops</i> 4 %                                          | 1                     |                            |
| <i>epinastine ophthalmic (eye) drops</i><br>0.05 %                                  | 1                     |                            |
| <i>ipratropium bromide nasal spray,non-aerosol</i> 21 mcg (0.03 %)                  | 1                     | QL (30 per 28 days)        |
| <i>ipratropium bromide nasal spray,non-aerosol</i> 42 mcg (0.06 %)                  | 1                     | QL (15 per 10 days)        |
| MIEBO (PF) OPHTHALMIC (EYE)<br>DROPS 100 %                                          | 1                     | QL (12 per 28 days)        |
| <i>olopatadine nasal spray,non-aerosol</i><br>0.6 %                                 | 1                     | QL (30.5 per 30 days)      |
| <i>olopatadine ophthalmic (eye) drops</i> (Eye Allergy Itch-<br>0.1 % Redness Rlf)  | 1                     |                            |
| <i>olopatadine ophthalmic (eye) drops</i> (Advanced Eye Relief<br>0.2 % (olopatad)) | 1                     |                            |
| <b>Agentes Terapeuticos</b>                                                         |                       |                            |
| <b>Misceláneos</b>                                                                  |                       |                            |
| <b>Agentes Terapeuticos Misceláneos</b>                                             |                       |                            |
| ACTIMMUNE SUBCUTANEOUS<br>SOLUTION 100 MCG/0.5 ML                                   | 1                     | PA; NM; NDS                |
| ANDEMBRY AUTOINJECTOR<br>SUBCUTANEOUS AUTO-<br>INJECTOR 200 MG/1.2 ML               | 1                     | PA; NM; NDS                |
| BAQSIMI NASAL SPRAY, NON-<br>AEROSOL 3 MG/ACTUATION                                 | 1                     |                            |
| <i>betaine oral powder</i> 1 gram/scoop (Cystadane)                                 | 1                     | PA; NM; NDS                |
| <i>buspirone oral tablet</i> 10 mg, 15 mg,<br>30 mg, 5 mg, 7.5 mg                   | 1                     |                            |
| <i>diazoxide oral suspension</i> 50 mg/ml (Proglycem)                               | 1                     | NM; NDS                    |
| ELMIRON ORAL CAPSULE 100<br>MG                                                      | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites           |
|-------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| EVRYSDI ORAL RECON SOLN<br>0.75 MG/ML                                                           | 1                     | PA; NM; NDS                          |
| EVRYSDI ORAL TABLET 5 MG                                                                        | 1                     | PA; NM; NDS; QL (30<br>per 30 days)  |
| <i>glucagon emergency kit (human)</i><br><i>injection recon soln 1 mg</i>                       | 1                     |                                      |
| <i>glutamine (sickle cell) oral powder in</i> (Endari)<br><i>packet 5 gram</i>                  | 1                     | PA; NM; NDS; QL (180<br>per 30 days) |
| GVOKE HYPOPEN 2-PACK<br>SUBCUTANEOUS AUTO-<br>INJECTOR 0.5 MG/0.1 ML, 1<br>MG/0.2 ML            | 1                     |                                      |
| GVOKE PFS 1-PACK SYRINGE<br>SUBCUTANEOUS SYRINGE 0.5<br>MG/0.1 ML, 1 MG/0.2 ML                  | 1                     |                                      |
| GVOKE SUBCUTANEOUS<br>SOLUTION 1 MG/0.2 ML                                                      | 1                     |                                      |
| <i>hydroxyzine pamoate oral capsule</i><br><i>100 mg, 25 mg, 50 mg</i>                          | 1                     |                                      |
| <i>leucovorin calcium oral tablet 10 mg,</i><br><i>15 mg, 25 mg, 5 mg</i>                       | 1                     |                                      |
| <i>levocarnitine (with sugar) oral</i> (Carnitor)<br><i>solution 100 mg/ml</i>                  | 1                     |                                      |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor)                                              | 1                     |                                      |
| <i>mesna oral tablet 400 mg</i> (Mesnex)                                                        | 1                     | NM; NDS                              |
| <i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv)<br><i>(w/w)</i>                             | 1                     | QL (30 per 30 days)                  |
| <i>pyridostigmine bromide oral syrup</i> (Mestinon)<br><i>60 mg/5 ml</i>                        | 1                     |                                      |
| <i>pyridostigmine bromide oral tablet</i><br><i>30 mg</i>                                       | 1                     |                                      |
| <i>pyridostigmine bromide oral tablet</i> (Mestinon)<br><i>60 mg</i>                            | 1                     |                                      |
| <i>pyridostigmine bromide oral tablet</i> (Mestinon Timespan)<br><i>extended release 180 mg</i> | 1                     |                                      |
| RIVFLOZA SUBCUTANEOUS<br>SOLUTION 80 MG/0.5 ML (160<br>MG/ML)                                   | 1                     | PA; NM; NDS                          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                | Nivel del Medicamento | Requerimientos/<br>Límites               |
|-----------------------------------------------------------------------|-----------------------|------------------------------------------|
| RIVFLOZA SUBCUTANEOUS<br>SYRINGE 128 MG/0.8 ML, 160<br>MG/ML          | 1                     | PA; NM; NDS                              |
| TAKHZYRO SUBCUTANEOUS<br>SOLUTION 300 MG/2 ML (150<br>MG/ML)          | 1                     | PA; NM; NDS; QL (4<br>per 28 days)       |
| TAKHZYRO SUBCUTANEOUS<br>SYRINGE 150 MG/ML                            | 1                     | PA; NM; NDS; QL (2<br>per 28 days)       |
| TAKHZYRO SUBCUTANEOUS<br>SYRINGE 300 MG/2 ML (150<br>MG/ML)           | 1                     | PA; NM; NDS; QL (4<br>per 28 days)       |
| THALOMID ORAL CAPSULE 100<br>MG                                       | 1                     | PA NSO; NM; NDS; QL<br>(120 per 30 days) |
| THALOMID ORAL CAPSULE 150<br>MG, 200 MG                               | 1                     | PA NSO; NM; NDS; QL<br>(56 per 28 days)  |
| THALOMID ORAL CAPSULE 50<br>MG                                        | 1                     | PA NSO; NM; NDS; QL<br>(224 per 28 days) |
| TYBOST ORAL TABLET 150 MG                                             | 1                     | QL (30 per 30 days)                      |
| VEOZAH ORAL TABLET 45 MG                                              | 1                     | PA; QL (30 per 30 days)                  |
| VOWST ORAL CAPSULE                                                    | 1                     | PA; NM; NDS; QL (12<br>per 30 days)      |
| <b>Agentes Vasodilatadores</b>                                        |                       |                                          |
| <b>Agentes Vasodilatadores</b>                                        |                       |                                          |
| ADEMPAS ORAL TABLET 0.5<br>MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG             | 1                     | PA; NM; NDS; QL (90<br>per 30 days)      |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm.<br>hypertension))     | 1                     | PA; QL (60 per 30 days)                  |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)                 | 1                     | PA; NM; NDS; QL (30<br>per 30 days)      |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                | 1                     | PA; NM; LA; NDS; QL<br>(60 per 30 days)  |
| OPSUMIT ORAL TABLET 10 MG                                             | 1                     | PA; NM; NDS; QL (30<br>per 30 days)      |
| <i>sildenafil (pulm.hypertension) oral<br/>tablet 20 mg</i> (Revatio) | 1                     | PA; QL (360 per 30<br>days)              |
| <i>tadalafil oral tablet 2.5 mg</i>                                   | 1                     | PA; QL (30 per 30 days)                  |
| <i>tadalafil oral tablet 5 mg</i> (Cialis)                            | 1                     | PA; QL (30 per 30 days)                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites        |
|----------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <i>treprostinil sodium injection solution</i> (Remodulin)<br>1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml | 1                     | PA; NM; NDS                       |
| TYVASO INHALATION<br>SOLUTION FOR NEBULIZATION<br>1.74 MG/2.9 ML (0.6 MG/ML)                       | 1                     | PA; NM; NDS                       |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG          | 1                     | PA; NM; NDS; QL (60 per 30 days)  |
| UPTRAVI ORAL TABLET 200 MCG                                                                        | 1                     | PA; NM; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)                                         | 1                     | PA; NM; NDS                       |
| <b>Analgésicos</b>                                                                                 |                       |                                   |
| <b>Agentes Antiinflamatorios No Esteroideos</b>                                                    |                       |                                   |
| <i>celecoxib oral capsule</i> 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)                             | 1                     | QL (60 per 30 days)               |
| <i>diclofenac epolamine transdermal patch</i> 12 hour 1.3 % (Flector)                              | 1                     | PA; QL (60 per 30 days)           |
| <i>diclofenac potassium oral tablet</i> 50 mg                                                      | 1                     | QL (120 per 30 days)              |
| <i>diclofenac sodium oral tablet extended release</i> 24 hr 100 mg                                 | 1                     |                                   |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 25 mg                                | 1                     |                                   |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 50 mg                                | 1                     | QL (120 per 30 days)              |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 75 mg                                | 1                     | QL (60 per 30 days)               |
| <i>diclofenac sodium topical drops</i> 1.5 %                                                       | 1                     | QL (300 per 30 days)              |
| <i>diclofenac sodium topical gel</i> 3 %                                                           | 1                     | PA; QL (100 per 28 days)          |
| <i>diclofenac sodium topical solution in metered-dose pump</i> 20 mg/gram /actuation(2 %)          | 1                     | PA; NM; NDS; QL (224 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                  | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 1                            |                                    |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 1                            |                                    |
| <i>diflunisal oral tablet 500 mg</i>                                                           | 1                            |                                    |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                    | 1                            |                                    |
| <i>etodolac oral tablet 400 mg</i> (Lodine)                                                    | 1                            |                                    |
| <i>etodolac oral tablet 500 mg</i>                                                             | 1                            |                                    |
| <i>fenoprofen oral tablet 600 mg</i> (Nalfon)                                                  | 1                            |                                    |
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                                               | 1                            |                                    |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                                      | 1                            | QL (240 per 30 days)               |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                                              | 1                            |                                    |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)                                | 1                            |                                    |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                                      | 1                            | QL (240 per 30 days)               |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                                              | 1                            |                                    |
| <i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>                                            | 1                            | PA; QL (90 per 30 days)            |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                  | 1                            |                                    |
| <i>indomethacin oral capsule, extended release 75 mg</i>                                       | 1                            |                                    |
| <i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>                                   | 1                            |                                    |
| <i>ketorolac oral tablet 10 mg</i>                                                             | 1                            | QL (20 per 30 days)                |
| <i>mefenamic acid oral capsule 250 mg</i>                                                      | 1                            |                                    |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                     | 1                            |                                    |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                   | 1                            |                                    |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                                     | 1                            |                                    |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                                                  | 1                            |                                    |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)               | 1                            |                                    |
| <i>piroxicam oral capsule 10 mg</i>                                                            | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>piroxicam oral capsule 20 mg</i> (Feldene)                                                                           | 1                     |                            |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                                                              | 1                     |                            |
| <b>Analgésicos, Varios</b>                                                                                              |                       |                            |
| <i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg /12.5 ml</i>                                          | 1                     | QL (4500 per 30 days)      |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                               | 1                     | QL (4500 per 30 days)      |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>                                                           | 1                     | QL (360 per 30 days)       |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                      | 1                     | QL (180 per 30 days)       |
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i> (codeine-butalbital-asa-caff)                                   | 1                     | QL (180 per 30 days)       |
| <i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans) | 1                     | QL (4 per 28 days)         |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>                                      | 1                     | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)                                               | 1                     | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>                                                          | 1                     | QL (180 per 30 days)       |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>                                                           | 1                     | QL (180 per 30 days)       |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>                                                            | 1                     | QL (180 per 30 days)       |
| <i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>                                                                    | 1                     | QL (5 per 28 days)         |
| <i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>                                                                  | 1                     | QL (180 per 30 days)       |
| <i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)                                   | 1                     | QL (180 per 30 days)       |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)                                                          | 1                     | QL (180 per 30 days)       |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)                                               | 1                     | QL (360 per 30 days)       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites        |
|----------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)                                    | 1                     | QL (240 per 30 days)              |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 1                     | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                         | 1                     | PA; QL (120 per 30 days)          |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>   | 1                     | QL (10 per 30 days)               |
| <i>fioricet oral capsule 50-300-40 mg</i> (butalbital-acetaminophen-caff)                          | 1                     | QL (180 per 30 days)              |
| <i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>  | 1                     | QL (2700 per 30 days)             |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>          | 1                     | QL (180 per 30 days)              |
| <i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>                                    | 1                     | QL (240 per 30 days)              |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 7.5-200 mg</i>                                     | 1                     | QL (150 per 30 days)              |
| <i>hydrocodone-ibuprofen oral tablet 5-200 mg</i>                                                  | 1                     | QL (150 per 30 days)              |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>                           | 1                     |                                   |
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)                                                | 1                     | QL (1200 per 30 days)             |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)                                       | 1                     | QL (180 per 30 days)              |
| <i>methadone oral solution 10 mg/5 ml</i>                                                          | 1                     | QL (600 per 30 days)              |
| <i>methadone oral solution 5 mg/5 ml</i>                                                           | 1                     | QL (1200 per 30 days)             |
| <i>methadone oral tablet 10 mg</i>                                                                 | 1                     | QL (120 per 30 days)              |
| <i>methadone oral tablet 5 mg</i>                                                                  | 1                     | QL (180 per 30 days)              |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>                                   | 1                     | PA; QL (180 per 30 days)          |
| <i>morphine oral solution 10 mg/5 ml</i>                                                           | 1                     | QL (700 per 30 days)              |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>                                                 | 1                     | QL (300 per 30 days)              |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| MORPHINE ORAL TABLET 15 MG                                                                            | 1                     | QL (180 per 30 days)       |
| MORPHINE ORAL TABLET 30 MG                                                                            | 1                     | QL (120 per 30 days)       |
| <i>morphine oral tablet extended release 100 mg, 200 mg</i>                                           | 1                     | QL (60 per 30 days)        |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)                                 | 1                     | QL (90 per 30 days)        |
| <i>morphine oral tablet extended release 60 mg</i> (MS Contin)                                        | 1                     | QL (60 per 30 days)        |
| <i>oxycodone oral capsule 5 mg</i>                                                                    | 1                     | QL (180 per 30 days)       |
| <i>oxycodone oral concentrate 20 mg/ml</i>                                                            | 1                     | PA; QL (120 per 30 days)   |
| <i>oxycodone oral solution 5 mg/5 ml</i>                                                              | 1                     | QL (1300 per 30 days)      |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                                              | 1                     | QL (180 per 30 days)       |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)                                                | 1                     | QL (120 per 30 days)       |
| <i>oxycodone oral tablet 20 mg</i>                                                                    | 1                     | QL (120 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)                                        | 1                     | QL (180 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)                             | 1                     | QL (360 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)                                       | 1                     | QL (240 per 30 days)       |
| <i>oxymorphone oral tablet 10 mg</i>                                                                  | 1                     | QL (120 per 30 days)       |
| <i>oxymorphone oral tablet 5 mg</i>                                                                   | 1                     | QL (180 per 30 days)       |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i> | 1                     | QL (60 per 30 days)        |
| <i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)                                        | 1                     | QL (180 per 30 days)       |
| <i>tramadol oral tablet 50 mg</i>                                                                     | 1                     | QL (240 per 30 days)       |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                                 | 1                     | QL (300 per 30 days)       |
| <i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)                              | 1                     | QL (180 per 30 days)       |
| <b>Anestésicos</b>                                                                                    |                       |                            |
| <b>Anestesia Local</b>                                                                                |                       |                            |
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                                                  | 1                     | PA; QL (90 per 30 days)    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                           |                      | Nivel del Medicamento | Requerimientos/<br>Límites        |
|------------------------------------------------------------------|----------------------|-----------------------|-----------------------------------|
| <i>glydo mucous membrane jelly in applicator 2 %</i>             | (lidocaine hcl)      | 1                     | QL (30 per 30 days)               |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>     | (Glydo)              | 1                     | QL (30 per 30 days)               |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>     |                      | 1                     | PA                                |
| <i>lidocaine topical adhesive patch,medicated 5 %</i>            | (DermacinRx Lidocan) | 1                     | PA; QL (90 per 30 days)           |
| <i>lidocaine topical ointment 5 %</i>                            |                      | 1                     | PA; QL (240 per 30 days)          |
| <i>lidocaine viscous mucous membrane solution 2 %</i>            | (lidocaine hcl)      | 1                     |                                   |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>              |                      | 1                     | PA; QL (30 per 30 days)           |
| <i>lidocan iii topical adhesive patch,medicated 5 %</i>          | (lidocaine)          | 1                     | PA; QL (90 per 30 days)           |
| <i>tridacaine ii topical adhesive patch,medicated 5 %</i>        | (lidocaine)          | 1                     | PA; QL (90 per 30 days)           |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %                    |                      | 1                     | PA; QL (90 per 30 days)           |
| <b>Antagonistas De Metales Pesados</b>                           |                      |                       |                                   |
| <b>Antagonistas De Metales Pesados</b>                           |                      |                       |                                   |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> | (Jadenu Sprinkle)    | 1                     | PA; NM; NDS                       |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>             | (Jadenu)             | 1                     | PA                                |
| <i>deferasirox oral tablet, dispersible 125 mg</i>               | (Exjade)             | 1                     | PA                                |
| <i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>       | (Exjade)             | 1                     | PA; NM; NDS                       |
| <i>deferiprone oral tablet 1,000 mg, 500 mg</i>                  | (Ferriprox)          | 1                     | PA; NM; NDS                       |
| FERRIPROX ORAL SOLUTION 100 MG/ML                                |                      | 1                     | PA; NM; NDS                       |
| <i>penicillamine oral tablet 250 mg</i>                          | (Depen Titratabs)    | 1                     | PA; NM; NDS                       |
| <i>trientine oral capsule 250 mg</i>                             | (Syprine)            | 1                     | PA; NM; NDS; QL (240 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites          |
|-------------------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| <b>Anti Infecciosos (Membrana Cutánea Y Mucosa)</b>                                       |                       |                                     |
| <b>Anti Infecciosos (Membrana Cutánea Y Mucosa)</b>                                       |                       |                                     |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                  | 1                     |                                     |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)                       | 1                     |                                     |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                             | 1                     |                                     |
| <i>terconazole vaginal suppository 80 mg</i>                                              | 1                     |                                     |
| <b>Antibacterianos</b>                                                                    |                       |                                     |
| <b>Aminoglicósidos</b>                                                                    |                       |                                     |
| <i>amikacin injection solution 500 mg/2 ml</i>                                            | 1                     |                                     |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML                             | 1                     | PA; NM; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>                                             | 1                     |                                     |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>                        | 1                     |                                     |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>              | 1                     |                                     |
| <i>neomycin oral tablet 500 mg</i>                                                        | 1                     |                                     |
| <i>streptomycin intramuscular recon soln 1 gram</i>                                       | 1                     | NM; NDS                             |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                               | 1                     | NM; NDS; QL (224 per 28 days)       |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 1                     | PA BvD; NM; NDS                     |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)              | 1                     | PA BvD; NM; NDS                     |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                           | 1                     |                                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <b>Antibacteriales, Misceláneos</b>                                                           |                       |                            |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)                       | 1                     |                            |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)           | 1                     |                            |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>        | 1                     |                            |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)                           | 1                     |                            |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)     | 1                     | NM; NDS                    |
| <i>daptomycin intravenous recon soln 350 mg, 500 mg</i>                                       | 1                     | NM; NDS                    |
| <i>fosfomycin tromethamine oral packet 3 gram</i>                                             | 1                     |                            |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)                   | 1                     |                            |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)                       | 1                     | NM; NDS                    |
| <i>linezolid oral tablet 600 mg</i>                                                           | 1                     |                            |
| <i>methenamine hippurate oral tablet 1 gram</i>                                               | 1                     |                            |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)        | 1                     |                            |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>                                               | 1                     |                            |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>                                 | 1                     | QL (120 per 30 days)       |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)                          | 1                     | QL (60 per 30 days)        |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i>                                  | 1                     |                            |
| <i>trimethoprim oral tablet 100 mg</i>                                                        | 1                     |                            |
| <i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i> | 1                     |                            |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)                                              | 1                     | QL (56 per 14 days)        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                        | Nivel del Medicamento | Requerimientos/<br>Límites       |
|-------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)                              | 1                     | QL (112 per 14 days)             |
| <i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)                          | 1                     |                                  |
| XIFAXAN ORAL TABLET 200 MG                                                    | 1                     | PA; QL (9 per 30 days)           |
| XIFAXAN ORAL TABLET 550 MG                                                    | 1                     | PA; NM; NDS; QL (90 per 30 days) |
| <b>Antibióticos B-Lactam Misceláneos</b>                                      |                       |                                  |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)                | 1                     |                                  |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                         | 1                     | PA; NM; LA; NDS                  |
| <i>ertapenem injection recon soln 1 gram</i>                                  | 1                     |                                  |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                      | 1                     |                                  |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)        | 1                     |                                  |
| <i>meropenem intravenous recon soln 1 gram, 2 gram, 500 mg</i>                | 1                     |                                  |
| <b>Cefalosporinas</b>                                                         |                       |                                  |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>                                   | 1                     |                                  |
| <i>cefaclor oral tablet extended release 12 hr 500 mg</i>                     | 1                     |                                  |
| <i>cefadroxil oral capsule 500 mg</i>                                         | 1                     |                                  |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 1                     |                                  |
| <i>cefadroxil oral tablet 1 gram</i>                                          | 1                     |                                  |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>                 | 1                     |                                  |
| <i>cefdinir oral capsule 300 mg</i>                                           | 1                     |                                  |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 1                     |                                  |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                           | 1                     |                                  |
| <i>cefixime oral capsule 400 mg</i>                                           | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                   | <b>Nivel del Medicamento</b> | <b>Requerimientos/ Límites</b> |
|---------------------------------------------------------------------------------|------------------------------|--------------------------------|
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>     | 1                            |                                |
| <i>cefixime oral tablet 400 mg</i>                                              | 1                            |                                |
| <i>cefotixin intravenous recon soln 1 gram, 10 gram, 2 gram</i>                 | 1                            |                                |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>   | 1                            |                                |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                   | 1                            |                                |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>    | 1                            |                                |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                     | 1                            |                                |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)        | 1                            |                                |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 1                            |                                |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                             | 1                            |                                |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                            | 1                            |                                |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>              | 1                            |                                |
| <i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>                           | 1                            |                                |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 1                            |                                |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>                                    | 1                            |                                |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)        | 1                            |                                |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG                                   | 1                            | NM; NDS                        |
| <b>Macrólidos</b>                                                               |                              |                                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites    |
|----------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------|
| <i>azithromycin intravenous recon soln</i> (Zithromax)<br>500 mg                                         | 1                     |                               |
| <i>azithromycin oral suspension for reconstitution</i> 100 mg/5 ml                                       | 1                     |                               |
| <i>azithromycin oral suspension for reconstitution</i> 200 mg/5 ml (Zithromax)                           | 1                     |                               |
| <i>azithromycin oral tablet</i> 250 mg (6 pack), 500 mg (3 pack), 600 mg                                 | 1                     |                               |
| <i>azithromycin oral tablet</i> 250 mg, 500 mg (Zithromax)                                               | 1                     |                               |
| <i>clarithromycin oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml                        | 1                     |                               |
| <i>clarithromycin oral tablet</i> 250 mg, 500 mg                                                         | 1                     |                               |
| <i>clarithromycin oral tablet extended release</i> 24 hr 500 mg                                          | 1                     |                               |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML                                                      | 1                     | NM; NDS; QL (136 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution</i> 200 mg/5 ml (E.E.S. Granules)      | 1                     |                               |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution</i> 400 mg/5 ml (EryPed 400)           | 1                     |                               |
| <i>erythromycin oral tablet</i> 250 mg, 500 mg                                                           | 1                     |                               |
| <i>fidaxomicin oral tablet</i> 200 mg (Dificid)                                                          | 1                     | NM; NDS; QL (20 per 10 days)  |
| <b>Penicilinas</b>                                                                                       |                       |                               |
| <i>amoxicillin oral capsule</i> 250 mg, 500 mg                                                           | 1                     |                               |
| <i>amoxicillin oral suspension for reconstitution</i> 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml | 1                     |                               |
| <i>amoxicillin oral tablet</i> 500 mg, 875 mg                                                            | 1                     |                               |
| <i>amoxicillin oral tablet, chewable</i> 125 mg, 250 mg                                                  | 1                     |                               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>    | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)        | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>                                     | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                                     | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)        | 1                     |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>                           | 1                     |                            |
| <i>ampicillin oral capsule 500 mg</i>                                                                     | 1                     |                            |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                                     | 1                     |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)                       | 1                     |                            |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML              | 1                     |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>                                                          | 1                     |                            |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT               | 1                     |                            |
| LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT                                 | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>                                            | 1                     |                            |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)                         | 1                     |                            |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>                | 1                     |                            |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>                                   | 1                     |                            |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>                                                 | 1                     |                            |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>         | 1                     |                            |
| <b>Quinolonas</b>                                                                                        |                       |                            |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)                                              | 1                     |                            |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>                                                              | 1                     |                            |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>                  | 1                     |                            |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>              | 1                     |                            |
| <i>levofloxacin oral solution 250 mg/10 ml</i>                                                           | 1                     |                            |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>                                                   | 1                     |                            |
| <i>moxifloxacin 400 mg/250 ml bag suv, p/f, inner</i>                                                    | 1                     |                            |
| <i>moxifloxacin oral tablet 400 mg</i>                                                                   | 1                     |                            |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic)) | 1                     |                            |
| <b>Sulfonamidas</b>                                                                                      |                       |                            |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                   | 1                     |                            |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)                          | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)                         | 1                     |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)                     | 1                     |                            |
| <b>Tetraciclinas</b>                                                                         |                       |                            |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                                             | 1                     |                            |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)                          | 1                     |                            |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)                          | 1                     |                            |
| <i>doxycycline hyclate oral capsule 100 mg</i>                                               | 1                     |                            |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)                                     | 1                     |                            |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                                         | 1                     |                            |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i> | 1                     |                            |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)               | 1                     |                            |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)                          | 1                     |                            |
| <i>doxycycline monohydrate oral capsule 50 mg</i>                                            | 1                     |                            |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>                 | 1                     |                            |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                                  | 1                     |                            |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>                              | 1                     |                            |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                                         | 1                     |                            |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>                                          | 1                     |                            |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                                              | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)                                                     | 1                     |                            |
| <b>Anticonceptivos</b>                                                                                        |                       |                            |
| <b>Anticonceptivos</b>                                                                                        |                       |                            |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                    | 1                     |                            |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                 | 1                     |                            |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                              | 1                     |                            |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                                   | 1                     |                            |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 1                     | QL (91 per 84 days)        |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)                               | 1                     |                            |
| <i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                          | 1                     |                            |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                          | 1                     |                            |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 1                     | QL (91 per 84 days)        |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                     | 1                     |                            |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                        | 1                     |                            |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                            | 1                     |                            |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)                 | 1                     |                            |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)      | 1                     |                            |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)          | 1                     |                            |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                       | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                        |                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------|----------------------------------|-----------------------|----------------------------|
| <i>ayuna oral tablet 0.15-0.03 mg</i>                                         | (levonorgestrel-ethinyl estrad)  | 1                     |                            |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                 | (desog-e.estradiol/e.estradiol)  | 1                     |                            |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i>                                 |                                  | 1                     |                            |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                   | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>        | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>            | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                                     |                                  | 1                     |                            |
| <i>camila oral tablet 0.35 mg</i>                                             | (norethindrone (contraceptive))  | 1                     |                            |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i>                               | (levonorgestrel-ethinyl estrad)  | 1                     |                            |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>                                | (norgestrel-ethinyl estradiol)   | 1                     |                            |
| <i>cyred eq oral tablet 0.15-0.03 mg</i>                                      | (desogestrel-ethinyl estradiol)  | 1                     |                            |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                              | (norethindrone-ethin estradiol)  | 1                     |                            |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                   |                                  | 1                     |                            |
| <i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>   | (1 norgest/e.estradiol-e.estrad) | 1                     | QL (91 per 84 days)        |
| <i>deblitane oral tablet 0.35 mg</i>                                          | (norethindrone (contraceptive))  | 1                     |                            |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28))                  | 1                     |                            |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>                 | (Apri)                           | 1                     |                            |
| <i>dolishale oral tablet 90-20 mcg (28)</i>                                   | (levonorgestrel-ethinyl estrad)  | 1                     |                            |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>                   | (Jasmiel (28))                   | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                             |                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------|----------------------------------|-----------------------|----------------------------|
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>                        | (Syeda)                          | 1                     |                            |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                                           | (norgestrel-ethinyl estradiol)   | 1                     |                            |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>                                    | (etonogestrel-ethinyl estradiol) | 1                     | QL (1 per 28 days)         |
| <i>emzahh oral tablet 0.35 mg</i>                                                  | (norethindrone (contraceptive))  | 1                     |                            |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>                                 | (etonogestrel-ethinyl estradiol) | 1                     | QL (1 per 28 days)         |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 1                     |                            |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                                            | (desogestrel-ethinyl estradiol)  | 1                     |                            |
| <i>errin oral tablet 0.35 mg</i>                                                   | (norethindrone (contraceptive))  | 1                     |                            |
| <i>estarylla oral tablet 0.25-0.035 mg</i>                                         | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>                       | (Kelnor 1/35 (28))               | 1                     |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>                       | (Valtya)                         | 1                     |                            |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>             | (EluRyng)                        | 1                     | QL (1 per 28 days)         |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                                      | (levonorgestrel-ethinyl estrad)  | 1                     |                            |
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>femynor oral tablet 0.25-35 mg-mcg</i>                                          | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>                             | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>              | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                  | (norethindrone-e.estradiol-iron) | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                          |                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------|----------------------------------|-----------------------|----------------------------|
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                                | (etonogestrel-ethinyl estradiol) | 1                     | QL (1 per 28 days)         |
| <i>heather oral tablet 0.35 mg</i>                                              | (norethindrone (contraceptive))  | 1                     |                            |
| <i>iclevia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>             | (levonorgestrel-ethinyl estrad)  | 1                     | QL (91 per 84 days)        |
| <i>incassia oral tablet 0.35 mg</i>                                             | (norethindrone (contraceptive))  | 1                     |                            |
| <i>introvale oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>           | (levonorgestrel-ethinyl estrad)  | 1                     | QL (91 per 84 days)        |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                                        | (desogestrel-ethinyl estradiol)  | 1                     |                            |
| <i>jaimiess oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estrad) | 1                     | QL (91 per 84 days)        |
| <i>jasmie (28) oral tablet 3-0.02 mg</i>                                        | (drospirenone-ethinyl estradiol) | 1                     |                            |
| <i>jencycla oral tablet 0.35 mg</i>                                             | (norethindrone (contraceptive))  | 1                     |                            |
| <i>jolessa oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>             | (levonorgestrel-ethinyl estrad)  | 1                     | QL (91 per 84 days)        |
| <i>juleber oral tablet 0.15-0.03 mg</i>                                         | (desogestrel-ethinyl estradiol)  | 1                     |                            |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                              | (norethindrone ac-eth estradiol) | 1                     |                            |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                                  | (norethindrone ac-eth estradiol) | 1                     |                            |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>            | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                       | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                     | (desog-e.estradiol/e.estradiol)  | 1                     |                            |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>                                 | (ethynodiol diac-eth estradiol)  | 1                     |                            |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>                                 | (ethynodiol diac-eth estradiol)  | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                       | 1                     |                            |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG                                            | 1                     |                            |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> (Camrese Lo) | 1                     | QL (91 per 84 days)        |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Rosyrah)   | 1                     | QL (91 per 84 days)        |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)   | 1                     | QL (91 per 84 days)        |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                                | 1                     |                            |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                                    | 1                     |                            |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)                         | 1                     |                            |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)              | 1                     |                            |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)                  | 1                     |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                           | 1                     |                            |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)                    | 1                     |                            |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> (Balcoltra)                         | 1                     |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)                                         | 1                     |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))                                      | 1                     |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> (Amethyst (28))                                    | 1                     |                            |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)                  | 1                     | QL (91 per 84 days)        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                      | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)                  | 1                     |                            |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                   | 1                     |                            |
| LILETTA INTRAUTERINE<br>INTRAUTERINE DEVICE 20.4<br>MCG/24 HR (8 YRS) 52 MG                                 | 1                     |                            |
| <i>loryna (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)                                   | 1                     |                            |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)                           | 1                     |                            |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)                           | 1                     |                            |
| <i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                       | 1                     |                            |
| <i>luteria (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                               | 1                     |                            |
| <i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                            | 1                     |                            |
| <i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                             | 1                     |                            |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                               | 1                     |                            |
| <i>meleya oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                           | 1                     |                            |
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)                      | 1                     |                            |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                   | 1                     |                            |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                       | 1                     |                            |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)            | 1                     |                            |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)     | 1                     |                            |
| <i>mili oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                                      | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| MIRENA INTRAUTERINE<br>INTRAUTERINE DEVICE 21<br>MCG/24HR (UP TO 8 YRS) 52 MG                            | 1                     |                            |
| <i>mono-linyah oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                            | 1                     |                            |
| NEXPLANON SUBDERMAL<br>IMPLANT 68 MG                                                                     | 1                     |                            |
| <i>nikki (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)                                 | 1                     |                            |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> (Xulane)                 | 1                     | QL (3 per 28 days)         |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)                                        | 1                     |                            |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))                   | 1                     |                            |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))                       | 1                     |                            |
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemmily)                  | 1                     |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))     | 1                     |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28)) | 1                     |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (Tilia Fe)              | 1                     |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (Tri-Lo-Estarylla)         | 1                     |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (Tri-Estarylla)        | 1                     |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i> (Estarylla)                              | 1                     |                            |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>                                                    | 1                     |                            |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                         | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                         | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                                    | 1                     |                            |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                                 | 1                     |                            |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                                      | 1                     |                            |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)                                       | 1                     |                            |
| <i>orquidea oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                            | 1                     |                            |
| <i>philith oral tablet 0.4-35 mg-mcg</i>                                                                       | 1                     |                            |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)                   | 1                     |                            |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                      | 1                     |                            |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                 | 1                     |                            |
| <i>rosyrah oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (1 norgest/e.estradiol-e.estrad)  | 1                     |                            |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)             | 1                     | QL (91 per 84 days)        |
| <i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                            | 1                     |                            |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)                   | 1                     |                            |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 1                     | QL (91 per 84 days)        |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG                                            | 1                     |                            |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                                | 1                     |                            |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                        | 1                     |                            |
| <i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)                                            | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                               |                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------|----------------------------------|-----------------------|----------------------------|
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>           | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>               | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>      | (norethindrone-e.estradiol-iron) | 1                     |                            |
| <i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>        | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>      | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>         | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>           | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>       | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>          | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>          | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>       | (levonorg-eth estrad triphasic)  | 1                     |                            |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>        | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>       | (norgestimate-ethinyl estradiol) | 1                     |                            |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>                         | (norgestrel-ethinyl estradiol)   | 1                     |                            |
| <i>valtya oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>                   | (ethynodiol diac-eth estradiol)  | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites    |
|----------------------------------------------------------------------------------------------|-----------------------|-------------------------------|
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>                     | 1                     |                               |
| <i>vestura (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol)                   | 1                     |                               |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                      | 1                     |                               |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 1                     |                               |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)  | 1                     |                               |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>                                                | 1                     |                               |
| <i>vylibra oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                    | 1                     |                               |
| <i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (norethindrone-e.estradiol-iron)  | 1                     |                               |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> (norelgestromin-ethin.estradiol)     | 1                     | QL (3 per 28 days)            |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> (norelgestromin-ethin.estradiol)     | 1                     | QL (3 per 28 days)            |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)              | 1                     |                               |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> (ethynodiol diac-eth estradiol)               | 1                     |                               |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)               | 1                     |                               |
| <b>Anticonvulsivos</b>                                                                       |                       |                               |
| <b>Anticonvulsivos</b>                                                                       |                       |                               |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML                                                     | 1                     | NM; NDS; QL (80 per 30 days)  |
| BRIVIACT ORAL SOLUTION 10 MG/ML                                                              | 1                     | NM; NDS; QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, (brivaracetam) 100 MG, 25 MG, 50 MG, 75 MG                       | 1                     | NM; NDS; QL (60 per 30 days)  |
| <i>carbamazepine 100 mg/5 ml cup outer 100 mg/5 ml (5 ml)</i>                                | 1                     |                               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                       | Nivel del Medicamento | Requerimientos/<br>Límites            |
|----------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)    | 1                     |                                       |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                                  | 1                     |                                       |
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)                                           | 1                     |                                       |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 1                     |                                       |
| <i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>                                    | 1                     |                                       |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)                                             | 1                     | QL (480 per 30 days)                  |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)                                              | 1                     | QL (60 per 30 days)                   |
| DIACOMIT ORAL CAPSULE 250 MG                                                                 | 1                     | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG                                                                 | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                                                        | 1                     | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG                                                        | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>                           | 1                     |                                       |
| DILANTIN ORAL CAPSULE 30 MG                                                                  | 1                     |                                       |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)             | 1                     |                                       |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)            | 1                     |                                       |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)     | 1                     |                                       |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                       | 1                     | ST; NM; NDS; QL (90 per 30 days)      |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                       | 1                     | ST; NM; NDS; QL (60 per 30 days)      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites        |
|------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|
| EPIDIOLEX ORAL SOLUTION<br>100 MG/ML                                                                                   | 1                     | PA NSO; NM; NDS                   |
| <i>epitol oral tablet 200 mg</i> (carbamazepine)                                                                       | 1                     |                                   |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                                                             | 1                     | ST; NM; NDS; QL (30 per 30 days)  |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                                                             | 1                     | ST; NM; NDS; QL (60 per 30 days)  |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                                                     | 1                     |                                   |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                                               | 1                     |                                   |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                                                           | 1                     |                                   |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                                                 | 1                     |                                   |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                                                       | 1                     | PA NSO; NM; NDS                   |
| <i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)                                    | 1                     |                                   |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML (perampanel)                                                                         | 1                     | ST; NM; NDS; QL (720 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                                              | 1                     | QL (360 per 30 days)              |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)                                                                      | 1                     | QL (270 per 30 days)              |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                                                | 1                     | QL (2160 per 30 days)             |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)                                                                       | 1                     | QL (180 per 30 days)              |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)                                                                       | 1                     | QL (120 per 30 days)              |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                                                           | 1                     | QL (200 per 5 days)               |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)                                                                      | 1                     | QL (1200 per 30 days)             |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                                                   | 1                     | QL (60 per 30 days)               |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                                               | 1                     |                                   |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))            | 1                     |                                   |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange)) | 1                     |                                   |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                       | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>   |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------|--------------------------------------|
| <i>lamotrigine oral tablet</i> (Lamictal ODT Starter<br><i>disintegrating, dose pk 50 mg (42) -</i><br><i>100 mg (14)</i> (Green))  | 1                            |                                      |
| <i>lamotrigine oral tablet extended</i> (Lamictal XR)<br><i>release 24hr 100 mg, 200 mg, 25 mg,</i><br><i>250 mg, 300 mg, 50 mg</i> | 1                            |                                      |
| <i>lamotrigine oral tablet, chewable</i> (Lamictal)<br><i>dispersible 25 mg, 5 mg</i>                                               | 1                            |                                      |
| <i>lamotrigine oral tablet, disintegrating</i> (Lamictal ODT)<br><i>100 mg, 200 mg, 25 mg, 50 mg</i>                                | 1                            |                                      |
| <i>levetiracetam intravenous solution</i> (Keppra)<br><i>500 mg/5 ml</i>                                                            | 1                            |                                      |
| <i>levetiracetam oral solution 100</i> (Keppra)<br><i>mg/ml</i>                                                                     | 1                            |                                      |
| <i>levetiracetam oral tablet 1,000 mg,</i> (Keppra)<br><i>250 mg, 500 mg, 750 mg</i>                                                | 1                            |                                      |
| <i>levetiracetam oral tablet extended</i> (Keppra XR)<br><i>release 24 hr 500 mg, 750 mg</i>                                        | 1                            |                                      |
| <i>levetiracetam oral tablet for</i> (Spritam)<br><i>suspension 250 mg</i>                                                          | 1                            | ST                                   |
| LIBERVANT BUCCAL FILM 10<br>MG, 12.5 MG, 15 MG, 5 MG, 7.5<br>MG                                                                     | 1                            | QL (10 per 30 days)                  |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)                                                                                  | 1                            |                                      |
| NAYZILAM NASAL SPRAY, NON-<br>AEROSOL 5 MG/SPRAY (0.1 ML)                                                                           | 1                            | QL (10 per 30 days)                  |
| <i>oxcarbazepine oral suspension 300</i> (Trileptal)<br><i>mg/5 ml (60 mg/ml)</i>                                                   | 1                            |                                      |
| <i>oxcarbazepine oral tablet 150 mg,</i> (Trileptal)<br><i>300 mg, 600 mg</i>                                                       | 1                            |                                      |
| <i>perampanel oral suspension 0.5</i> (Fycompa)<br><i>mg/ml</i>                                                                     | 1                            | ST; NM; NDS; QL (720<br>per 30 days) |
| <i>perampanel oral tablet 10 mg, 12 mg,</i> (Fycompa)<br><i>8 mg</i>                                                                | 1                            | ST; NM; NDS; QL (30<br>per 30 days)  |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)                                                                                        | 1                            | ST; QL (30 per 30 days)              |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)                                                                                  | 1                            | ST; NM; NDS; QL (60<br>per 30 days)  |
| <i>phenobarbital oral elixir 20 mg/5 ml</i><br><i>(4 mg/ml)</i>                                                                     | 1                            |                                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                           | Nivel del Medicamento | Requerimientos/<br>Límites           |
|--------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1                     |                                      |
| <i>phenytek oral capsule 200 mg, 300 mg</i> (phenytoin sodium extended)                          | 1                     |                                      |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 1                     |                                      |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 1                     |                                      |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)                         | 1                     |                                      |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)                          | 1                     |                                      |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>                                            | 1                     |                                      |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>                                             | 1                     |                                      |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)              | 1                     | QL (90 per 30 days)                  |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                                           | 1                     | QL (60 per 30 days)                  |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                                | 1                     | QL (900 per 30 days)                 |
| <i>primidone oral tablet 125 mg</i>                                                              | 1                     |                                      |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)                                            | 1                     |                                      |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)                                              | 1                     | ST; NM; NDS                          |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)                                                    | 1                     | ST                                   |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)                                                    | 1                     | ST; NM; NDS                          |
| SEZABY INTRAVENOUS RECON SOLN 100 MG                                                             | 1                     | PA BvD; NM; NDS                      |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG                                      | 1                     | ST                                   |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)                                        | 1                     | ST                                   |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)                         | 1                     |                                      |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                                            | 1                     | PA NSO; NM; NDS; QL (60 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites            |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                                                                                    | 1                     |                                       |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)                                                                          | 1                     |                                       |
| <i>topiramate oral capsule, sprinkle 50 mg</i>                                                                                           | 1                     |                                       |
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia)                                                                                      | 1                     | ST                                    |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)                                                                     | 1                     |                                       |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>                                                                     | 1                     |                                       |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                                                                          | 1                     |                                       |
| <i>valproic acid oral capsule 250 mg</i>                                                                                                 | 1                     |                                       |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 1                     | NM; NDS; QL (10 per 30 days)          |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)                                                                               | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone)                                                                                         | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)                                                                               | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin)                                                                                         | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)                                                                                | 1                     | PA NSO; NM; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                                       | 1                     | NM; NDS; QL (56 per 28 days)          |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG                                                                                                  | 1                     | NM; NDS; QL (30 per 30 days)          |
| XCOPRI ORAL TABLET 150 MG, 200 MG                                                                                                        | 1                     | NM; NDS; QL (60 per 30 days)          |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites             |
|-------------------------------------------------------------------------------------------------|-----------------------|----------------------------------------|
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)                           | 1                     |                                        |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)  | 1                     | NM; NDS                                |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                            | 1                     |                                        |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)                                         | 1                     |                                        |
| <i>zonisamide oral capsule 50 mg</i>                                                            | 1                     |                                        |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                 | 1                     | PA NSO; NM; NDS; QL (1080 per 30 days) |
| <b>Antidepresivos</b>                                                                           |                       |                                        |
| <b>Antidepresivos</b>                                                                           |                       |                                        |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                     | 1                     |                                        |
| <i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>                           | 1                     |                                        |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                       | 1                     |                                        |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG                                             | 1                     | ST; NM; NDS                            |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>                                                  | 1                     |                                        |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)          | 1                     |                                        |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR) | 1                     |                                        |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                      | 1                     |                                        |
| <i>citalopram oral tablet 10 mg</i> (Celexa)                                                    | 1                     | QL (120 per 30 days)                   |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)                                             | 1                     | QL (30 per 30 days)                    |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)                                | 1                     |                                        |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)                                         | 1                     |                                        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                            | Nivel del Medicamento | Requerimientos/<br>Límites           |
|---------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>                                       | 1                     |                                      |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 1                     | QL (30 per 30 days)                  |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                            | 1                     |                                      |
| <i>doxepin oral concentrate 10 mg/ml</i>                                                          | 1                     |                                      |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG                          | 1                     | ST; QL (60 per 30 days)              |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG                                        | 1                     | ST; QL (30 per 30 days)              |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>                        | 1                     | QL (60 per 30 days)                  |
| <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>                                      | 1                     | QL (30 per 30 days)                  |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR                               | 1                     | ST; NM; NDS; QL (30 per 30 days)     |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                               | 1                     |                                      |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)                              | 1                     |                                      |
| EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG                       | 1                     | PA NSO; NM; NDS; QL (30 per 30 days) |
| EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS)                                       | 1                     | PA NSO; NM; NDS                      |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)                                 | 1                     | ST                                   |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG                           | 1                     | ST; QL (30 per 30 days)              |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                                              | 1                     |                                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                               | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b>     |
|---------------------------------------------------------------------------------------------|------------------------------|----------------------------------------|
| <i>fluoxetine oral capsule 40 mg</i>                                                        | 1                            |                                        |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                                        | 1                            |                                        |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                                         | 1                            |                                        |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                       | 1                            |                                        |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>                        | 1                            |                                        |
| MARPLAN ORAL TABLET 10 MG                                                                   | 1                            |                                        |
| <i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>                                       | 1                            |                                        |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>                                                | 1                            |                                        |
| <i>mirtazapine oral tablet, disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg</i>         | 1                            |                                        |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                         | 1                            |                                        |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>                      | 1                            |                                        |
| <i>nortriptyline oral solution 10 mg/5 ml</i>                                               | 1                            |                                        |
| <i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>                                    | 1                            |                                        |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>                        | 1                            |                                        |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i> | 1                            |                                        |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>   | 1                            |                                        |
| <i>phenelzine oral tablet 15 mg (Nardil)</i>                                                | 1                            |                                        |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>                                                | 1                            |                                        |
| RALDESY ORAL SOLUTION 10 MG/ML                                                              | 1                            | PA NSO; NM; NDS; QL (1200 per 30 days) |
| <i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>                                        | 1                            |                                        |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>                                 | 1                            |                                        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites           |
|-------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)             | 1                     | PA NSO; NM; NDS                      |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate)                                        | 1                     |                                      |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                                | 1                     |                                      |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>                                     | 1                     |                                      |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                 | 1                     | QL (30 per 30 days)                  |
| <i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>                    | 1                     | QL (60 per 30 days)                  |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)                | 1                     | QL (30 per 30 days)                  |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)        | 1                     | QL (90 per 30 days)                  |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                       | 1                     |                                      |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>              | 1                     | QL (30 per 30 days)                  |
| <i>venlafaxine oral tablet extended release 24hr 75 mg</i>                                | 1                     | QL (90 per 30 days)                  |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)                               | 1                     | QL (30 per 30 days)                  |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                                        | 1                     | PA NSO; NM; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                               | 1                     | PA NSO; NM; NDS; QL (14 per 14 days) |
| <b>Antifúngicos</b>                                                                       |                       |                                      |
| <b>Antifúngicos</b>                                                                       |                       |                                      |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML                                                    | 1                     | PA BvD                               |
| <i>amphotericin b injection recon soln 50 mg</i>                                          | 1                     | PA BvD                               |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome) | 1                     | PA BvD; NM; NDS                      |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan)                                         | 1                     | QL (180 per 30 days)                 |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>ciclopirox topical gel 0.77 %</i>                                                    | 1                     |                            |
| <i>ciclopirox topical shampoo 1 %</i>                                                   | 1                     |                            |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)                                       | 1                     | QL (19.8 per 30 days)      |
| <i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))                       | 1                     | QL (180 per 30 days)       |
| <i>clotrimazole mucous membrane troche 10 mg</i>                                        | 1                     |                            |
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))                       | 1                     |                            |
| <i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))                | 1                     |                            |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i>                                | 1                     | QL (90 per 30 days)        |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>                               | 1                     |                            |
| CRESEMBA INTRAVENOUS RECON SOLN 372 MG                                                  | 1                     | NM; NDS                    |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG                                                   | 1                     | PA; NM; NDS                |
| <i>econazole nitrate topical cream 1 %</i>                                              | 1                     | QL (170 per 30 days)       |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 1                     |                            |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>                          | 1                     |                            |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)               | 1                     |                            |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>                            | 1                     |                            |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)                                | 1                     | NM; NDS                    |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i>                               | 1                     |                            |
| <i>griseofulvin microsize oral tablet 500 mg</i>                                        | 1                     |                            |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>                   | 1                     |                            |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                                      | 1                     |                            |
| <i>itraconazole oral solution 10 mg/ml</i>                                              | 1                     | PA; NM; NDS                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                         | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>ketoconazole oral tablet 200 mg</i>                                                | 1                            |                                    |
| <i>ketoconazole topical cream 2 %</i>                                                 | 1                            | QL (180 per 30 days)               |
| <i>ketoconazole topical foam 2 %</i> (Extina)                                         | 1                            | ST; QL (100 per 30 days)           |
| <i>ketoconazole topical shampoo 2 %</i>                                               | 1                            | QL (360 per 30 days)               |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i>                                | 1                            |                                    |
| <i>miconazole-3 vaginal suppository 200 mg</i>                                        | 1                            |                                    |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG                                   | 1                            | PA; NM; NDS                        |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)                             | 1                            | QL (60 per 30 days)                |
| <i>nystatin oral suspension 100,000 unit/ml</i>                                       | 1                            |                                    |
| <i>nystatin oral tablet 500,000 unit</i>                                              | 1                            |                                    |
| <i>nystatin topical cream 100,000 unit/gram</i>                                       | 1                            | QL (60 per 30 days)                |
| <i>nystatin topical ointment 100,000 unit/gram</i>                                    | 1                            | QL (60 per 30 days)                |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)                             | 1                            | QL (60 per 30 days)                |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>                      | 1                            |                                    |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>                | 1                            |                                    |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                             | 1                            | QL (60 per 30 days)                |
| <i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)                  | 1                            | PA; NM; NDS                        |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>                       | 1                            | PA; NM; NDS                        |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             | 1                            |                                    |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 1                            | PA BvD; NM; NDS                    |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 1                            | PA; NM; NDS                        |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                       | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------|-----------------------|----------------------------|
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                | 1                     |                            |
| <b>Antihistamínicos</b>                                      |                       |                            |
| <b>Antihistamínicos</b>                                      |                       |                            |
| <i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> (Carbzah) | 1                     |                            |
| <i>clemastine oral tablet 2.68 mg</i> (Clemsza)              | 1                     |                            |
| <i>clemasz oral tablet 2.68 mg</i> (clemastine)              | 1                     |                            |
| <i>clemsza oral tablet 2.68 mg</i> (clemastine)              | 1                     |                            |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i>                   | 1                     |                            |
| <i>cyproheptadine oral tablet 4 mg</i>                       | 1                     |                            |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>              | 1                     |                            |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>       | 1                     |                            |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)      | 1                     |                            |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief) | 1                     |                            |
| <i>promethazine oral syrup 6.25 mg/5 ml</i>                  | 1                     |                            |
| <b>Antimicobacteriales</b>                                   |                       |                            |
| <b>Antimicobacteriales</b>                                   |                       |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                     | 1                     |                            |
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                 | 1                     |                            |
| <i>isoniazid oral solution 50 mg/5 ml</i>                    | 1                     |                            |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                  | 1                     |                            |
| PRIFTIN ORAL TABLET 150 MG                                   | 1                     |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                       | 1                     |                            |
| <i>rifabutin oral capsule 150 mg</i>                         | 1                     |                            |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)      | 1                     |                            |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                  | 1                     |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG                            | 1                     | PA; NM; NDS                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites    |
|--------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------|
| TRECATOR ORAL TABLET 250 MG                                                                            | 1                     |                               |
| <b>Antivirales (Sitémico)</b>                                                                          |                       |                               |
| <b>Antirretrovirales</b>                                                                               |                       |                               |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen)                                                        | 1                     |                               |
| <i>abacavir oral tablet 300 mg</i>                                                                     | 1                     |                               |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i>                                                      | 1                     |                               |
| APTIVUS ORAL CAPSULE 250 MG                                                                            | 1                     | NM; NDS                       |
| <i>atazanavir oral capsule 150 mg</i>                                                                  | 1                     |                               |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)                                                | 1                     |                               |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                                        | 1                     | NM; NDS; QL (30 per 30 days)  |
| CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 1                     | NM; NDS                       |
| <i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>                 | 1                     | NM; NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)      | 1                     | NM; NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG                                                                          | 1                     | NM; NDS                       |
| <i>darunavir oral tablet 600 mg</i> (Prezista)                                                         | 1                     |                               |
| <i>darunavir oral tablet 800 mg</i> (Prezista)                                                         | 1                     | NM; NDS                       |
| DELSTRIGO ORAL TABLET 100-300-300 MG                                                                   | 1                     | NM; NDS                       |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG                                                               | 1                     | NM; NDS                       |
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>                                  | 1                     |                               |
| DOVATO ORAL TABLET 50-300 MG                                                                           | 1                     | NM; NDS                       |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                  | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| EDURANT ORAL TABLET 25 MG                                                                               | 1                     | NM; NDS                    |
| EDURANT PED ORAL TABLET<br>FOR SUSPENSION 2.5 MG                                                        | 1                     | NM; NDS                    |
| <i>efavirenz oral capsule 200 mg, 50 mg</i>                                                             | 1                     |                            |
| <i>efavirenz oral tablet 600 mg</i>                                                                     | 1                     |                            |
| <i>efavirenz-emtricitabin-tenofovir oral<br/>tablet 600-200-300 mg</i>                                  | 1                     |                            |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral<br/>tablet 400-300-300 mg</i>                | 1                     | NM; NDS                    |
| <i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral (Symfi)<br/>tablet 600-300-300 mg</i>        | 1                     | NM; NDS                    |
| <i>emtricitabine oral capsule 200 mg (Emtriva)</i>                                                      | 1                     |                            |
| <i>emtricitabine-tenofovir (tdf) oral (Truvada)<br/>tablet 100-150 mg, 167-250 mg, 200-<br/>300 mg</i>  | 1                     |                            |
| <i>emtricitabine-tenofovir (tdf) oral (Truvada)<br/>tablet 133-200 mg</i>                               | 1                     | NM; NDS                    |
| <i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral (Complera)<br/>tablet 200-25-300 mg</i> | 1                     | NM; NDS                    |
| EMTRIVA ORAL SOLUTION 10<br>MG/ML                                                                       | 1                     |                            |
| EPIVIR HBV ORAL SOLUTION 25<br>MG/5 ML (5 MG/ML)                                                        | 1                     |                            |
| <i>etravirine oral tablet 100 mg, 200 mg (Intelence)</i>                                                | 1                     | NM; NDS                    |
| EVOTAZ ORAL TABLET 300-150<br>MG                                                                        | 1                     | NM; NDS                    |
| <i>fosamprenavir oral tablet 700 mg</i>                                                                 | 1                     | NM; NDS                    |
| FUZEON SUBCUTANEOUS<br>RECON SOLN 90 MG                                                                 | 1                     | NM; NDS                    |
| GENVOYA ORAL TABLET 150-<br>150-200-10 MG                                                               | 1                     | NM; NDS                    |
| INTELENCE ORAL TABLET 25<br>MG                                                                          | 1                     |                            |
| ISENTRESS HD ORAL TABLET<br>600 MG                                                                      | 1                     | NM; NDS                    |
| ISENTRESS ORAL POWDER IN<br>PACKET 100 MG                                                               | 1                     | NM; NDS                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                             | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------|-----------------------|----------------------------|
| ISENTRESS ORAL TABLET 400 MG                                       | 1                     | NM; NDS                    |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG                              | 1                     | NM; NDS                    |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG                               | 1                     |                            |
| JULUCA ORAL TABLET 50-25 MG                                        | 1                     | NM; NDS                    |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)        | 1                     | QL (480 per 30 days)       |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                  | 1                     |                            |
| <i>lamivudine oral tablet 100 mg</i>                               | 1                     |                            |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)              | 1                     |                            |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 1                     |                            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 1                     |                            |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 1                     | QL (480 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)         | 1                     | QL (300 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)         | 1                     | QL (120 per 30 days)       |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)            | 1                     | NM; NDS                    |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                       | 1                     | QL (1200 per 30 days)      |
| <i>nevirapine oral tablet 200 mg</i>                               | 1                     | QL (60 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>        | 1                     | QL (90 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>        | 1                     | QL (30 per 30 days)        |
| NORVIR ORAL POWDER IN PACKET 100 MG                                | 1                     |                            |
| NORVIR ORAL SOLUTION 80 MG/ML                                      | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                  | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| ODEFSEY ORAL TABLET 200-25-25 MG                                                                               | 1                            | NM; NDS                            |
| PIFELTRO ORAL TABLET 100 MG                                                                                    | 1                            | NM; NDS                            |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG                                                                | 1                            | NM; NDS                            |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                                                             | 1                            | NM; NDS                            |
| PREZISTA ORAL TABLET 150 MG                                                                                    | 1                            | NM; NDS                            |
| PREZISTA ORAL TABLET 75 MG                                                                                     | 1                            |                                    |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                                                                         | 1                            |                                    |
| REYATAZ ORAL POWDER IN PACKET 50 MG                                                                            | 1                            | NM; NDS                            |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 1                            | NM; NDS                            |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                                                                   | 1                            |                                    |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                                              | 1                            | NM; NDS                            |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                               | 1                            | NM; NDS                            |
| SELZENTRY ORAL TABLET 25 MG                                                                                    | 1                            |                                    |
| SELZENTRY ORAL TABLET 75 MG                                                                                    | 1                            | NM; NDS                            |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>                                                       | 1                            |                                    |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                                        | 1                            | NM; NDS                            |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 1                            | NM; NDS                            |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML                                                                       | 1                            | PA BvD; NM; NDS                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                           | Nivel del Medicamento | Requerimientos/<br>Límites       |
|------------------------------------------------------------------|-----------------------|----------------------------------|
| SYMTUZA ORAL TABLET 800-150-200-10 MG                            | 1                     | NM; NDS                          |
| TEMIXYS ORAL TABLET 300-300 MG                                   | 1                     | NM; NDS                          |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 1                     |                                  |
| TIVICAY ORAL TABLET 10 MG                                        | 1                     |                                  |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                 | 1                     | NM; NDS                          |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                       | 1                     | NM; NDS                          |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                | 1                     | NM; NDS; QL (30 per 30 days)     |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                 | 1                     |                                  |
| TRIZIVIR ORAL TABLET 300-150-300 MG                              | 1                     | NM; NDS                          |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)         | 1                     | NM; NDS                          |
| VEMLIDY ORAL TABLET 25 MG                                        | 1                     | NM; NDS; QL (30 per 30 days)     |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                              | 1                     | NM; NDS                          |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                      | 1                     | NM; NDS                          |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                        | 1                     | NM; NDS                          |
| VOCABRIA ORAL TABLET 30 MG                                       | 1                     |                                  |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                 | 1                     |                                  |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                 | 1                     |                                  |
| <i>zidovudine oral tablet 300 mg</i>                             | 1                     |                                  |
| <b>Antivirales Hcv</b>                                           |                       |                                  |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG                       | 1                     | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG                         | 1                     | PA; NM; NDS; QL (56 per 28 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                  | Nivel del Medicamento | Requerimientos/<br>Límites        |
|-------------------------------------------------------------------------|-----------------------|-----------------------------------|
| EPCLUSA ORAL TABLET 200-50 MG                                           | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG                 | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG                             | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG                                | 1                     | PA; NM; NDS; QL (56 per 28 days)  |
| HARVONI ORAL TABLET 45-200 MG                                           | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG                   | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| MAVYRET ORAL TABLET 100-40 MG                                           | 1                     | PA; NDS; QL (84 per 28 days)      |
| VOSEVI ORAL TABLET 400-100-100 MG                                       | 1                     | PA; NM; NDS; QL (28 per 28 days)  |
| <b>Antivirales, Varios</b>                                              |                       |                                   |
| LIVTENCITY ORAL TABLET 200 MG                                           | 1                     | PA; NM; NDS                       |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu)                         | 1                     | QL (84 per 180 days)              |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu)                         | 1                     | QL (48 per 180 days)              |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 1                     | QL (42 per 180 days)              |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 1                     | QL (540 per 180 days)             |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)                | 1                     | QL (20 per 5 days)                |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)                  | 1                     | QL (11 per 28 days)               |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG              | 1                     | QL (30 per 5 days)                |
| PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG                           | 1                     | PA; NM; NDS; QL (120 per 30 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                                     | 1                     | PA; NM; NDS; QL (28 per 28 days)  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                    | Nivel del Medicamento | Requerimientos/ Límites          |
|---------------------------------------------------------------------------|-----------------------|----------------------------------|
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION     | 1                     | QL (60 per 180 days)             |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine)                         | 1                     |                                  |
| <b>Interferones</b>                                                       |                       |                                  |
| PEGASYS SUBCUTANEOUS<br>SOLUTION 180 MCG/ML                               | 1                     | PA; NM; NDS                      |
| PEGASYS SUBCUTANEOUS<br>SYRINGE 180 MCG/0.5 ML                            | 1                     | PA; NM; NDS                      |
| <b>Nucleósidos Y Nucleótidos</b>                                          |                       |                                  |
| <i>acyclovir oral capsule 200 mg</i>                                      | 1                     |                                  |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)                    | 1                     |                                  |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                               | 1                     |                                  |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                     | 1                     | PA BvD                           |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                               | 1                     |                                  |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)                     | 1                     |                                  |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                     | 1                     |                                  |
| <i>lagevrio (eua) oral capsule 200 mg</i>                                 | 1                     | QL (40 per 5 days)               |
| <i>ribavirin oral capsule 200 mg</i>                                      | 1                     |                                  |
| <i>ribavirin oral tablet 200 mg</i>                                       | 1                     |                                  |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                  | 1                     |                                  |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                  | 1                     | NM; NDS                          |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte)                        | 1                     |                                  |
| <b>Cofactores Enzimáticos/Otros</b>                                       |                       |                                  |
| <b>Cofactores Enzimáticos/Otros</b>                                       |                       |                                  |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG                         | 1                     | PA; NM; NDS; QL (90 per 30 days) |
| <b>Dispositivos</b>                                                       |                       |                                  |
| <b>Dispositivos</b>                                                       |                       |                                  |
| 1ST TIER UNIFINE PENTP 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16" | 1                     | PA; ST                           |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                      |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| 1ST TIER UNIFINE PNTIP 4MM<br>32G 32 GAUGE X 5/32"                                                          | (pen needle, diabetic)            | 1                     | PA; ST                     |
| 1ST TIER UNIFINE PNTIP 6MM<br>31G 31 GAUGE X 1/4"                                                           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| 1ST TIER UNIFINE PNTIP 8MM<br>31G STRL,SINGLE-USE,SHRT 31<br>GAUGE X 5/16"                                  | (pen needle, diabetic)            | 1                     | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>29GX1/2" 29 GAUGE X 1/2"                                                          | (pen needle, diabetic)            | 1                     | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>31GX3/16 31 GAUGE X 3/16"                                                         | (pen needle, diabetic)            | 1                     | PA; ST                     |
| 1ST TIER UNIFINE PNTIP<br>32GX5/32 32 GAUGE X 5/32"                                                         | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ABOUTTIME PEN NEEDLE<br>NEEDLE 30 GAUGE X 5/16", 31<br>GAUGE X 3/16", 31 GAUGE X<br>5/16", 32 GAUGE X 5/32" | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ADVOCATE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"                                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                                                         | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS SYR 0.3 ML<br>29GX1/2 0.3 ML 29 GAUGE X 1/2"                                                   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS SYR 0.5 ML<br>29GX1/2 0.5 ML 29 GAUGE X 1/2"                                                   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                                      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16                                                      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------|------------------------------|------------------------------------|
| ADVOCATE PEN NDL 12.7MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"             | 1                            | PA; ST                             |
| ADVOCATE PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"            | 1                            | PA; ST                             |
| ADVOCATE PEN NEEDLE 4MM (pen needle, diabetic)<br>33G 33 GAUGE X 5/32"            | 1                            | PA; ST                             |
| ADVOCATE PEN NEEDLES 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"           | 1                            | PA; ST                             |
| ADVOCATE PEN NEEDLES 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"           | 1                            | PA; ST                             |
| ALCOHOL PADS TOPICAL PADS, (alcohol swabs)<br>MEDICATED                           | 1                            | PA; ST                             |
| ALCOHOL PREP SWABS (alcohol swabs)<br>TOPICAL PADS, MEDICATED                     | 1                            | PA; ST                             |
| ALCOHOL WIPES TOPICAL (alcohol swabs)<br>PADS, MEDICATED                          | 1                            | PA; ST                             |
| AQINJECT PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"            | 1                            | PA; ST                             |
| AQINJECT PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"            | 1                            | PA; ST                             |
| ASSURE ID DUO PRO NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)  | 1                            | PA; ST                             |
| ASSURE ID DUO-SHIELD<br>30GX3/16" 30 GAUGE X 3/16"                                | 1                            | PA; ST                             |
| ASSURE ID DUO-SHIELD<br>30GX5/16" 30 GAUGE X 5/16"                                | 1                            | PA; ST                             |
| ASSURE ID INSULIN SAFETY<br>SYRINGE 1 ML 29 GAUGE X 1/2"                          | 1                            | PA; ST                             |
| ASSURE ID PEN NEEDLE<br>30GX3/16" 30 GAUGE X 3/16"                                | 1                            | PA; ST                             |
| ASSURE ID PEN NEEDLE<br>30GX5/16" 30 GAUGE X 5/16"                                | 1                            | PA; ST                             |
| ASSURE ID PEN NEEDLE (pen needle, diabetic,<br>31GX3/16" 31 GAUGE X 3/16" safety) | 1                            | PA; ST                             |
| ASSURE ID PRO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                 | 1                            | PA; ST                             |
| ASSURE ID SYR 0.5 ML<br>31GX15/64" 0.5 ML 31 GAUGE X<br>15/64"                    | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                   | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| ASSURE ID SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64"                                                      | 1                            | PA; ST                             |
| AUTOSHIELD DUO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                                              | 1                            | PA; ST                             |
| BD AUTOSHIELD DUO NDL<br>5MMX30G 30 GAUGE X 3/16"                                                               | 1                            | PA; ST                             |
| BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)                              | 1                            | PA; ST                             |
| BD ECLIPSE NEEDLE 30GX1/2"<br>(OTC) 30 X 1/2 "                                                                  | 1                            | PA; ST                             |
| BD INS SYR 0.3 ML<br>8MMX31G(1/2) 0.3 ML 31 GAUGE<br>X 5/16"                                                    | 1                            | PA; ST                             |
| BD INS SYR UF 0.3 ML (insulin syringe-needle<br>12.7MMX30G 0.3 ML 30 GAUGE u-100)<br>X 1/2"                     | 1                            | PA; ST                             |
| BD INS SYR UF 0.5 ML (insulin syringe-needle<br>12.7MMX30G NOT FOR RETAIL u-100)<br>SALE 0.5 ML 30 GAUGE X 1/2" | 1                            | PA; ST                             |
| BD INSULIN SYR 1 ML (insulin syringe-needle<br>27GX12.7MM 1 ML 27 GAUGE X u-100)<br>1/2"                        | 1                            | PA; ST                             |
| BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle<br>MICRO-FINE 1 ML 27 GAUGE X u-100)<br>5/8"               | 1                            | PA; ST                             |
| BD LO-DOSE ULTRA-FINE (insulin syringe-needle<br>SYRINGE 0.5 ML 29 GAUGE X u-100)<br>1/2"                       | 1                            | PA; ST                             |
| BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                                        | 1                            | PA; ST                             |
| BD SAFETGLD INS 0.3 ML 29G<br>13MM 0.3 ML 29 GAUGE X 1/2"                                                       | 1                            | PA; ST                             |
| BD SAFETYGLD INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"                                                      | 1                            | PA; ST                             |
| BD SAFETYGLD INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"                                                      | 1                            | PA; ST                             |
| BD SAFETYGLD INS 1 ML 29G<br>13MM 1 ML 29 GAUGE X 1/2"                                                          | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                        |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| BD SAFETYGLID INS 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"   |                                   | 1                     | PA; ST                     |
| BD SAFETYGLIDE SYRINGE<br>27GX5/8 1 ML 27 GAUGE X 5/8"        | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| BD SAFTYGLD INS 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64" |                                   | 1                     | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 29G<br>13MM 0.5 ML 29 GAUGE X 1/2"     |                                   | 1                     | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML<br>6MMX31G 0.5 ML 31 GAUGE X<br>15/64" |                                   | 1                     | PA; ST                     |
| BD SINGLE USE SWAB                                            | (alcohol swabs)                   | 1                     | PA; ST                     |
| BD UF MICRO PEN NEEDLE<br>6MMX32G 32 GAUGE X 1/4"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| BD UF MINI PEN NEEDLE<br>5MMX31G 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| BD UF NANO PEN NEEDLE<br>4MMX32G 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| BD UF ORIG PEN NDL<br>12.7MMX29G 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| BD UF SHORT PEN NEEDLE<br>8MMX31G 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| BD VEO INS 0.3 ML 6MMX31G<br>(1/2) 0.3 ML 31 GAUGE X 15/64"   |                                   | 1                     | PA; ST                     |
| BD VEO INS SYRING 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| BD VEO INS SYRN 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| BD VEO INS SYRN 0.5 ML<br>6MMX31G 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| BORDERED GAUZE 2"X2" 2 X 2 "                                  |                                   | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLE 12.7MM<br>29G 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                       |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| CAREFINE PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLE 5MM<br>32G 32 GAUGE X 3/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"               | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLE 8MM<br>30G 30 GAUGE X 5/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CAREFINE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH ALCOHOL 70%<br>PREP PAD                            | (alcohol swabs)                   | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"              |                                   | 1                     | PA; ST                     |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16"        |                                   | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                       | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| CARETOUCH SYR 1 ML (insulin syringe-needle<br>30GX5/16" 1 ML 30 GAUGE X 5/16 u-100)                                 | 1                            | PA; ST                             |
| CARETOUCH SYR 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)                                 | 1                            | PA; ST                             |
| CLICKFINE PEN NEEDLE (pen needle, diabetic)<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32"                       | 1                            | PA; ST                             |
| COMFORT EZ 0.3 ML 31G 15/64" (insulin syringe-needle<br>0.3 ML 31 GAUGE X 15/64" u-100)                             | 1                            | PA; ST                             |
| COMFORT EZ 0.5 ML 31G 15/64" (insulin syringe-needle<br>1/2 ML 31 GAUGE X 15/64" u-100)                             | 1                            | PA; ST                             |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle<br>30GX1/2" 0.3 ML 30 GAUGE X u-100)<br>1/2"                          | 1                            | PA; ST                             |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16"                        | 1                            | PA; ST                             |
| COMFORT EZ INS 1 ML 31G (insulin syringe-needle<br>15/64" 1 ML 31 GAUGE X 15/64" u-100)                             | 1                            | PA; ST                             |
| COMFORT EZ INS 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)                                | 1                            | PA; ST                             |
| COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle<br>ML 0.3 ML 31 GAUGE X 5/16" u-100)                             | 1                            | PA; ST                             |
| COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100)<br>ML 31 GAUGE X 5/16" | 1                            | PA; ST                             |
| COMFORT EZ PEN NEEDLE (pen needle, diabetic)<br>12MM 29G 29 GAUGE X 1/2"                                            | 1                            | PA; ST                             |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 32G SINGLE USE, MICRO<br>32 GAUGE X 5/32"                      | 1                            | PA; ST                             |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 33G 33 GAUGE X 5/32"                                           | 1                            | PA; ST                             |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 31G MINI 31 GAUGE X<br>3/16"                                   | 1                            | PA; ST                             |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 32G SINGLE USE,MINI,HRI<br>32 GAUGE X 3/16"                    | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                      |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| COMFORT EZ PEN NEEDLES<br>5MM 33G 33 GAUGE X 3/16"          | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>6MM 31G 31 GAUGE X 1/4"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>6MM 32G 32 GAUGE X 1/4"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>6MM 33G 33 GAUGE X 1/4"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>8MM 31G SHORT 31 GAUGE X<br>5/16" | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>8MM 32G 32 GAUGE X 5/16"          | (pen needle, diabetic)            | 1                     | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>8MM 33G 33 GAUGE X 5/16"          |                                   | 1                     | PA; ST                     |
| COMFORT EZ PRO PEN NDL 30G<br>8MM 30 GAUGE X 5/16"          |                                   | 1                     | PA; ST                     |
| COMFORT EZ PRO PEN NDL 31G<br>4MM 31 GAUGE X 5/32"          | (pen needle, diabetic,<br>safety) | 1                     | PA; ST                     |
| COMFORT EZ PRO PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 1                     | PA; ST                     |
| COMFORT EZ SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 1 ML 27G<br>12.7MM 1 ML 27 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| COMFORT EZ SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                        | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|--------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| COMFORT EZ SYR 1 ML (insulin syringe-needle<br>30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)  | 1                            | PA; ST                             |
| COMFORT EZ SYR 1 ML (insulin syringe-needle<br>30GX5/16" 1 ML 30 GAUGE X 5/16 u-100) | 1                            | PA; ST                             |
| COMFORT POINT PEN NDL<br>31GX1/3" 31 GAUGE X 1/3"                                    | 1                            | PA; ST                             |
| COMFORT POINT PEN NDL<br>31GX1/6" 31 GAUGE X 1/6"                                    | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>4MM 31 GAUGE X 5/32"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"              | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"              | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"             | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"              | 1                            | PA; ST                             |
| COMFORT TOUCH PEN NDL (pen needle, diabetic)<br>33GX5MM 33 GAUGE X 3/16"             | 1                            | PA; ST                             |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage)<br>2 "                                  | 1                            | PA; ST                             |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                                 | 1                            | PA; ST                             |
| CURITY GAUZE PADS 2 X 2 " (gauze bandage)                                            | 1                            | PA; ST                             |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                                     | 1                            | PA; ST                             |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage)<br>PLY, USP TYPE VII 2 X 2 "                 | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                    | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| DERMACEA GAUZE 2"X2"<br>SPONGE 8 PLY 2 X 2 "                                              | 1                     | PA; ST                     |
| DERMACEA NON-WOVEN 2"X2"<br>SPNGE 2 X 2 "                                                 | 1                     | PA; ST                     |
| DROPLET 0.3 ML 29G<br>12.7MM(1/2) 0.3 ML 29 GAUGE X<br>1/2"                               | 1                     | PA; ST                     |
| DROPLET 0.3 ML 30G<br>12.7MM(1/2) 0.3 ML 30 GAUGE X<br>1/2"                               | 1                     | PA; ST                     |
| DROPLET 0.5 ML<br>29GX12.5MM(1/2) 0.5 ML 29<br>GAUGE X 1/2"                               | 1                     | PA; ST                     |
| DROPLET 0.5 ML<br>30GX12.5MM(1/2) 0.5 ML 30<br>GAUGE X 1/2"                               | 1                     | PA; ST                     |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>29GX12.5MM 0.3 ML 29 GAUGE u-100)<br>X 1/2" | 1                     | PA; ST                     |
| DROPLET INS 0.3 ML 30G<br>8MM(1/2) 0.3 ML 30 GAUGE X<br>5/16"                             | 1                     | PA; ST                     |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>30GX12.5MM 0.3 ML 30 GAUGE u-100)<br>X 1/2" | 1                     | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>6MM(1/2) 0.3 ML 31 GAUGE X<br>15/64"                            | 1                     | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>8MM(1/2) 0.3 ML 31 GAUGE X<br>5/16"                             | 1                     | PA; ST                     |
| DROPLET INS 0.5 ML 29G (insulin syringe-needle<br>12.7MM 0.5 ML 29 GAUGE X 1/2" u-100)    | 1                     | PA; ST                     |
| DROPLET INS 0.5 ML 30G (insulin syringe-needle<br>12.7MM 0.5 ML 30 GAUGE X 1/2" u-100)    | 1                     | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE<br>X 15/64"                             | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                         |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE<br>X 5/16"  |                                   | 1                     | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE<br>X 15/64" |                                   | 1                     | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE<br>X 5/16"  |                                   | 1                     | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"  |                                   | 1                     | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X<br>5/16"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64"  | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"     | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16"          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 1 ML<br>30GX12.5MM 1 ML 30 GAUGE X<br>1/2"     | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET INS SYR 1 ML<br>30GX6MM 1 ML 30 GAUGE X<br>15/64"      |                                   | 1                     | PA; ST                     |
| DROPLET INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"         | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                      |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| DROPLET INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16     | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"              |                                   | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"              |                                   | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"               | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>5MM 32 GAUGE X 3/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>8MM 32 GAUGE X 5/16"              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| DROPSAFE ALCOHOL 70% PREP<br>PADS                           | (alcohol swabs)                   | 1                     | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64" |                                   | 1                     | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"  |                                   | 1                     | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64" |                                   | 1                     | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"  |                                   | 1                     | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   |                                   | 1                     | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    |                                   | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                                                                                                           | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"                                                                                                                                                                 | 1                            | PA; ST                             |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                                                                                                                                         | 1                            | PA; ST                             |
| DROPSAFE PEN NEEDLE (pen needle, diabetic,<br>31GX3/16" 31 GAUGE X 3/16" safety)                                                                                                                                        | 1                            | PA; ST                             |
| DROPSAFE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                                                                                                                                       | 1                            | PA; ST                             |
| DRUG MART ULTRA COMFORT (insulin syringe-needle<br>SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 31 GAUGE X 5/16", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16", 1 ML 29 GAUGE<br>X 1/2", 1 ML 30 GAUGE X 5/16 | 1                            | PA; ST                             |
| EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)                                                                                                                                       | 1                            | PA; ST                             |
| EASY CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                                                                                                                                                       | 1                            | PA; ST                             |
| EASY CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                                                                                                                                      | 1                            | PA; ST                             |
| EASY COMFORT 0.3 ML 31G 1/2"<br>0.3 ML 31 X 1/2"                                                                                                                                                                        | 1                            | PA; ST                             |
| EASY COMFORT 0.3 ML 31G (insulin syringe-needle<br>5/16" 0.3 ML 31 GAUGE X 5/16" u-100)                                                                                                                                 | 1                            | PA; ST                             |
| EASY COMFORT 0.3 ML (insulin syringe-needle<br>SYRINGE 0.3 ML 30 GAUGE X u-100)<br>5/16"                                                                                                                                | 1                            | PA; ST                             |
| EASY COMFORT 0.5 ML (insulin syringe-needle<br>30GX1/2" 0.5 ML 30 GAUGE X u-100)<br>1/2"                                                                                                                                | 1                            | PA; ST                             |
| EASY COMFORT 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"                                                                                                                              | 1                            | PA; ST                             |
| EASY COMFORT 0.5 ML<br>32GX5/16" 1/2 ML 32 GAUGE X<br>5/16"                                                                                                                                                             | 1                            | PA; ST                             |
| EASY COMFORT 0.5 ML (insulin syringe-needle<br>SYRINGE 0.5 ML 30 GAUGE X u-100)<br>5/16"                                                                                                                                | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                               | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| EASY COMFORT 1 ML 31GX5/16" (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)          | 1                            | PA; ST                             |
| EASY COMFORT 1 ML 32GX5/16"<br>1 ML 32 GAUGE X 5/16"                                        | 1                            | PA; ST                             |
| EASY COMFORT ALCOHOL 70% (alcohol swabs)<br>PAD                                             | 1                            | PA; ST                             |
| EASY COMFORT INSULIN 1 ML (insulin syringe-needle<br>SYR 1 ML 30 GAUGE X 5/16 u-100)        | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL 29G<br>4MM 29 GAUGE X 5/32"                                            | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL 29G<br>5MM 29 GAUGE X 3/16"                                            | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX1/4" 31 GAUGE X 1/4"                     | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                     | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>5MM 33 GAUGE X 3/16"                     | 1                            | PA; ST                             |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                      | 1                            | PA; ST                             |
| EASY COMFORT SYR 0.5 ML 29G (insulin syringe-needle<br>8MM 1/2 ML 29 X5/16 " u-100)         | 1                            | PA; ST                             |
| EASY COMFORT SYR 1 ML 29G<br>8MM 1 ML 29 GAUGE X 5/16                                       | 1                            | PA; ST                             |
| EASY COMFORT SYR 1 ML (insulin syringe-needle<br>30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)       | 1                            | PA; ST                             |
| EASY GLIDE INS 0.3 ML (insulin syringe-needle<br>31GX6MM 0.3 ML 31 GAUGE X u-100)<br>15/64" | 1                            | PA; ST                             |
| EASY GLIDE INS 0.5 ML (insulin syringe-needle<br>31GX6MM 1/2 ML 31 GAUGE X u-100)<br>15/64" | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                               |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| EASY GLIDE INS 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"                             | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY GLIDE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"                                    | (pen needle, diabetic)            | 1                     | PA; ST                     |
| EASY TOUCH 0.3 ML SYR<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                          |                                   | 1                     | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"                          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16"                         |                                   | 1                     | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                                 |                                   | 1                     | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                                 |                                   | 1                     | PA; ST                     |
| EASY TOUCH ALCOHOL 70%<br>PADS GAMMA-STERILIZED                                      | (alcohol swabs)                   | 1                     | PA; ST                     |
| EASY TOUCH FLIPLOK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"                              |                                   | 1                     | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>29GX1/2 1 ML 29 GAUGE X 1/2"                              |                                   | 1                     | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>30GX1/2 1 ML 30 GAUGE X 1/2"                              |                                   | 1                     | PA; ST                     |
| EASY TOUCH INSULIN SYR 0.3<br>ML 0.3 ML 30 GAUGE X 5/16", 0.3<br>ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| EASY TOUCH INSULIN SYR 0.5<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5<br>ML 31 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                         | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 1                            | PA; ST                             |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)           | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"                                                  | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                                                  | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                                 | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                                 | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                                 | 1                            | PA; ST                             |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                                 | 1                            | PA; ST                             |
| EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)                                           | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                                 | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)                                | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                                 | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                                | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)                                | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                                 | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)                                | 1                            | PA; ST                             |
| EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)                                | 1                            | PA; ST                             |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"                                                       | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| EASY TOUCH SAF PEN NDL 29G<br>8MM 29 GAUGE X 5/16"                                            | 1                            | PA; ST                             |
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                            | 1                            | PA; ST                             |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                            | 1                            | PA; ST                             |
| EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle<br>12.7MM 1/2 ML 28 GAUGE X 1/2" u-100)     | 1                            | PA; ST                             |
| EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle<br>12.7MM 0.5 ML 29 GAUGE X 1/2" u-100)     | 1                            | PA; ST                             |
| EASY TOUCH SYR 1 ML 27G (insulin syringe-needle<br>16MM 1 ML 27 GAUGE X 5/8" u-100)           | 1                            | PA; ST                             |
| EASY TOUCH SYR 1 ML 28G (insulin syringe-needle<br>12.7MM 1 ML 28 GAUGE X 1/2" u-100)         | 1                            | PA; ST                             |
| EASY TOUCH SYR 1 ML 29G (insulin syringe-needle<br>12.7MM 1 ML 29 GAUGE X 1/2" u-100)         | 1                            | PA; ST                             |
| EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe<br>needleless)                                  | 1                            | PA; ST                             |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"                                              | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 29G (pen needle, diabetic)<br>12MM 29 GAUGE X 1/2"                         | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 30G (pen needle, diabetic)<br>5MM 30 GAUGE X 3/16"                         | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 30G (pen needle, diabetic)<br>8MM 30 GAUGE X 5/16"                         | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                         | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                          | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                         | 1                            | PA; ST                             |
| EMBRACE PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                         | 1                            | PA; ST                             |
| EQL INSULIN 0.5 ML SYRINGE (Ultilet Insulin Syringe)<br>1/2 ML 29                             | 1                            | PA; ST                             |
| EQL INSULIN 0.5 ML SYRINGE (Ultra Comfort Insulin<br>SHORT NEEDLE 1/2 ML 30 Syringe)<br>GAUGE | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                          |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| EXEL U100 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE                           |                                | 1                     | PA; ST                     |
| FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"          | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"          | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"             | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"             | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 "                               | (gauze bandage)                | 1                     | PA; ST                     |
| GAUZE PADS 2"X2" STRL 2 X 2 "                                   | (Bordered Gauze)               | 1                     | PA; ST                     |
| GNP ALCOHOL SWAB STERILE, TWO PLY                               | (Alcohol Pads)                 | 1                     | PA; ST                     |
| GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4"     | (pen needle, diabetic)         | 1                     | PA; ST                     |
| GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16"   | (pen needle, diabetic)         | 1                     | PA; ST                     |
| GNP PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                         | (1st Tier Unifine Pentips)     | 1                     | PA; ST                     |
| GNP PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                         | (1st Tier Unifine Pentips)     | 1                     | PA; ST                     |
| GNP PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                          | (CareFine Pen Needle)          | 1                     | PA; ST                     |
| GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)         | 1                     | PA; ST                     |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" |                                | 1                     | PA; ST                     |
| GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29                         | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE                    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                  |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE            |                                | 1                     | PA; ST                     |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30                 | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"                | (1st Tier Unifine Pentips)     | 1                     | PA; ST                     |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"     | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"     | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"         | (pen needle, diabetic)         | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| HEALTHY ACCENTS PENTP<br>12MM 29G 29 GAUGE X 1/2"                                             | 1                            | PA; ST                             |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs)<br>PADS                                             | 1                            | PA; ST                             |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"                       | 1                            | PA; ST                             |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 1                            | PA; ST                             |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"                       | 1                            | PA; ST                             |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"                        | 1                            | PA; ST                             |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"                       | 1                            | PA; ST                             |
| INPEN (FOR HUMALOG) BLUE<br>SUBCUTANEOUS INSULIN PEN                                          | 1                            |                                    |
| INPEN (NOVOLOG OR FIASP)<br>BLUE SUBCUTANEOUS INSULIN<br>PEN                                  | 1                            |                                    |
| INSULIN 1 ML SYRINGE 1 ML 30 (Ultra Comfort Insulin<br>GAUGE X 7/16" Syringe)                 | 1                            | PA; ST                             |
| INSULIN SYR 0.3 ML (UltiCare Insuln Syr(half<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X unit))<br>1/4" | 1                            | PA; ST                             |
| INSULIN SYR 0.5 ML 28G (Comfort EZ Insulin<br>12.7MM (OTC) 1/2 ML 28 GAUGE Syringe)<br>X 1/2" | 1                            | PA; ST                             |
| INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin<br>(RX) 0.5 ML 30 GAUGE X 1/2" Syringe)     | 1                            | PA; ST                             |
| INSULIN SYRING 0.5 ML 27G 1/2" (Easy Touch Insulin<br>INNER 1/2 ML 27 GAUGE X 1/2" Syringe)   | 1                            | PA; ST                             |
| INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle<br>29 GAUGE u-100)                      | 1                            | PA; ST                             |
| INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin<br>31GX1/4 0.3 ML 31 GAUGE X 1/4" Syringe)       | 1                            | PA; ST                             |
| INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle<br>29 u-100)                            | 1                            | PA; ST                             |
| INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin<br>31GX1/4 1/2 ML 31 GAUGE X 1/4" Syringe)       | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|---------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                                                | 1                            | PA; ST                             |
| INSULIN SYRINGE 1 ML 27G 1/2" (Comfort EZ Insulin Syringe)<br>INNER 1 ML 27 GAUGE X 1/2"          | 1                            | PA; ST                             |
| INSULIN SYRINGE 1 ML 27G (BD SafetyGlide Syringe)<br>16MM 1 ML 27 GAUGE X 5/8"                    | 1                            | PA; ST                             |
| INSULIN SYRINGE 1 ML 28G (Comfort EZ Insulin Syringe)<br>12.7MM (OTC) 1 ML 28 GAUGE X 1/2"        | 1                            | PA; ST                             |
| INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok)<br>30GX1/2" SHORT NEEDLE (OTC)<br>1 ML 30 GAUGE X 1/2" | 1                            | PA; ST                             |
| INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe)<br>31GX1/4" 1 ML 31 GAUGE X 1/4"              | 1                            | PA; ST                             |
| INSULIN SYRINGE NEEDLELESS (Easy Touch Luer Lock Insulin)<br>SYRINGE 1 ML                         | 1                            | PA; ST                             |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)                    | 1                            | PA; ST                             |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)            | 1                            | PA; ST                             |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)                           | 1                            | PA; ST                             |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"                                     | 1                            | PA; ST                             |
| INSUPEN 30G ULTRAFIN (pen needle, diabetic)<br>NEEDLE 30 GAUGE X 5/16"                            | 1                            | PA; ST                             |
| INSUPEN 31G ULTRAFIN (pen needle, diabetic)<br>NEEDLE 31 GAUGE X 1/4"                             | 1                            | PA; ST                             |
| INSUPEN 32G 8MM PEN NEEDLE (pen needle, diabetic)<br>32 GAUGE X 5/16"                             | 1                            | PA; ST                             |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>29GX12MM 29 GAUGE X 1/2"                             | 1                            | PA; ST                             |
| INSUPEN PEN NEEDLE 31G 8MM (pen needle, diabetic)<br>31 GAUGE X 5/16"                             | 1                            | PA; ST                             |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                           | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                   | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| INSUPEN PEN NEEDLE 32G 6MM (pen needle, diabetic)<br>(RX) 32 GAUGE X 1/4"                                       | 1                            | PA; ST                             |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"                                           | 1                            | PA; ST                             |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>33GX4MM 33 GAUGE X 5/32"                                           | 1                            | PA; ST                             |
| IV ANTISEPTIC WIPES (alcohol swabs)                                                                             | 1                            | PA; ST                             |
| KENDALL ALCOHOL 70% PREP (alcohol swabs)<br>PAD                                                                 | 1                            | PA; ST                             |
| LISCO SPONGES 100/BAG 2 X 2 "                                                                                   | 1                            | PA; ST                             |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic)<br>NEEDLE 31 GAUGE X 1/4"                                        | 1                            | PA; ST                             |
| LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle<br>SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100)<br>, 1/2 ML 30 GAUGE | 1                            | PA; ST                             |
| LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle<br>1 ML 28 GAUGE, 1 ML 30 GAUGE u-100)<br>X 7/16"           | 1                            | PA; ST                             |
| LITE TOUCH INSULIN 1 ML SYR<br>1 ML 29 GAUGE                                                                    | 1                            | PA; ST                             |
| LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)                              | 1                            | PA; ST                             |
| LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic)<br>29 GAUGE X 1/2"                                             | 1                            | PA; ST                             |
| LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic)<br>31 GAUGE X 3/16", 31 GAUGE X<br>5/16"                       | 1                            | PA; ST                             |
| LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)                          | 1                            | PA; ST                             |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16"                     | 1                            | PA; ST                             |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16"                     | 1                            | PA; ST                             |
| LITETOUCH INS 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"                     | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                          |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| LITETOUCH SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| LITETOUCH SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 1                     | PA; ST                     |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 1                     | PA; ST                     |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 1                     | PA; ST                     |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 1                     | PA; ST                     |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 1                     | PA; ST                     |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 1                     | PA; ST                     |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| MAXI-COMFORT INS 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| MAXICOMFORT PEN NDL 29G X<br>5MM 29 GAUGE X 3/16"                               |                                   | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"                                                             | 1                            | PA; ST                             |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>31GX6MM 31 GAUGE X 1/4"                                      | 1                            | PA; ST                             |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"                                     | 1                            | PA; ST                             |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>33GX4MM 33 GAUGE X 5/32"                                     | 1                            | PA; ST                             |
| MICRODOT READYGARD NDL (pen needle, diabetic, safety)<br>31G 5MM OUTER 31 GAUGE X 3/16"                    | 1                            | PA; ST                             |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)                                             | 1                            | PA; ST                             |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)                                          | 1                            | PA; ST                             |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)                                             | 1                            | PA; ST                             |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)                                          | 1                            | PA; ST                             |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)                                           | 1                            | PA; ST                             |
| MINI ULTRA-THIN II PEN NDL (pen needle, diabetic)<br>31G STERILE 31 GAUGE X 3/16"                          | 1                            | PA; ST                             |
| MONOJECT 0.5 ML SYRN (insulin syringe-needle u-100)<br>28GX1/2" 1/2 ML 28 GAUGE                            | 1                            | PA; ST                             |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                             | 1                            | PA; ST                             |
| MONOJECT 1 ML SYRN 28GX1/2" (insulin syringe-needle u-100)<br>(OTC) 1 ML 28 GAUGE X 1/2"                   | 1                            | PA; ST                             |
| MONOJECT INSUL SYR U100 (insulin syringe-needle u-100)<br>(OTC) 0.3 ML 29 GAUGE X 1/2"                     | 1                            | PA; ST                             |
| MONOJECT INSUL SYR U100 (insulin syringe-needle u-100)<br>.5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"       | 1                            | PA; ST                             |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1                            | PA; ST                             |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)                           | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                |                                 | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------|---------------------------------|-----------------------|----------------------------|
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                         | (insulin syringes (disposable)) | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"             | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"             | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16              | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                     | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"                       |                                 | 1                     | PA; ST                     |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                       | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                       | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                            | (insulin syringe-needle u-100)  | 1                     | PA; ST                     |
| MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16              | (Advocate Syringes)             | 1                     | PA; ST                     |
| MS INSULIN SYRINGE 0.3 ML 0.3 ML 30                                   | (Ultra Comfort Insulin Syringe) | 1                     | PA; ST                     |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                        | (pen needle, diabetic)          | 1                     | PA; ST                     |
| NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                              | (pen needle, diabetic)          | 1                     | PA; ST                     |
| NOVOFINE 30 NEEDLE                                                    |                                 | 1                     | PA; ST                     |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"                                  | (pen needle, diabetic)          | 1                     | PA; ST                     |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"                        |                                 | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                     | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------|------------------------------|------------------------------------|
| NOVOTWIST NEEDLE 32 GAUGE<br>X 1/5"                                               | 1                            | PA; ST                             |
| OMNIPOD 5 (G6/LIBRE 2 PLUS)<br>SUBCUTANEOUS CARTRIDGE                             | 1                            | QL (10 per 30 days)                |
| OMNIPOD 5 G6-G7 INTRO<br>KIT(GEN5) SUBCUTANEOUS<br>CARTRIDGE                      | 1                            | QL (1 per 365 days)                |
| OMNIPOD 5 G6-G7 PODS (GEN 5)<br>SUBCUTANEOUS CARTRIDGE                            | 1                            | QL (10 per 30 days)                |
| OMNIPOD 5<br>INTRO(G6/LIBRE2PLUS)<br>SUBCUTANEOUS CARTRIDGE                       | 1                            | QL (1 per 365 days)                |
| OMNIPOD CLASSIC PDM<br>KIT(GEN 3)                                                 | 1                            | QL (1 per 365 days)                |
| OMNIPOD CLASSIC PODS (GEN<br>3) SUBCUTANEOUS CARTRIDGE                            | 1                            | QL (10 per 30 days)                |
| OMNIPOD DASH INTRO KIT<br>(GEN 4) SUBCUTANEOUS<br>CARTRIDGE                       | 1                            | QL (1 per 365 days)                |
| OMNIPOD DASH PDM KIT (GEN<br>4)                                                   | 1                            | QL (1 per 365 days)                |
| OMNIPOD DASH PODS (GEN 4)<br>SUBCUTANEOUS CARTRIDGE                               | 1                            | QL (10 per 30 days)                |
| PC UNIFINE PENTIPS 8MM (pen needle, diabetic)<br>NEEDLE SHORT 31 GAUGE X<br>5/16" | 1                            | PA; ST                             |
| PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle)<br>30 GAUGE X 3/16"                 | 1                            | PA; ST                             |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle)<br>GAUGE X 5/16"                | 1                            | PA; ST                             |
| PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic)<br>GAUGE X 5/16"                 | 1                            | PA; ST                             |
| PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine<br>GAUGE X 1/4" Pentips)           | 1                            | PA; ST                             |
| PEN NEEDLE 6MM 31G 6MM 31 (pen needle, diabetic)<br>GAUGE X 1/4"                  | 1                            | PA; ST                             |
| PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips<br>NEEDLE 29 GAUGE X 1/2" Plus)    | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                              |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| PEN NEEDLES 12MM 29G<br>29GX12MM,STRL 29 GAUGE X<br>1/2"            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PEN NEEDLES 4MM 32G 32<br>GAUGE X 5/32"                             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PEN NEEDLES 5MM 31G<br>31GX5MM,STRL,MINI (OTC) 31<br>GAUGE X 3/16"  | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PEN NEEDLES 8MM 31G<br>31GX8MM,STRL,SHORT (OTC) 31<br>GAUGE X 5/16" | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 29G 1/2"<br>29 GAUGE X 1/2"                      | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 31G 1/4"<br>31 GAUGE X 1/4"                      | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX3/16"<br>MINI, 5MM 31 GAUGE X 3/16"          | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX5/16"<br>SHORT, 8MM 31 GAUGE X 5/16"         | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 32G 1/4"<br>32 GAUGE X 1/4"                      | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PENTIPS PEN NEEDLE 32GX5/32"<br>4MM 32 GAUGE X 5/32"                | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PIP PEN NEEDLE 31G X 5MM 31<br>GAUGE X 3/16"                        | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PIP PEN NEEDLE 32G X 4MM 32<br>GAUGE X 5/32"                        | (pen needle, diabetic)            | 1                     | PA; ST                     |
| PREFPLS INS SYR 1 ML<br>30GX5/16" (OTC) 1 ML 30 GAUGE<br>X 5/16     | (Advocate Syringes)               | 1                     | PA; ST                     |
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"                      |                                   | 1                     | PA; ST                     |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                    |                                   | 1                     | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX1/2"<br>0.5 ML 30 GAUGE X 1/2"               | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX5/16"<br>0.5 ML 30 GAUGE X 5/16"             | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100)       | 1                            | PA; ST                             |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)             | 1                            | PA; ST                             |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)            | 1                            | PA; ST                             |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)            | 1                            | PA; ST                             |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                              | 1                            | PA; ST                             |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                       | 1                            | PA; ST                             |
| PRO COMFORT PEN NDL 32G X (pen needle, diabetic)<br>1/4" 32 GAUGE X 1/4"                     | 1                            | PA; ST                             |
| PRO COMFORT PEN NDL 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 1                            | PA; ST                             |
| PRO COMFORT PEN NDL 5MM (pen needle, diabetic)<br>32G 32 GAUGE X 3/16"                       | 1                            | PA; ST                             |
| PRODIGY INS SYR 1 ML (insulin syringe-needle<br>28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)         | 1                            | PA; ST                             |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"  | 1                            | PA; ST                             |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 1                            | PA; ST                             |
| PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)            | 1                            | PA; ST                             |
| PURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                            | 1                            | PA; ST                             |
| PURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                           | 1                            | PA; ST                             |
| PURE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                             | 1                            | PA; ST                             |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                      | 1                            | PA; ST                             |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                      | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                             | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                    | 1                            | PA; ST                             |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                   | 1                            | PA; ST                             |
| RAYA SURE PEN NEEDLE 29G<br>12MM 29 GAUGE X 15/32"                                        | 1                            | PA; ST                             |
| RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen<br>4MM 31 GAUGE X 5/32" Needle)               | 1                            | PA; ST                             |
| RAYA SURE PEN NEEDLE 31G<br>5MM 31 GAUGE X 13/64"                                         | 1                            | PA; ST                             |
| RAYA SURE PEN NEEDLE 31G<br>6MM 31 GAUGE X 15/64"                                         | 1                            | PA; ST                             |
| RELION INS SYR 0.3 ML (Comfort EZ Insulin<br>31GX6MM 0.3 ML 31 GAUGE X Syringe)<br>15/64" | 1                            | PA; ST                             |
| RELION INS SYR 0.5 ML (Comfort EZ Insulin<br>31GX6MM 1/2 ML 31 GAUGE X Syringe)<br>15/64" | 1                            | PA; ST                             |
| RELION INS SYR 1 ML (Comfort EZ Insulin<br>31GX15/64" 1 ML 31 GAUGE X Syringe)<br>15/64"  | 1                            | PA; ST                             |
| RELI-ON INSULIN 1 ML SYR 1<br>ML 29 GAUGE X 7/16"                                         | 1                            | PA; ST                             |
| SAFESNAP INS SYR UNITS-100<br>0.3 ML 30GX5/16",10X10 0.3 ML<br>30 GAUGE X 5/16"           | 1                            | PA; ST                             |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 29GX1/2",10X10 0.5 ML 29<br>GAUGE X 1/2"             | 1                            | PA; ST                             |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 30GX5/16",10X10 0.5 ML<br>30 GAUGE X 5/16"           | 1                            | PA; ST                             |
| SAFESNAP INS SYR UNITS-100 1<br>ML 28GX1/2",10X10 1 ML 28<br>GAUGE X 1/2"                 | 1                            | PA; ST                             |
| SAFESNAP INS SYR UNITS-100 1<br>ML 29GX1/2",10X10 1 ML 29<br>GAUGE X 1/2"                 | 1                            | PA; ST                             |
| SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO<br>31 GAUGE X 5/32" Safety Pen Ndl)             | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                 |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"                                                                                           | (pen needle, diabetic, safety) | 1                     | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                                                                                  |                                | 1                     | PA; ST                     |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"                                                                                    |                                | 1                     | PA; ST                     |
| SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"                                                                            |                                | 1                     | PA; ST                     |
| SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"                                                                              |                                | 1                     | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"                                                                                         |                                | 1                     | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"                                                                                         |                                | 1                     | PA; ST                     |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"                                                                                |                                | 1                     | PA; ST                     |
| STERILE PADS 2" X 2" 2 X 2 "                                                                                                           | (gauze bandage)                | 1                     | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                         |                                | 1                     | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                        |                                | 1                     | PA; ST                     |
| NEEDLES, INSULIN DISP., SAFETY                                                                                                         | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"           | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                               |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"                                 | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"                                                         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE COMFORT ALCOHOL PREP PADS                                                                       | (alcohol swabs)                | 1                     | PA; ST                     |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"                                               | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"                                               | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"                                                  | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"                                                 | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"                                                        | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"                                                        | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                        | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"                                                         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"                                                         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"                                                           | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"                                                           | (pen needle, diabetic)         | 1                     | PA; ST                     |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                       | (insulin syringe-needle u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"                                                      | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16                               | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                                    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| SURE-PREP ALCOHOL PREP PADS                                                                            | (alcohol swabs)                | 1                     | PA; ST                     |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"                                                 |                                | 1                     | PA; ST                     |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"                                                 |                                | 1                     | PA; ST                     |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"                                                  |                                | 1                     | PA; ST                     |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"                                                   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                       |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| TECHLITE INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16                                                     | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>29GX1/2" 29 GAUGE X 1/2"                                                              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"                                                              |                                   | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                                                            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"                                                              | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX5/16" 32 GAUGE X 5/16"                                                            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                                                            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TECHLITE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 27 GAUGE X 1/2", 1 ML<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 30 GAUGE X 3/8"                                                         | (Thinpro Insulin<br>Syringe)      | 1                     | PA; ST                     |
| TERUMO INS SYRINGE U100-1/2<br>ML 1/2 ML 30 X 3/8"                                                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| TERUMO INS SYRINGE U100-1/3<br>ML 0.3 ML 30 X 3/8"                                                           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| TERUMO INS SYRNG U100-1/2<br>ML 0.5 ML 29 GAUGE X 1/2", 1/2<br>ML 27 GAUGE X 1/2", 1/2 ML 28<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| THINPRO INS SYRIN U100-0.3<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3<br>ML 30 X 3/8"                                 | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                                                                                                                                                                                                                             | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| THINPRO INS SYRIN U100-0.3<br>ML 0.3 ML 31 X 3/8"                                                                                                                                                                                                                                                         | 1                            | PA; ST                             |
| THINPRO INS SYRIN U100-0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100)<br>ML 28 GAUGE X 1/2", 1/2 ML 30 X<br>3/8"                                                                                                                                                                    | 1                            | PA; ST                             |
| THINPRO INS SYRIN U100-0.5<br>ML 0.5 ML 31 X 3/8"                                                                                                                                                                                                                                                         | 1                            | PA; ST                             |
| THINPRO INS SYRIN U100-1 ML (insulin syringe-needle<br>1 ML 28 GAUGE X 1/2", 1 ML 29 u-100)<br>GAUGE X 1/2", 1 ML 30 GAUGE X<br>3/8"                                                                                                                                                                      | 1                            | PA; ST                             |
| THINPRO INS SYRIN U100-1 ML<br>1 ML 31 X 3/8"                                                                                                                                                                                                                                                             | 1                            | PA; ST                             |
| TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic)<br>31 GAUGE X 1/4"                                                                                                                                                                                                                                    | 1                            | PA; ST                             |
| TOPCARE CLICKFINE 31G X (pen needle, diabetic)<br>5/16" 31 GAUGE X 5/16"                                                                                                                                                                                                                                  | 1                            | PA; ST                             |
| TOPCARE ULTRA COMFORT (insulin syringe-needle<br>SYRINGE 0.3 ML 29 GAUGE X u-100)<br>1/2", 0.3 ML 30 GAUGE X 5/16",<br>0.3 ML 31 GAUGE X 5/16", 0.5 ML<br>29 GAUGE X 1/2", 0.5 ML 30<br>GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16", 1 ML 29 GAUGE<br>X 1/2", 1 ML 30 GAUGE X 5/16, 1<br>ML 31 GAUGE X 5/16 | 1                            | PA; ST                             |
| TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle<br>5/16" 0.5 ML 30 GAUGE X 5/16" u-100)                                                                                                                                                                                                                 | 1                            | PA; ST                             |
| TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle<br>5/16" 0.5 ML 31 GAUGE X 5/16" u-100)                                                                                                                                                                                                                 | 1                            | PA; ST                             |
| TRUE CMFRT PRO 0.5 ML 32G<br>5/16" 1/2 ML 32 GAUGE X 5/16"                                                                                                                                                                                                                                                | 1                            | PA; ST                             |
| TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)                                                                                                                                                                                                                         | 1                            | PA; ST                             |
| TRUE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"                                                                                                                                                                                                                                                         | 1                            | PA; ST                             |
| TRUE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                                                                                                                                                                                                                        | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                        | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|--------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| TRUE COMFORT 0.5 ML 30G 1/2"<br>0.5 ML 30 GAUGE X 1/2"                               | 1                            | PA; ST                             |
| TRUE COMFORT 0.5 ML 30G<br>5/16" 0.5 ML 30 GAUGE X 5/16"                             | 1                            | PA; ST                             |
| TRUE COMFORT 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"                             | 1                            | PA; ST                             |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1                            | PA; ST                             |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)      | 1                            | PA; ST                             |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)                                        | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)                  | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                  | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)                 | 1                            | PA; ST                             |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)                  | 1                            | PA; ST                             |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)   | 1                            | PA; ST                             |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)  | 1                            | PA; ST                             |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)  | 1                            | PA; ST                             |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"                                | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                              | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|--------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| TRUE COMFORT PRO ALCOHOL (alcohol swabs)<br>PADS                                           | 1                            | PA; ST                             |
| TRUE COMFORT SFTY 1 ML 30G<br>1/2" 1 ML 30 GAUGE X 1/2"                                    | 1                            | PA; ST                             |
| TRUE COMFRT PRO 0.5 ML 30G (insulin syringe-needle<br>1/2" 0.5 ML 30 GAUGE X 1/2" u-100)   | 1                            | PA; ST                             |
| TRUE COMFRT SFTY 1 ML 30G<br>5/16" 1 ML 30 GAUGE X 5/16"                                   | 1                            | PA; ST                             |
| TRUE COMFRT SFTY 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16"                                   | 1                            | PA; ST                             |
| TRUE COMFRT SFTY 1 ML 32G<br>5/16" 1 ML 32 GAUGE X 5/16"                                   | 1                            | PA; ST                             |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                     | 1                            | PA; ST                             |
| TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic)<br>1/4" 31 GAUGE X 1/4"                   | 1                            | PA; ST                             |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 1                            | PA; ST                             |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 1                            | PA; ST                             |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)      | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16" | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.5 ML 28GX1/2" (insulin syringe-needle<br>1/2 ML 28 GAUGE X 1/2" u-100)      | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.5 ML 29GX1/2" (insulin syringe-needle<br>0.5 ML 29 GAUGE X 1/2" u-100)      | 1                            | PA; ST                             |
| TRUEPLUS SYR 0.5 ML (insulin syringe-needle<br>30GX5/16" 0.5 ML 30 GAUGE X u-100)<br>5/16" | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                              |                                     | Nivel del Medicamento | Requerimientos/<br>Límites |
|---------------------------------------------------------------------|-------------------------------------|-----------------------|----------------------------|
| TRUEPLUS SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| TRUEPLUS SYR 1 ML 28GX1/2" 1<br>ML 28 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| TRUEPLUS SYR 1 ML 29GX1/2" 1<br>ML 29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| TRUEPLUS SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| TRUEPLUS SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| ULTICAR INS 0.3 ML<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X<br>1/4"        | (insulin syr/ndl u100<br>half mark) | 1                     | PA; ST                     |
| ULTICARE INS 1 ML 31GX1/4" 1<br>ML 31 GAUGE X 1/4"                  | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16"          | (Advocate Syringes)                 | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"          | (Advocate Syringes)                 | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.5 ML 30G<br>8MM (OTC) 0.5 ML 30 GAUGE X<br>5/16" | (Advocate Syringes)                 | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| ULTICARE INS SYR 0.5 ML 31G<br>8MM (OTC) 0.5 ML 31 GAUGE X<br>5/16" | (Advocate Syringes)                 | 1                     | PA; ST                     |
| ULTICARE INS SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 1                     | PA; ST                     |
| ULTICARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                   | (pen needle, diabetic)              | 1                     | PA; ST                     |
| ULTICARE PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"                      | (pen needle, diabetic)              | 1                     | PA; ST                     |
| ULTICARE PEN NEEDLE 8MM<br>31G 31 GAUGE X 5/16"                     | (pen needle, diabetic)              | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                        | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| ULTICARE PEN NEEDLES 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"                              | 1                            | PA; ST                             |
| ULTICARE PEN NEEDLES 4MM (pen needle, diabetic)<br>32G MICRO, 32GX4MM 32<br>GAUGE X 5/32"            | 1                            | PA; ST                             |
| ULTICARE PEN NEEDLES 6MM (pen needle, diabetic)<br>32G 32 GAUGE X 1/4"                               | 1                            | PA; ST                             |
| ULTICARE SAFE PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                                                    | 1                            | PA; ST                             |
| ULTICARE SAFE PEN NDL 5MM<br>30G 30 GAUGE X 3/16"                                                    | 1                            | PA; ST                             |
| ULTICARE SAFETY 0.5 ML (Comfort EZ Insulin<br>29GX1/2 (RX) 0.5 ML 29 GAUGE Syringe)<br>X 1/2"        | 1                            | PA; ST                             |
| ULTICARE SYR 0.3 ML 29G (Comfort EZ Insulin<br>12.7MM 0.3 ML 29 GAUGE X 1/2" Syringe)                | 1                            | PA; ST                             |
| ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle<br>0.3 ML 30 GAUGE X 1/2" u-100)                | 1                            | PA; ST                             |
| ULTICARE SYR 0.3 ML (insulin syringe-needle<br>31GX5/16" SHORT NDL 0.3 ML 31 u-100)<br>GAUGE X 5/16" | 1                            | PA; ST                             |
| ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)                | 1                            | PA; ST                             |
| ULTICARE SYR 0.5 ML (insulin syringe-needle<br>31GX5/16" SHORT NDL 0.5 ML 31 u-100)<br>GAUGE X 5/16" | 1                            | PA; ST                             |
| ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)                   | 1                            | PA; ST                             |
| ULTIGUARD SAFE 1 ML 30G<br>12.7MM 1 ML 30 X 1/2"                                                     | 1                            | PA; ST                             |
| ULTIGUARD SAFE0.3 ML 30G<br>12.7MM 0.3 ML 30 X 1/2"                                                  | 1                            | PA; ST                             |
| ULTIGUARD SAFE0.5 ML 30G<br>12.7MM 1/2 ML 30 X 1/2"                                                  | 1                            | PA; ST                             |
| ULTIGUARD SAFEPACK 1 ML<br>31G 8MM 1 ML 31 X 5/16"                                                   | 1                            | PA; ST                             |
| ULTIGUARD SAFEPACK 29G<br>12.7MM 29 GAUGE X 1/2"                                                     | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                          | Nivel del Medicamento | Requerimientos/<br>Límites |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| ULTIGUARD SAFEPAK 31G<br>5MM 31 GAUGE X 3/16"                                                                                                   | 1                     | PA; ST                     |
| ULTIGUARD SAFEPAK 31G<br>6MM 31 GAUGE X 1/4"                                                                                                    | 1                     | PA; ST                     |
| ULTIGUARD SAFEPAK 31G<br>8MM 31 GAUGE X 5/16"                                                                                                   | 1                     | PA; ST                     |
| ULTIGUARD SAFEPAK 32G<br>4MM 32 GAUGE X 5/32"                                                                                                   | 1                     | PA; ST                     |
| ULTIGUARD SAFEPAK 32G<br>6MM 32 GAUGE X 1/4"                                                                                                    | 1                     | PA; ST                     |
| ULTIGUARD SAFEPK 0.3 ML 31G<br>8MM 0.3 ML 31 X 5/16"                                                                                            | 1                     | PA; ST                     |
| ULTIGUARD SAFEPK 0.5 ML 31G<br>8MM 1/2 ML 31 X 5/16"                                                                                            | 1                     | PA; ST                     |
| ULTILET ALCOHOL STERL (alcohol swabs)<br>SWAB                                                                                                   | 1                     | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 30 GAUGE X 5/16", 0.3 ML 31<br>GAUGE X 5/16" | 1                     | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100)<br>ML 30 GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16" | 1                     | PA; ST                     |
| ULTILET INSULIN SYRINGE 1 (insulin syringe-needle<br>ML 1 ML 29 GAUGE X 1/2", 1 ML u-100)<br>30 GAUGE X 5/16, 1 ML 31<br>GAUGE X 5/16           | 1                     | PA; ST                     |
| ULTILET PEN NEEDLE 29<br>GAUGE                                                                                                                  | 1                     | PA; ST                     |
| ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic)<br>32 GAUGE X 5/32"                                                                           | 1                     | PA; ST                     |
| ULTRA COMFORT 0.3 ML (insulin syringe-needle<br>SYRINGE 0.3 ML 30 GAUGE X u-100)<br>5/16"                                                       | 1                     | PA; ST                     |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle<br>28GX1/2" CONVERTS TO 29G 1/2 u-100)<br>ML 28 GAUGE X 1/2"                                       | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                       |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| ULTRA COMFORT 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA COMFORT 0.5 ML<br>SYRINGE 1/2 ML 28 GAUGE              | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA COMFORT 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16         | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA COMFORT 1 ML<br>SYRINGE 1 ML 28 GAUGE X 1/2"           | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2)<br>0.3 ML 30 GAUGE X 1/2"    |                                   | 1                     | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2)<br>0.3 ML 30 GAUGE X 5/16"   |                                   | 1                     | PA; ST                     |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2)<br>0.3 ML 31 GAUGE X 5/16"   |                                   | 1                     | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA FLO PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA FLO PEN NEEDLE 33G<br>4MM 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA FLO PEN NEEDLES<br>12MM 29G 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                       |                                   | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------|-----------------------------------|-----------------------|----------------------------|
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"             | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"           | (pen needle, diabetic)            | 1                     | PA; ST                     |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 1                     | PA; ST                     |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64"  |                                   | 1                     | PA; ST                     |
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16"   |                                   | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                 |                                | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------|--------------------------------|-----------------------|----------------------------|
| ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| ULTRA-FINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| ULTRA-FINE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"         | (pen needle, diabetic)         | 1                     | PA; ST                     |
| ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"          | (pen needle, diabetic)         | 1                     | PA; ST                     |
| ULTRA-FINE SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"  | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16      | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16    | (insulin syringe-needle u-100) | 1                     | PA; ST                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                            | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| ULTRA-THIN II PEN NDL (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                 | 1                            | PA; ST                             |
| ULTRA-THIN II PEN NDL (pen needle, diabetic)<br>31GX5/16 31 GAUGE X 5/16"                | 1                            | PA; ST                             |
| UNIFINE OTC PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                | 1                            | PA; ST                             |
| UNIFINE OTC PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                | 1                            | PA; ST                             |
| UNIFINE PEN NEEDLE 32G 4MM (pen needle, diabetic)<br>32 GAUGE X 5/32"                    | 1                            | PA; ST                             |
| UNIFINE PENTIPS 12MM 29G (pen needle, diabetic)<br>29GX12MM, STRL 29 GAUGE X 1/2"        | 1                            | PA; ST                             |
| UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic)<br>31GX5MM,STRL,MINI 31 GAUGE X 3/16"   | 1                            | PA; ST                             |
| UNIFINE PENTIPS 32G 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                       | 1                            | PA; ST                             |
| UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic)<br>GAUGE X 1/4"                       | 1                            | PA; ST                             |
| UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic)<br>GAUGE X 5/32"                     | 1                            | PA; ST                             |
| UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic)<br>GAUGE X 1/4"                        | 1                            | PA; ST                             |
| UNIFINE PENTIPS MAX (pen needle, diabetic)<br>30GX3/16" 30 GAUGE X 3/16"                 | 1                            | PA; ST                             |
| UNIFINE PENTIPS NEEDLES 29G<br>29 GAUGE                                                  | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>29GX1/2" 12MM 29 GAUGE X 1/2"             | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>30GX3/16" 30 GAUGE X 3/16"                | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX3/16" MINI 31 GAUGE X 3/16"           | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                 | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-----------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX5/16" SHORT 31 GAUGE X 5/16"               | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                     | 1                            | PA; ST                             |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>33GX5/32" 33 GAUGE X 5/32"                     | 1                            | PA; ST                             |
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"                                                      | 1                            | PA; ST                             |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"                                                      | 1                            | PA; ST                             |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"                                                      | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"                                                  | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"                                                  | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 31G (pen needle, diabetic, safety)<br>5MM 31 GAUGE X 3/16"                | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"                                                | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"                                               | 1                            | PA; ST                             |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"                                               | 1                            | PA; ST                             |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                      | 1                            | PA; ST                             |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                       | 1                            | PA; ST                             |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                      | 1                            | PA; ST                             |
| UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                      | 1                            | PA; ST                             |
| VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle u-100)<br>SY OUTER 0.5 ML 30 GAUGE X 1/2" | 1                            | PA; ST                             |
| VANISHPOINT INS 1 ML<br>30GX3/16" 1 ML 30 GAUGE X 3/16"                                       | 1                            | PA; ST                             |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                             | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle u-100)<br>1 ML 29 GAUGE X 1/2"       | 1                            | PA; ST                             |
| VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle u-100)<br>1 ML 29 GAUGE X 1/2"     | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 29G (pen needle, diabetic)<br>12MM 29 GAUGE X 1/2"                    | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                    | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                   | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                  | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                     | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                  | 1                            | PA; ST                             |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                  | 1                            | PA; ST                             |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                  | 1                            | PA; ST                             |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                  | 1                            | PA; ST                             |
| VERIFINE PLUS PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                  | 1                            | PA; ST                             |
| VERIFINE PLUS PEN NDL 32G<br>4MM-SHARPS CONTAINER 32<br>GAUGE X 5/32"                     | 1                            | PA; ST                             |
| VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle u-100)<br>1/2" 0.5 ML 29 GAUGE X 1/2"  | 1                            | PA; ST                             |
| VERIFINE SYRING 1 ML 31G (insulin syringe-needle u-100)<br>5/16" 1 ML 31 GAUGE X 5/16"    | 1                            | PA; ST                             |
| VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle u-100)<br>5/16" 0.3 ML 31 GAUGE X 5/16" | 1                            | PA; ST                             |
| VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle u-100)<br>5/16" 0.5 ML 31 GAUGE X 5/16" | 1                            | PA; ST                             |
| VERSALON ALL PURPOSE<br>SPONGE 25'S,N-STERILE,3PLY 2<br>X 2 "                             | 1                            | PA; ST                             |
| V-GO 20 DEVICE                                                                            | 1                            | QL (30 per 30 days)                |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                 | Nivel del Medicamento | Requerimientos/<br>Límites |
|--------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| V-GO 30 DEVICE                                                                                         | 1                     | QL (30 per 30 days)        |
| V-GO 40 DEVICE                                                                                         | 1                     | QL (30 per 30 days)        |
| WEBCOL ALCOHOL PREPS (alcohol swabs)<br>20'S,LARGE                                                     | 1                     | PA; ST                     |
| <b>Preparaciones De Reemplazo</b>                                                                      |                       |                            |
| <b>Preparaciones De Reemplazo</b>                                                                      |                       |                            |
| <i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (d5 % and 0.9 % sodium chloride) | 1                     |                            |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (D5 % (d-glucose)-0.9 % sodchlr) | 1                     |                            |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>                                     | 1                     |                            |
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE                                                                 | 1                     |                            |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION                                                       | 1                     |                            |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %                                          | 1                     |                            |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)                      | 1                     |                            |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)                      | 1                     |                            |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)                      | 1                     |                            |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>                                           | 1                     |                            |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>                                            | 1                     |                            |
| PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION                                          | 1                     |                            |
| <i>potassium chloride intravenous solution 2 meq/ml</i>                                                | 1                     |                            |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>                                 | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                | Nivel del Medicamento | Requerimientos/<br>Límites       |
|---------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>                      | 1                     |                                  |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)           | 1                     |                                  |
| <i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>                 | 1                     |                                  |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)             | 1                     |                                  |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)     | 1                     |                                  |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)     | 1                     |                                  |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)     | 1                     |                                  |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>        | 1                     |                                  |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 1                     |                                  |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)            | 1                     |                                  |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>                  | 1                     |                                  |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>                  | 1                     |                                  |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i>                          | 1                     |                                  |
| <i>sodium chloride 0.9% solution mini-bag, single use</i>                             | 1                     |                                  |
| <b>Productos Sanguíneos/Modificadores/Expansores De Volumen</b>                       |                       |                                  |
| <b>Agentes Hematológicos, Varios</b>                                                  |                       |                                  |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                       | 1                     |                                  |
| <i>anagrelide oral capsule 1 mg</i>                                                   | 1                     |                                  |
| CABLIVI INJECTION KIT 11 MG                                                           | 1                     | PA; NM; NDS; QL (30 per 30 days) |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites       |
|----------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG                                                               | 1                     |                                  |
| TAVALISSE ORAL TABLET 100 MG, 150 MG                                                                     | 1                     | PA; NM; NDS; QL (60 per 30 days) |
| <i>tranexamic acid oral tablet 650 mg</i>                                                                | 1                     |                                  |
| <b>Anticoagulantes</b>                                                                                   |                       |                                  |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)                                 | 1                     | QL (60 per 30 days)              |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)                                     | 1                     |                                  |
| ELIQUIS ORAL TABLET 2.5 MG                                                                               | 1                     | QL (60 per 30 days)              |
| ELIQUIS ORAL TABLET 5 MG                                                                                 | 1                     | QL (74 per 30 days)              |
| ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4)                        | 1                     | QL (960 per 30 days)             |
| ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG                                                          | 1                     | QL (120 per 30 days)             |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)                                    | 1                     | QL (60 per 30 days)              |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)                             | 1                     | QL (48 per 30 days)              |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)                                            | 1                     | QL (18 per 30 days)              |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)                                            | 1                     | QL (24 per 30 days)              |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)                                            | 1                     | QL (36 per 30 days)              |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)                                          | 1                     | NM; NDS; QL (24 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)                                         | 1                     | QL (15 per 30 days)              |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)                                           | 1                     | NM; NDS; QL (12 per 30 days)     |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)                                         | 1                     | NM; NDS; QL (18 per 30 days)     |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 1                     |                                  |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                           | Nivel del Medicamento | Requerimientos/<br>Límites          |
|--------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin) | 1                     |                                     |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)                          | 1                     | QL (600 per 30 days)                |
| <i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)                                                  | 1                     |                                     |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1                     |                                     |
| XARELTO DVT-PE TREAT 30D<br>START ORAL TABLETS,DOSE<br>PACK 15 MG (42)- 20 MG (9)                | 1                     |                                     |
| XARELTO ORAL SUSPENSION<br>FOR RECONSTITUTION 1<br>MG/ML (rivaroxaban)                           | 1                     | QL (600 per 30 days)                |
| XARELTO ORAL TABLET 10 MG,<br>20 MG (rivaroxaban)                                                | 1                     | QL (30 per 30 days)                 |
| XARELTO ORAL TABLET 15 MG (rivaroxaban)                                                          | 1                     | QL (60 per 30 days)                 |
| XARELTO ORAL TABLET 2.5 MG (rivaroxaban)                                                         | 1                     | ST; QL (60 per 30 days)             |
| <b>Inhibidores De Agregación De<br/>Plaquetas</b>                                                |                       |                                     |
| <i>aspirin-dipyridamole oral capsule, er<br/>multiphase 12 hr 25-200 mg</i>                      | 1                     |                                     |
| BRILINTA ORAL TABLET 90 MG (ticagrelor)                                                          | 1                     |                                     |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                                      | 1                     |                                     |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                                                    | 1                     |                                     |
| <i>dipyridamole oral tablet 25 mg, 50<br/>mg, 75 mg</i>                                          | 1                     |                                     |
| <i>pentoxifylline oral tablet extended<br/>release 400 mg</i>                                    | 1                     |                                     |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                                           | 1                     | QL (30 per 30 days)                 |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                                            | 1                     |                                     |
| <b>Modificadores De Formación De<br/>Sangre</b>                                                  |                       |                                     |
| ALVAIZ ORAL TABLET 18 MG,<br>36 MG, 54 MG, 9 MG                                                  | 1                     | PA; NM; NDS; QL (60<br>per 30 days) |
| CINRYZE INTRAVENOUS<br>RECON SOLN 500 UNIT (5 ML)                                                | 1                     | PA; NM; NDS                         |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                | Nivel del Medicamento | Requerimientos/<br>Límites           |
|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| DOPTELET (10 TAB PACK) ORAL<br>TABLET 20 MG                                                                                           | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| DOPTELET (15 TAB PACK) ORAL<br>TABLET 20 MG                                                                                           | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| DOPTELET (30 TAB PACK) ORAL<br>TABLET 20 MG                                                                                           | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| DOPTELET SPRINKLE ORAL<br>CAPSULE, SPRINKLE 10 MG                                                                                     | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| <i>eltrombopag olamine oral powder in</i> (Promacta)<br><i>packet 12.5 mg</i>                                                         | 1                     | PA; NM; NDS; QL (90<br>per 30 days)  |
| <i>eltrombopag olamine oral powder in</i> (Promacta)<br><i>packet 25 mg</i>                                                           | 1                     | PA; NM; NDS; QL (180<br>per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5</i> (Promacta)<br><i>mg</i>                                                                   | 1                     | PA; NM; NDS; QL (90<br>per 30 days)  |
| <i>eltrombopag olamine oral tablet 25</i> (Promacta)<br><i>mg</i>                                                                     | 1                     | PA; NM; NDS; QL (30<br>per 30 days)  |
| <i>eltrombopag olamine oral tablet 50</i> (Promacta)<br><i>mg, 75 mg</i>                                                              | 1                     | PA; NM; NDS; QL (60<br>per 30 days)  |
| HAEGARDA SUBCUTANEOUS<br>RECON SOLN 2,000 UNIT                                                                                        | 1                     | PA; NM; NDS; QL (30<br>per 30 days)  |
| HAEGARDA SUBCUTANEOUS<br>RECON SOLN 3,000 UNIT                                                                                        | 1                     | PA; NM; NDS; QL (20<br>per 30 days)  |
| LEUKINE INJECTION RECON<br>SOLN 250 MCG                                                                                               | 1                     | PA; NM; NDS                          |
| NIVESTYM INJECTION<br>SOLUTION 300 MCG/ML, 480<br>MCG/1.6 ML                                                                          | 1                     | PA; NM; NDS                          |
| NIVESTYM SUBCUTANEOUS<br>SYRINGE 300 MCG/0.5 ML, 480<br>MCG/0.8 ML                                                                    | 1                     | PA; NM; NDS                          |
| NYVEPRIA SUBCUTANEOUS<br>SYRINGE 6 MG/0.6 ML                                                                                          | 1                     | PA; NM; NDS                          |
| RETACRIT INJECTION<br>SOLUTION 10,000 UNIT/ML, 2,000<br>UNIT/ML, 20,000 UNIT/2 ML,<br>20,000 UNIT/ML, 3,000 UNIT/ML,<br>4,000 UNIT/ML | 1                     | PA; QL (12 per 28 days)              |
| RETACRIT INJECTION<br>SOLUTION 40,000 UNIT/ML                                                                                         | 1                     | PA; QL (4 per 28 days)               |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                                                   | Nivel del Medicamento | Requerimientos/<br>Límites       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------------|
| ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML                                                                                                                                             | 1                     | PA; NM; NDS                      |
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML                                                                                                                    | 1                     | PA; NM; NDS                      |
| <b>Reemplazo/Modificadores De Enzima</b>                                                                                                                                                 |                       |                                  |
| <b>Reemplazo/Modificadores De Enzima</b>                                                                                                                                                 |                       |                                  |
| CERDELGA ORAL CAPSULE 84 MG                                                                                                                                                              | 1                     | PA; NM; NDS                      |
| CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 1                     |                                  |
| GALAFOLD ORAL CAPSULE 123 MG                                                                                                                                                             | 1                     | PA; NM; NDS; QL (14 per 28 days) |
| <i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)                                                                                                                                | 1                     | PA; NM; NDS                      |
| <i>miglustat oral capsule 100 mg</i> (Yargesa)                                                                                                                                           | 1                     | PA; NM; NDS; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)                                                                                                                        | 1                     | PA; NM; NDS                      |
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                                                          | 1                     | PA; NM; NDS                      |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML                                                                                                                      | 1                     | PA; NM; NDS                      |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                                                                                    | 1                     | PA BvD; NM; NDS                  |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)                                                                                                                                 | 1                     | PA; NM; NDS                      |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)                                                                                                                                | 1                     | PA; NM; NDS                      |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                                                                                                                                                                                                                                        | Nivel del Medicamento | Requerimientos/<br>Límites          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| STRENSIQ SUBCUTANEOUS<br>SOLUTION 18 MG/0.45 ML, 28<br>MG/0.7 ML, 40 MG/ML, 80 MG/0.8<br>ML                                                                                                                                                                                                                   | 1                     | PA; NM; LA; NDS                     |
| <i>yargesa oral capsule 100 mg</i> (miglustat)                                                                                                                                                                                                                                                                | 1                     | PA; NM; NDS; QL (90<br>per 30 days) |
| ZENPEP ORAL<br>CAPSULE, DELAYED<br>RELEASE (DR/EC) 10,000-32,000 -<br>42,000 UNIT, 15,000-47,000 -63,000<br>UNIT, 20,000-63,000- 84,000 UNIT,<br>25,000-79,000- 105,000 UNIT,<br>3,000-10,000 -14,000-UNIT, 40,000-<br>126,000- 168,000 UNIT, 5,000-<br>17,000- 24,000 UNIT, 60,000-<br>189,600- 252,600 UNIT | 1                     |                                     |
| <b>Relajantes Musculares<br/>Esqueléticos</b>                                                                                                                                                                                                                                                                 |                       |                                     |
| <b>Relajantes Musculares Esqueléticos</b>                                                                                                                                                                                                                                                                     |                       |                                     |
| <i>baclofen oral tablet 10 mg, 20 mg, 5<br/>mg</i>                                                                                                                                                                                                                                                            | 1                     |                                     |
| <i>cyclobenzaprine oral tablet 10 mg, 5<br/>mg</i>                                                                                                                                                                                                                                                            | 1                     |                                     |
| <i>dantrolene oral capsule 100 mg, 50<br/>mg</i>                                                                                                                                                                                                                                                              | 1                     |                                     |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium)                                                                                                                                                                                                                                                               | 1                     |                                     |
| <i>methocarbamol oral tablet 500 mg,<br/>750 mg</i>                                                                                                                                                                                                                                                           | 1                     |                                     |
| <i>tizanidine oral tablet 2 mg</i>                                                                                                                                                                                                                                                                            | 1                     |                                     |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)                                                                                                                                                                                                                                                                 | 1                     |                                     |
| <b>Vitaminas Y Minerales</b>                                                                                                                                                                                                                                                                                  |                       |                                     |
| <b>Vitaminas Y Minerales</b>                                                                                                                                                                                                                                                                                  |                       |                                     |
| <i>bal-care dha combo pack 27-1-430<br/>mg</i>                                                                                                                                                                                                                                                                | 1                     |                                     |
| <i>bal-care dha essential pack 27 mg<br/>iron-1 mg -374 mg</i>                                                                                                                                                                                                                                                | 1                     |                                     |
| <i>c-nate dha softgel 28 mg iron-1 mg -<br/>200 mg</i>                                                                                                                                                                                                                                                        | 1                     |                                     |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                                                                            | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|----------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------|
| <i>completenate tablet chew 29 mg iron-1 mg</i>                                                          | 1                            |                                    |
| <i>folivane-ob capsule 85-1 mg</i>                                                                       | 1                            |                                    |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>                                                    | 1                            |                                    |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>                                                                | 1                            |                                    |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                             | 1                            |                                    |
| <i>mynatal advance oral tablet 90-1-50 mg</i>                                                            | 1                            |                                    |
| <i>mynatal capsule 65 mg iron- 1 mg</i>                                                                  | 1                            |                                    |
| <i>mynatal oral tablet 90-1-50 mg</i>                                                                    | 1                            |                                    |
| <i>mynatal plus captab 65 mg iron- 1 mg</i>                                                              | 1                            |                                    |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>                                                                 | 1                            |                                    |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>                                       | 1                            |                                    |
| <i>newgen tablet 32-1,000 mg-mcg</i>                                                                     | 1                            |                                    |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                                                 | 1                            |                                    |
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>                                                | 1                            |                                    |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>                            | 1                            |                                    |
| <i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>                                                             | 1                            |                                    |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                            |                                    |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>                                                 | 1                            |                                    |
| <i>pnv-omega softgel 28-1-300 mg</i>                                                                     | 1                            |                                    |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                                               | 1                            |                                    |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                                            | 1                            |                                    |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>                                                   | 1                            |                                    |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                                            | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| Nombre del Medicamento                                                                              | Nivel del Medicamento | Requerimientos/<br>Límites |
|-----------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| <i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>                                              | 1                     |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>                                                  | 1                     |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>                                                | 1                     |                            |
| <i>prenatabs fa tablet 29-1 mg</i>                                                                  | 1                     |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>                               | 1                     |                            |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                     |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)             | 1                     |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                     |                            |
| <i>prenatal-u capsule 106.5-1 mg</i>                                                                | 1                     |                            |
| <i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                        | 1                     |                            |
| <i>pretab oral tablet 29-1 mg</i>                                                                   | 1                     |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>                                                   | 1                     |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                     |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                     |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                     |                            |
| <i>taron-c dha capsule 35-1-200 mg</i>                                                              | 1                     |                            |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>                          | 1                     |                            |
| <i>virt-c dha oral capsule 35-1-200 mg</i>                                                          | 1                     |                            |
| <i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>                                                 | 1                     |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>                                             | 1                     |                            |
| <i>virt-pn plus oral capsule 28-1-300 mg</i>                                                        | 1                     |                            |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

| <b>Nombre del Medicamento</b>                               | <b>Nivel del Medicamento</b> | <b>Requerimientos/<br/>Límites</b> |
|-------------------------------------------------------------|------------------------------|------------------------------------|
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                | 1                            |                                    |
| <i>vitafol nano oral tablet 18 mg iron- 1 mg</i>            | 1                            |                                    |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                | 1                            |                                    |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 1                            |                                    |
| <i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>       | 1                            |                                    |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>        | 1                            |                                    |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                   | 1                            |                                    |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>        | 1                            |                                    |

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

## ÍNDICE

|                                         |          |  |
|-----------------------------------------|----------|--|
| <b>1</b>                                |          |  |
| 1ST TIER UNIFINE                        |          |  |
| PENTIPS .....                           | 148, 149 |  |
| 1ST TIER UNIFINE                        |          |  |
| PENTIPS PLUS .....                      | 149      |  |
| <b>A</b>                                |          |  |
| <i>abacavir</i> .....                   | 142      |  |
| <i>abacavir-lamivudine</i> .....        | 142      |  |
| ABELCET .....                           | 138      |  |
| <i>abigale</i> .....                    | 80       |  |
| <i>abigale lo</i> .....                 | 80       |  |
| ABILIFY ASIMTUFII .....                 | 36       |  |
| ABILIFY MAINTENA .....                  | 36       |  |
| <i>abiraterone</i> .....                | 3        |  |
| <i>abiraterone, submicronized</i> ..... | 3        |  |
| <i>abirtega</i> .....                   | 3        |  |
| ABOUTTIME PEN NEEDLE                    |          |  |
| .....                                   | 149      |  |
| ABRYSVO (PF) .....                      | 92       |  |
| <i>acamprosate</i> .....                | 22       |  |
| <i>acarbose</i> .....                   | 25       |  |
| <i>accutane</i> .....                   | 72       |  |
| <i>acebutolol</i> .....                 | 45       |  |
| <i>acetaminophen-codeine</i> ..         | 108      |  |
| <i>acetazolamide</i> .....              | 98       |  |
| <i>acetazolamide sodium</i> .....       | 98       |  |
| <i>acetic acid</i> .....                | 99       |  |
| <i>acetylcysteine</i> .....             | 63       |  |
| <i>acitretin</i> .....                  | 72       |  |
| ACTHIB (PF) .....                       | 92       |  |
| ACTIMMUNE .....                         | 103      |  |
| <i>acyclovir</i> .....                  | 72, 148  |  |
| <i>acyclovir sodium</i> .....           | 148      |  |
| ADACEL(TDAP                             |          |  |
| ADOLESN/ADULT)(PF). 92                  |          |  |
| <i>adapalene</i> .....                  | 74       |  |
| <i>adefovir</i> .....                   | 148      |  |
| ADEMPAS .....                           | 105      |  |
| <i>adrucil</i> .....                    | 3        |  |
| ADVAIR HFA .....                        | 65       |  |
| ADVOCATE PEN NEEDLE                     |          |  |
| .....                                   | 150      |  |
| ADVOCATE SYRINGES .....                 | 149      |  |
| <i>afirmelle</i> .....                  | 120      |  |
| AIMOVIG AUTOINJECTOR                    |          |  |
| .....                                   | 31       |  |
| AIRSUPRA .....                          | 65, 67   |  |
| AKEEGA .....                            | 3        |  |
| <i>ala-cort</i> .....                   | 69       |  |
| <i>ala-scalp</i> .....                  | 69       |  |
| <i>albendazole</i> .....                | 33       |  |
| <i>albuterol sulfate</i> .....          | 67       |  |
| <i>alclometasone</i> .....              | 69       |  |
| ALCOHOL PADS .....                      | 150      |  |
| ALCOHOL PREP PADS ..                    | 169      |  |
| ALCOHOL PREP SWABS                      |          |  |
| .....                                   | 150      |  |
| ALCOHOL SWABS .....                     | 165      |  |
| ALCOHOL WIPES .....                     | 150      |  |
| ALECENSA .....                          | 3        |  |
| <i>alendronate</i> .....                | 57       |  |
| <i>alfuzosin</i> .....                  | 78       |  |
| <i>aliskiren</i> .....                  | 55       |  |
| <i>allopurinol</i> .....                | 31       |  |
| <i>alosetron</i> .....                  | 56       |  |
| <i>alprazolam</i> .....                 | 23       |  |
| <i>altavera (28)</i> .....              | 120      |  |
| ALTRENO .....                           | 74       |  |
| ALUNBRIG .....                          | 3        |  |
| ALVAIZ .....                            | 196      |  |
| <i>alyacen 1/35 (28)</i> .....          | 120      |  |
| <i>alyacen 7/7/7 (28)</i> .....         | 120      |  |
| ALYFTREK .....                          | 63       |  |
| <i>alyq</i> .....                       | 105      |  |
| <i>amabelz</i> .....                    | 80       |  |
| <i>amantadine hcl</i> .....             | 34       |  |
| <i>ambrisentan</i> .....                | 105      |  |
| <i>amethia</i> .....                    | 120      |  |
| <i>amethyst (28)</i> .....              | 120      |  |
| <i>amikacin</i> .....                   | 112      |  |
| <i>amiloride</i> .....                  | 53       |  |
| <i>amiloride-hydrochlorothiazide</i>    |          |  |
| .....                                   | 53       |  |
| <i>amiodarone</i> .....                 | 45       |  |
| <i>amitriptyline</i> .....              | 135      |  |
| <i>amitriptyline-</i>                   |          |  |
| <i>chlordiazepoxide</i> .....           | 135      |  |
| <i>amlodipine</i> .....                 | 50       |  |
| <i>amlodipine-atorvastatin</i> .....    | 51       |  |
| <i>amlodipine-benazepril</i> .....      | 50       |  |
| <i>amlodipine-olmesartan</i> .....      | 50       |  |
| <i>amlodipine-valsartan</i> .....       | 50       |  |
| <i>amlodipine-valsartan-</i>            |          |  |
| <i>hcthiazid</i> .....                  | 50       |  |
| <i>ammonium lactate</i> .....           | 72       |  |
| <i>amoxapine</i> .....                  | 135      |  |
| <i>amoxicil-clarithromy-</i>            |          |  |
| <i>lansopraz</i> .....                  | 74       |  |
| <i>amoxicillin</i> .....                | 116      |  |
| <i>amoxicillin-pot clavulanate</i>      |          |  |
| .....                                   | 117      |  |
| <i>amphotericin b</i> .....             | 138      |  |
| <i>amphotericin b liposome</i> ..       | 138      |  |
| <i>ampicillin</i> .....                 | 117      |  |
| <i>ampicillin sodium</i> .....          | 117      |  |
| <i>ampicillin-sulbactam</i> .....       | 117      |  |
| <i>anagrelide</i> .....                 | 194      |  |
| <i>anastrozole</i> .....                | 3        |  |
| ANDEMBRY                                |          |  |
| AUTOINJECTOR .....                      | 103      |  |
| ANKTIVA .....                           | 3        |  |

|                                      |          |                                     |          |                                   |          |
|--------------------------------------|----------|-------------------------------------|----------|-----------------------------------|----------|
| ANORO ELLIPTA.....                   | 67       | AUGTYRO .....                       | 3        | BD ECLIPSE LUER-LOK.....          | 151      |
| <i>apomorphine</i> .....             | 34       | <i>auranofin</i> .....              | 85       | BD INSULIN SYRINGE ...            | 151      |
| <i>apraclonidine</i> .....           | 102      | <i>aurovela 1.5/30 (21)</i> .....   | 120      | BD INSULIN SYRINGE                |          |
| <i>aprepitant</i> .....              | 32       | <i>aurovela 1/20 (21)</i> .....     | 120      | (HALF UNIT) .....                 | 151      |
| <i>apri</i> .....                    | 120      | <i>aurovela 24 fe</i> .....         | 120      | BD INSULIN SYRINGE                |          |
| APTIVUS.....                         | 142      | <i>aurovela fe 1.5/30 (28)</i> .... | 120      | ULTRA-FINE .....                  | 151      |
| AQINJECT PEN NEEDLE                  |          | <i>aurovela fe 1-20 (28)</i> .....  | 120      | BD LO-DOSE ULTRA-FINE             |          |
| .....                                | 150      | AUSTEDO .....                       | 59       | .....                             | 151      |
| <i>aranelle (28)</i> .....           | 120      | AUSTEDO XR .....                    | 59       | BD NANO 2ND GEN PEN               |          |
| ARCALYST .....                       | 85       | AUSTEDO XR TITRATION                |          | NEEDLE.....                       | 151      |
| AREXVY (PF).....                     | 93       | KT(WK1-4) .....                     | 59       | BD SAFETYGLIDE INSULIN            |          |
| ARIKAYCE .....                       | 112      | AUTOSHIELD DUO PEN                  |          | SYRINGE .....                     | 151, 152 |
| <i>aripiprazole</i> .....            | 36, 37   | NEEDLE .....                        | 151      | BD SAFETYGLIDE                    |          |
| ARISTADA .....                       | 37       | AUVELITY .....                      | 135      | SYRINGE .....                     | 152      |
| ARISTADA INITIO .....                | 37       | <i>aviane</i> .....                 | 120      | BD ULTRA-FINE MICRO               |          |
| <i>armodafinil</i> .....             | 58       | AVMAPKI .....                       | 3        | PEN NEEDLE .....                  | 152      |
| ARNUITY ELLIPTA .....                | 66       | AVMAPKI-FAKZYNJA.....               | 3        | BD ULTRA-FINE MINI PEN            |          |
| <i>ascomp with codeine</i> .....     | 108      | AVONEX .....                        | 59       | NEEDLE.....                       | 152      |
| <i>asenapine maleate</i> .....       | 37       | AXTLE .....                         | 3        | BD ULTRA-FINE NANO PEN            |          |
| <i>ashlyna</i> .....                 | 120      | <i>ayuna</i> .....                  | 121      | NEEDLE.....                       | 152      |
| <i>aspirin-dipyridamole</i> .....    | 196      | AYVAKIT .....                       | 4        | BD ULTRA-FINE ORIG PEN            |          |
| ASSURE ID DUO PRO SFTY               |          | <i>azacitidine</i> .....            | 4        | NEEDLE.....                       | 152      |
| PEN NDL .....                        | 150      | <i>azathioprine</i> .....           | 85       | BD ULTRA-FINE SHORT               |          |
| ASSURE ID DUO-SHIELD                 |          | <i>azathioprine sodium</i> .....    | 85       | PEN NEEDLE .....                  | 152      |
| .....                                | 150      | <i>azelastine</i> .....             | 102, 103 | BD VEO INSULIN SYR                |          |
| ASSURE ID INSULIN                    |          | <i>azithromycin</i> .....           | 116      | (HALF UNIT) .....                 | 152      |
| SAFETY.....                          | 150, 151 | <i>aztreonam</i> .....              | 114      | BD VEO INSULIN SYRINGE            |          |
| ASSURE ID PEN NEEDLE                 |          | <i>azurette (28)</i> .....          | 121      | UF .....                          | 152      |
| .....                                | 150      | <b>B</b>                            |          | BELSOMRA.....                     | 58       |
| ASSURE ID PRO PEN                    |          | <i>bacitracin</i> .....             | 99       | <i>benazepril</i> .....           | 54       |
| NEEDLE .....                         | 150      | <i>bacitracin-polymyxin b</i> ..... | 99       | <i>benazepril-</i>                |          |
| ASTAGRAF XL.....                     | 85       | <i>baclofen</i> .....               | 199      | <i>hydrochlorothiazide</i> .....  | 54       |
| <i>atazanavir</i> .....              | 142      | <i>bal-care dha</i> .....           | 199      | <i>bendamustine</i> .....         | 4        |
| <i>atenolol</i> .....                | 45       | <i>bal-care dha essential</i> ....  | 199      | BENDAMUSTINE .....                | 4        |
| <i>atenolol-chlorthalidone</i> ..... | 46       | <i>balsalazide</i> .....            | 56       | BENDEKA.....                      | 4        |
| <i>atomoxetine</i> .....             | 59       | BALVERSA .....                      | 4        | BENLYSTA .....                    | 85       |
| <i>atorvastatin</i> .....            | 51       | <i>balziva (28)</i> .....           | 121      | <i>benztropine</i> .....          | 34       |
| <i>atovaquone</i> .....              | 33       | BAQSIMI .....                       | 103      | <i>bepotastine besilate</i> ..... | 103      |
| <i>atovaquone-proguanil</i> .....    | 33       | BCG VACCINE, LIVE (PF)              | 93       | BESREMI.....                      | 85       |
| <i>atropine</i> .....                | 102      | BD ALCOHOL SWABS ...                | 152      | <i>betaine</i> .....              | 103      |
| ATROVENT HFA.....                    | 67       | BD AUTOSHIELD DUO PEN               |          | <i>betamethasone dipropionate</i> |          |
| <i>aubra eq</i> .....                | 120      | NEEDLE .....                        | 151      | .....                             | 69       |

|                                                  |        |                                                  |          |                                             |          |
|--------------------------------------------------|--------|--------------------------------------------------|----------|---------------------------------------------|----------|
| <i>betamethasone valerate</i> ....               | 69     | <i>bumetanide</i> .....                          | 53       | <i>carbinoxamine maleate</i> ....           | 141      |
| <i>betamethasone, augmented</i><br>.....         | 69, 70 | <i>buprenorphine</i> .....                       | 108      | <i>carboplatin</i> .....                    | 5        |
| BETASERON .....                                  | 59     | <i>buprenorphine hcl</i> .....                   | 22       | CAREFINE PEN NEEDLE<br>.....                | 152, 153 |
| <i>betaxolol</i> .....                           | 46, 98 | <i>buprenorphine-naloxone</i> ...                | 22       | CARETOUCH ALCOHOL<br>PREP PAD .....         | 153      |
| <i>bethanechol chloride</i> .....                | 78     | <i>bupropion hcl</i> .....                       | 135      | CARETOUCH INSULIN<br>SYRINGE .....          | 153, 154 |
| <i>bexarotene</i> .....                          | 4      | <i>bupropion hcl (smoking<br/>deter)</i> .....   | 22       | CARETOUCH PEN NEEDLE<br>.....               | 153      |
| BEXSERO .....                                    | 93     | <i>buspirone</i> .....                           | 103      | <i>carglumic acid</i> .....                 | 75       |
| <i>bicalutamide</i> .....                        | 4      | <i>butalbital-acetaminop-caf-cod</i><br>.....    | 108      | <i>carteolol</i> .....                      | 98       |
| BICILLIN L-A .....                               | 117    | <i>butalbital-acetaminophen-caff</i><br>.....    | 108      | <i>cartia xt</i> .....                      | 47       |
| BIKTARVY .....                                   | 142    | <i>butalbital-aspirin-caffeine</i>               | 108      | <i>carvedilol</i> .....                     | 46       |
| <i>bimatoprost</i> .....                         | 98     | <i>butorphanol</i> .....                         | 108      | CAYSTON.....                                | 114      |
| <i>bisoprolol fumarate</i> .....                 | 46     | C                                                |          | <i>cefaclor</i> .....                       | 114      |
| <i>bisoprolol-<br/>hydrochlorothiazide</i> ..... | 46     | CABENUVA .....                                   | 142      | <i>cefadroxil</i> .....                     | 114      |
| BIZENGRI .....                                   | 4      | <i>cabergoline</i> .....                         | 34       | <i>cefazolin</i> .....                      | 114      |
| <i>bleomycin</i> .....                           | 4      | CABLIVI .....                                    | 194      | <i>cefdinir</i> .....                       | 114      |
| <i>blisovi 24 fe</i> .....                       | 121    | CABOMETYX .....                                  | 5        | <i>cefepime</i> .....                       | 114      |
| <i>blisovi fe 1.5/30 (28)</i> .....              | 121    | <i>cabotegravir</i> .....                        | 142      | <i>cefexime</i> .....                       | 114, 115 |
| <i>blisovi fe 1/20 (28)</i> .....                | 121    | <i>calcipotriene</i> .....                       | 72       | <i>cefoxitin</i> .....                      | 115      |
| BOOSTRIX TDAP .....                              | 93     | <i>calcitonin (salmon)</i> .....                 | 57       | <i>cefpodoxime</i> .....                    | 115      |
| BORDERED GAUZE .....                             | 152    | <i>calcitriol</i> .....                          | 57       | <i>cefprozil</i> .....                      | 115      |
| <i>bortezomib</i> .....                          | 4      | <i>calcium acetate(phosphat<br/>bind)</i> .....  | 77       | <i>ceftazidime</i> .....                    | 115      |
| BORUZU .....                                     | 4      | CALQUENCE .....                                  | 5        | <i>ceftriaxone</i> .....                    | 115      |
| <i>bosentan</i> .....                            | 105    | CALQUENCE<br>(ACALABRUTINIB MAL) .               | 5        | <i>cefuroxime axetil</i> .....              | 115      |
| BOSULIF.....                                     | 4, 5   | CAMCEVI (6 MONTH).....                           | 5        | <i>cefuroxime sodium</i> .....              | 115      |
| BRAFTOVI .....                                   | 5      | <i>camila</i> .....                              | 121      | <i>celecoxib</i> .....                      | 106      |
| BREO ELLIPTA.....                                | 66     | CAMZYOS .....                                    | 48       | <i>cephalexin</i> .....                     | 115      |
| <i>breyna</i> .....                              | 66     | <i>candesartan</i> .....                         | 49       | CERDELGA .....                              | 198      |
| BREZTRI AEROSPHERE .                             | 67     | <i>candesartan-<br/>hydrochlorothiazid</i> ..... | 49       | <i>cevimeline</i> .....                     | 68       |
| <i>briellyn</i> .....                            | 121    | CAPLYTA .....                                    | 37       | <i>chateal eq (28)</i> .....                | 121      |
| BRILINTA .....                                   | 196    | CAPRELSA.....                                    | 5        | <i>chlordiazepoxide hcl</i> .....           | 23       |
| <i>brimonidine</i> .....                         | 98     | <i>captopril</i> .....                           | 54       | <i>chlorhexidine gluconate</i> ....         | 68       |
| <i>brimonidine-timolol</i> .....                 | 98     | <i>carbamazepine</i> .....                       | 129, 130 | <i>chloroquine phosphate</i> .....          | 33       |
| <i>brinzolamide</i> .....                        | 98     | <i>carbidopa</i> .....                           | 34       | <i>chlorpromazine</i> .....                 | 37       |
| BRIVIACT.....                                    | 129    | <i>carbidopa-levodopa</i> .....                  | 35       | <i>chlorthalidone</i> .....                 | 53       |
| <i>bromfenac</i> .....                           | 101    | <i>carbidopa-levodopa-<br/>entacapone</i> .....  | 35       | <i>cholestyramine (with sugar)</i><br>..... | 51       |
| <i>bromocriptine</i> .....                       | 34     |                                                  |          | <i>cholestyramine light</i> .....           | 51       |
| BRONCHITOL.....                                  | 64     |                                                  |          | <i>ciclopirox</i> .....                     | 138, 139 |
| BRUKINSA.....                                    | 5      |                                                  |          |                                             |          |
| <i>budesonide</i> .....                          | 56, 66 |                                                  |          |                                             |          |
| <i>budesonide-formoterol</i> .....               | 66     |                                                  |          |                                             |          |

|                                      |              |                                     |                                    |               |
|--------------------------------------|--------------|-------------------------------------|------------------------------------|---------------|
| <i>cilostazol</i> .....              | 196          | CLINIMIX 8%-                        | COMETRIQ .....                     | 5             |
| CIMDUO.....                          | 142          | D14W(SULFITE-FREE) 43               | COMFORT EZ INSULIN                 |               |
| <i>cimetidine</i> .....              | 74           | CLINIMIX E 2.75%/D5W                | SYRINGE .....                      | 154, 155, 156 |
| <i>cimetidine hcl</i> .....          | 74           | SULF FREE .....                     | COMFORT EZ PEN                     |               |
| CIMZIA.....                          | 85, 86       | CLINIMIX E 4.25%/D10W               | NEEDLES .....                      | 154, 155      |
| CIMZIA POWDER FOR                    |              | SUL FREE.....                       | COMFORT EZ PRO                     |               |
| RECONST .....                        | 85           | CLINIMIX E 4.25%/D5W                | SAFETY PEN NDL.....                | 155           |
| CIMZIA STARTER KIT .....             | 86           | SULF FREE .....                     | COMFORT TOUCH PEN                  |               |
| <i>cinacalcet</i> .....              | 57           | CLINIMIX E 5%/D15W                  | NEEDLE.....                        | 156           |
| CINRYZE .....                        | 196          | SULFIT FREE .....                   | <i>completenate</i> .....          | 200           |
| <i>ciprofloxacin hcl</i> .....       | 99, 118      | CLINIMIX E 5%/D20W                  | <i>compro</i> .....                | 32            |
| <i>ciprofloxacin in 5 % dextrose</i> |              | SULFIT FREE .....                   | <i>conjugated estrogens</i> .....  | 80            |
| .....                                | 118          | CLINIMIX E 8%-D10W                  | <i>constulose</i> .....            | 75            |
| <i>ciprofloxacin-dexamethasone</i>   |              | SULFITEFREE .....                   | COPIKTRA .....                     | 5             |
| .....                                | 99           | CLINIMIX E 8%-D14W                  | CORLANOR .....                     | 48            |
| <i>citalopram</i> .....              | 135          | SULFITEFREE .....                   | CORTROPHIN GEL ....                | 82, 83        |
| <i>cladribine</i> .....              | 5            | <i>clobazam</i> .....               | COSENTYX.....                      | 86            |
| <i>clarithromycin</i> .....          | 116          | <i>clobetasol</i> .....             | COSENTYX (2 SYRINGES)              |               |
| <i>clemastine</i> .....              | 141          | <i>clobetasol-emollient</i> .....   | .....                              | 86            |
| <i>clemasz</i> .....                 | 141          | <i>clomipramine</i> .....           | COSENTYX PEN (2 PENS)              |               |
| <i>clemsza</i> .....                 | 141          | <i>clonazepam</i> .....             | .....                              | 86            |
| CLICKFINE PEN NEEDLE                 |              | <i>clonidine</i> .....              | COSENTYX UNOREADY                  |               |
| .....                                | 154, 165     | <i>clonidine hcl</i> .....          | PEN.....                           | 86            |
| <i>clindamycin hcl</i> .....         | 113          | <i>clopidogrel</i> .....            | COTELLIC .....                     | 5             |
| <i>clindamycin pediatric</i> .....   | 113          | <i>clorazepate dipotassium</i> ...  | CREON.....                         | 198           |
| <i>clindamycin phosphate</i> .....   | 73, 112, 113 | <i>clotrimazole</i> .....           | CRESEMBA.....                      | 139           |
| <i>clindamycin-benzoyl peroxide</i>  |              | <i>clotrimazole-betamethasone</i>   | <i>cromolyn</i> .....              | 64, 75, 103   |
| .....                                | 73           | .....                               | <i>cryselle (28)</i> .....         | 121           |
| CLINIMIX 5%/D15W                     |              | <i>clozapine</i> .....              | CURAD GAUZE PAD .....              | 156           |
| SULFITE FREE .....                   | 43           | <i>c-nate dha</i> .....             | CURITY ALCOHOL SWABS               |               |
| CLINIMIX 4.25%/D10W                  |              | COARTEM .....                       | .....                              | 156           |
| SULF FREE.....                       | 43           | COBENFY .....                       | CURITY GAUZE .....                 | 156           |
| CLINIMIX 4.25%/D5W                   |              | COBENFY STARTER PACK                | <i>cyclobenzaprine</i> .....       | 199           |
| SULFIT FREE.....                     | 43           | .....                               | <i>cyclophosphamide</i> .....      | 5, 6          |
| CLINIMIX 5%-                         |              | <i>codeine sulfate</i> .....        | <i>cyclosporine</i> .....          | 86, 101       |
| D20W(SULFITE-FREE). 43               |              | <i>codeine-butalbital-asa-caff</i>  | <i>cyclosporine modified</i> ..... | 86            |
| CLINIMIX 6%-D5W                      |              | .....                               | CYLTEZO(CF) .....                  | 87            |
| (SULFITE-FREE).....                  | 43           | <i>colchicine</i> .....             | CYLTEZO(CF) PEN .....              | 86            |
| CLINIMIX 8%-                         |              | <i>colesevelam</i> .....            | CYLTEZO(CF) PEN                    |               |
| D10W(SULFITE-FREE). 43               |              | <i>colestipol</i> .....             | CROHN'S-UC-HS .....                | 86            |
|                                      |              | <i>colistin (colistimethate na)</i> | CYLTEZO(CF) PEN                    |               |
|                                      |              | 113                                 | PSORIASIS-UV.....                  | 86            |
|                                      |              | COMBIVENT RESPIMAT . 67             |                                    |               |

*ciproheptadine*..... 141  
*cyred eq* ..... 121  
**D**  
*d5 % (d-glucose)-0.9 %  
sodchlr* ..... 193  
*d5 % and 0.9 % sodium  
chloride* ..... 193  
*d5 %-0.45 % sodium chloride*  
..... 193  
*dabigatran etexilate* ..... 195  
*dalfampridine*..... 59  
*danazol*..... 79  
*dantrolene* ..... 199  
DANYELZA ..... 6  
DANZITEN ..... 6  
*dapagliflozin propanediol* .. 25  
*dapsone* ..... 141  
DAPTACEL (DTAP  
PEDIATRIC) (PF) ..... 93  
*daptomycin*..... 113  
*darunavir* ..... 142  
DARZALEX ..... 6  
DARZALEX FASPRO..... 6  
*dasatinib*..... 6  
*dasetta 1/35 (28)*..... 121  
*dasetta 7/7/7 (28)*..... 121  
DATROWAY ..... 6  
DAURISMO..... 6  
DAWNZERA..... 48  
*daysee*..... 121  
*deblitane*..... 121  
*decitabine*..... 6  
*deferasirox* ..... 111  
*deferiprone* ..... 111  
DELSTRIGO ..... 142  
*demeclocycline*..... 119  
DENGVAIXIA (PF)..... 93  
*denta 5000 plus*..... 68  
*dentagel* ..... 68  
DEPO-SUBQ PROVERA 104  
..... 84  
DERMACEA..... 156, 157

DERMACEA NON-WOVEN  
..... 157  
*dermacinrx lidocan*..... 110  
DESCOVY ..... 142  
*desipramine* ..... 135, 136  
*desmopressin* ..... 83  
*desog-e.estradiol/e.estradiol*  
..... 121  
*desogestrel-ethinyl estradiol*  
..... 121  
*desonide* ..... 70  
*desoximetasone*..... 70  
*desvenlafaxine succinate* 136  
*dexamethasone* ..... 82  
*dexamethasone sodium  
phosphate* ..... 82, 101  
*dexmethylphenidate*..... 59  
*dextroamphetamine sulfate*  
..... 60  
*dextroamphetamine-*  
*amphetamine* ..... 60  
*dextrose 5 % in water (d5w)*  
..... 44  
DIACOMIT ..... 130  
*diazepam* ..... 23, 130  
*diazepam intensol*..... 23  
*diazoxide*..... 103  
*diclofenac epolamine* ..... 106  
*diclofenac potassium* ..... 106  
*diclofenac sodium* ... 101, 106  
*diclofenac-misoprostol* .... 107  
*dicloxacillin*..... 117  
*dicyclomine* ..... 75  
*didanosine* ..... 142  
DIFICID ..... 116  
*diflorasone* ..... 70  
*diflunisal*..... 107  
*difluprednate* ..... 101  
*digoxin* ..... 48  
*dihydroergotamine* ..... 31  
DILANTIN ..... 130  
*diltiazem hcl* ..... 47

*dilt-xr* ..... 47  
*dimethyl fumarate* ..... 60  
DIPENTUM..... 56  
*diphenoxylate-atropine* ..... 76  
*dipyridamole* ..... 196  
*disopyramide phosphate*... 45  
*disulfiram* ..... 22  
*divalproex* ..... 130  
*dofetilide* ..... 45  
*dolishale*..... 121  
*donepezil* ..... 24  
DOPTELET (10 TAB PACK)  
..... 197  
DOPTELET (15 TAB PACK)  
..... 197  
DOPTELET (30 TAB PACK)  
..... 197  
DOPTELET SPRINKLE ... 197  
*dorzolamide* ..... 98  
*dorzolamide-timolol*..... 98  
*dotti* ..... 80  
DOVATO ..... 142  
*doxazosin*..... 44  
*doxepin* ..... 58, 136  
*doxercalciferol*..... 57  
*doxorubicin, peg-liposomal* .. 6  
*doxy-100* ..... 119  
*doxycycline hyclate*..... 119  
*doxycycline monohydrate* 119  
DRIZALMA SPRINKLE ... 136  
*dronabinol*..... 32  
DROPLET INSULIN  
SYR(HALF UNIT).157, 158  
DROPLET INSULIN  
SYRINGE .... 157, 158, 159  
DROPLET MICRON PEN  
NEEDLE ..... 159  
DROPLET PEN NEEDLE 159  
DROPSAFE ALCOHOL  
PREP PADS ..... 159  
DROPSAFE INSULIN  
SYRINGE ..... 159, 160



|                                             |        |                                           |        |                                             |             |
|---------------------------------------------|--------|-------------------------------------------|--------|---------------------------------------------|-------------|
| <i>erythromycin-benzoyl peroxide</i> .....  | 73     | <i>famciclovir</i> .....                  | 148    | <i>flavoxate</i> .....                      | 78          |
| ERZOFRI .....                               | 38     | <i>famotidine</i> .....                   | 75     | <i>flecainide</i> .....                     | 45          |
| <i>escitalopram oxalate</i> .....           | 136    | FANAPT .....                              | 38     | <i>floxuridine</i> .....                    | 8           |
| <i>eslicarbazepine</i> .....                | 131    | FANAPT TITRATION PACK A .....             | 38     | <i>fluconazole</i> .....                    | 139         |
| <i>esomeprazole magnesium</i> .....         | 74     | FANAPT TITRATION PACK B .....             | 38     | <i>fluconazole in nacl (iso-osm)</i> .....  | 139         |
| <i>estarylla</i> .....                      | 122    | FANAPT TITRATION PACK C.....              | 38     | <i>flucytosine</i> .....                    | 139         |
| <i>estazolam</i> .....                      | 24     | FARXIGA .....                             | 25     | <i>fludrocortisone</i> .....                | 82          |
| <i>estradiol</i> .....                      | 80, 81 | FASENRA .....                             | 64     | <i>flunisolide</i> .....                    | 101         |
| <i>estradiol valerate</i> .....             | 81     | FASENRA PEN .....                         | 64     | <i>fluocinolone</i> .....                   | 70          |
| <i>estradiol-norethindrone acet</i> .....   | 81     | <i>febuxostat</i> .....                   | 31     | <i>fluocinolone acetonide oil</i> .....     | 102         |
| <i>eszopiclone</i> .....                    | 58     | <i>feirza</i> .....                       | 122    | <i>fluocinonide</i> .....                   | 70          |
| <i>ethambutol</i> .....                     | 141    | <i>felbamate</i> .....                    | 131    | <i>fluocinonide-emollient</i> .....         | 70          |
| <i>ethosuximide</i> .....                   | 131    | <i>felodipine</i> .....                   | 50     | <i>fluoride (sodium)</i> .....              | 68, 69      |
| <i>ethynodiol diac-eth estradiol</i> .....  | 122    | FEMRING .....                             | 81     | <i>fluorometholone</i> .....                | 102         |
| <i>etodolac</i> .....                       | 107    | <i>femynor</i> .....                      | 122    | <i>fluorouracil</i> .....                   | 8, 72       |
| <i>etonogestrel-ethinyl estradiol</i> ..... | 122    | <i>fenofibrate</i> .....                  | 52     | <i>fluoxetine</i> .....                     | 136, 137    |
| ETOPOPHOS .....                             | 7      | <i>fenofibrate micronized</i> .....       | 51     | <i>fluphenazine decanoate</i> .....         | 38          |
| <i>etoposide</i> .....                      | 7      | <i>fenofibrate nanocrystallized</i> ..... | 51, 52 | <i>fluphenazine hcl</i> .....               | 38          |
| <i>etravirine</i> .....                     | 143    | <i>fenofibric acid (choline)</i> .....    | 52     | <i>flurazepam</i> .....                     | 24          |
| EUCRISA .....                               | 70     | <i>fenoprofen</i> .....                   | 107    | <i>flurbiprofen</i> .....                   | 107         |
| EULEXIN .....                               | 7      | <i>fentanyl</i> .....                     | 109    | <i>flurbiprofen sodium</i> .....            | 102         |
| <i>everolimus (antineoplastic)</i> .....    | 7, 8   | <i>fentanyl citrate</i> .....             | 109    | <i>flutamide</i> .....                      | 8           |
| <i>everolimus (immunosuppressive)</i> ....  | 87     | FERRIPROX.....                            | 111    | <i>fluticasone propionate</i> .....         | 66, 71, 102 |
| EVOTAZ .....                                | 143    | <i>fesoterodine</i> .....                 | 78     | <i>fluticasone propion-salmeterol</i> ..... | 66          |
| EVRYSDI .....                               | 104    | FETZIMA .....                             | 136    | <i>fluvastatin</i> .....                    | 52          |
| EXEL INSULIN .....                          | 165    | FIASP FLEXTOUCH U-100 INSULIN .....       | 27     | <i>fluvoxamine</i> .....                    | 137         |
| <i>exemestane</i> .....                     | 8      | FIASP PENFILL U-100 INSULIN .....         | 28     | <i>folivane-ob</i> .....                    | 200         |
| EXTENCILLINE.....                           | 117    | FIASP PUMPCART .....                      | 28     | <i>fondaparinux</i> .....                   | 195         |
| EXXUA .....                                 | 136    | FIASP U-100 INSULIN.....                  | 28     | <i>fosamprenavir</i> .....                  | 143         |
| EYSUVIS.....                                | 101    | <i>fidaxomicin</i> .....                  | 116    | <i>fosfomycin tromethamine</i> .....        | 113         |
| EZALLOR SPRINKLE .....                      | 51     | <i>finasteride</i> .....                  | 78     | <i>fosinopril</i> .....                     | 54          |
| <i>ezetimibe</i> .....                      | 51     | <i>finolimid</i> .....                    | 60     | <i>fosinopril-hydrochlorothiazide</i> ..... | 54          |
| <i>ezetimibe-simvastatin</i> .....          | 51     | FINTEPLA.....                             | 131    | <i>fosphenytoin</i> .....                   | 131         |
| <b>F</b>                                    |        | <i>fioricet</i> .....                     | 109    | FOTIVDA .....                               | 8           |
| FAKZYNJA .....                              | 8      | FIRMAGON KIT W DILUENT SYRINGE .....      | 8      | FREESTYLE PRECISION .....                   | 165         |
| <i>falmina (28)</i> .....                   | 122    |                                           |        | FRUZAQLA.....                               | 8           |
|                                             |        |                                           |        | <i>fulvestrant</i> .....                    | 8           |

|                                      |             |                                      |        |                                      |            |
|--------------------------------------|-------------|--------------------------------------|--------|--------------------------------------|------------|
| <i>furosemide</i> .....              | 53          | <i>glucagon emergency kit</i>        |        | HEPLISAV-B (PF) .....                | 94         |
| FUZEON .....                         | 143         | <i>(human)</i> .....                 | 104    | HERCEPTIN HYLECTA.....               | 9          |
| FYARRO .....                         | 8           | <i>glutamine (sickle cell)</i> ..... | 104    | HERNEXEOS .....                      | 9          |
| <i>fyavolv</i> .....                 | 81          | <i>glyburide</i> .....               | 30     | HETLIOZ LQ.....                      | 58         |
| FYCOMPA.....                         | 131         | <i>glyburide micronized</i> .....    | 30     | HIBERIX (PF) .....                   | 94         |
| <b>G</b>                             |             | <i>glyburide-metformin</i> .....     | 30     | HUMIRA.....                          | 88         |
| <i>gabapentin</i> .....              | 131         | <i>glycerol phenylbutyrate</i> ..... | 76     | HUMIRA PEN .....                     | 88         |
| GALAFOLD .....                       | 198         | <i>glycopyrrolate</i> .....          | 76     | HUMIRA PEN CROHNS-UC-                |            |
| <i>galantamine</i> .....             | 24          | <i>glydo</i> .....                   | 111    | HS START .....                       | 87         |
| <i>gallifrey</i> .....               | 84          | GLYXAMBI.....                        | 25     | HUMIRA PEN PSOR-                     |            |
| GAMMAGARD S-D (IGA < 1               |             | GOMEKLI .....                        | 9      | UVEITS-ADOL HS .....                 | 88         |
| MCG/ML) .....                        | 87          | <i>granisetron hcl</i> .....         | 32     | HUMIRA(CF) .....                     | 88         |
| GAMMAPLEX .....                      | 87          | <i>griseofulvin microsize</i> .....  | 139    | HUMIRA(CF) PEDI CROHNS               |            |
| GAMUNEX-C .....                      | 87          | <i>griseofulvin ultramicrosize</i>   |        | STARTER.....                         | 88         |
| GARDASIL 9 (PF) .....                | 93          | .....                                | 139    | HUMIRA(CF) PEN .....                 | 88         |
| <i>gatifloxacin</i> .....            | 99          | <i>guanfacine</i> .....              | 45, 61 | HUMIRA(CF) PEN                       |            |
| GATTEX 30-VIAL .....                 | 76          | GVOKE .....                          | 104    | CROHNS-UC-HS .....                   | 88         |
| GAUZE BANDAGE .....                  | 165         | GVOKE HYPOPEN 2-PACK                 |        | HUMIRA(CF) PEN                       |            |
| GAUZE PAD.....                       | 165         | .....                                | 104    | PEDIATRIC UC .....                   | 88         |
| <i>gavilyte-c</i> .....              | 78          | GVOKE PFS 1-PACK                     |        | HUMIRA(CF) PEN PSOR-                 |            |
| <i>gavilyte-g</i> .....              | 78          | SYRINGE .....                        | 104    | UV-ADOL HS .....                     | 88         |
| <i>gavilyte-n</i> .....              | 78          | <b>H</b>                             |        | HUMULIN R U-500 (CONC)               |            |
| GAVRETO .....                        | 8           | HAEGARDA.....                        | 197    | INSULIN .....                        | 28         |
| <i>gefitinib</i> .....               | 8           | <i>hailey 24 fe</i> .....            | 122    | HUMULIN R U-500 (CONC)               |            |
| <i>gemcitabine</i> .....             | 8, 9        | <i>hailey fe 1.5/30 (28)</i> .....   | 122    | KWIKPEN.....                         | 28         |
| <i>gemfibrozil</i> .....             | 52          | <i>hailey fe 1/20 (28)</i> .....     | 122    | <i>hydralazine</i> .....             | 48         |
| <i>gemmily</i> .....                 | 122         | <i>halobetasol propionate</i> .....  | 71     | <i>hydrochlorothiazide</i> .....     | 53         |
| <i>generlac</i> .....                | 76          | <i>haloette</i> .....                | 123    | <i>hydrocodone-acetaminophen</i>     |            |
| <i>gengraf</i> .....                 | 87          | <i>haloperidol</i> .....             | 39     | .....                                | 109        |
| <i>gentak</i> .....                  | 99          | <i>haloperidol decanoate</i> .....   | 39     | <i>hydrocodone-ibuprofen</i> ....    | 109        |
| <i>gentamicin</i> .....              | 73, 99, 112 | <i>haloperidol lactate</i> .....     | 39     | <i>hydrocortisone</i> .....          | 56, 71, 82 |
| <i>gentamicin sulfate (ped) (pf)</i> |             | HARVONI.....                         | 147    | <i>hydrocortisone butyrate</i> ..... | 71         |
| .....                                | 112         | HAVRIX (PF).....                     | 94     | <i>hydrocortisone valerate</i> ..... | 71         |
| <i>gentamicin sulfate (pf)</i> ....  | 112         | HEALTHWISE INSULIN                   |        | <i>hydrocortisone-acetic acid</i> .. | 99         |
| GENVOYA.....                         | 143         | SYRINGE .....                        | 166    | <i>hydromorphone</i> .....           | 109        |
| GILOTRIF.....                        | 9           | HEALTHWISE PEN NEEDLE                |        | <i>hydromorphone (pf)</i> .....      | 109        |
| <i>glatiramer</i> .....              | 60          | .....                                | 166    | <i>hydroxychloroquine</i> .....      | 33, 34     |
| <i>glatopa</i> .....                 | 61          | HEALTHY ACCENTS                      |        | <i>hydroxyurea</i> .....             | 9          |
| <i>glimepiride</i> .....             | 30          | UNIFINE PENTIP 166, 167              |        | <i>hydroxyzine hcl</i> .....         | 141        |
| <i>glipizide</i> .....               | 30          | <i>heather</i> .....                 | 123    | <i>hydroxyzine pamoate</i> .....     | 104        |
| <i>glipizide-metformin</i> .....     | 30          | HEMADY .....                         | 82     | HYRNUO .....                         | 9          |
|                                      |             | <i>heparin (porcine)</i> .....       | 195    |                                      |            |

|                                   |                                       |          |                                     |     |
|-----------------------------------|---------------------------------------|----------|-------------------------------------|-----|
| <b>I</b>                          | INLURIYO .....                        | 10       | ISENTRESS HD .....                  | 143 |
| <i>ibandronate</i> .....          | INLYTA .....                          | 10       | <i>isibloom</i> .....               | 123 |
| IBRANCE .....                     | INPEN (FOR HUMALOG)                   |          | ISOLYTE S PH 7.4 .....              | 193 |
| IBTROZI .....                     | BLUE .....                            | 167      | ISOLYTE-P IN 5 %                    |     |
| <i>ibu</i> .....                  | INPEN (NOVOLOG OR                     |          | DEXTROSE .....                      | 193 |
| <i>ibuprofen</i> .....            | FIASP) BLUE .....                     | 167      | ISOLYTE-S .....                     | 193 |
| <i>ibuprofen-famotidine</i> ..... | INQOVI .....                          | 10       | <i>isoniazid</i> .....              | 141 |
| <i>icatibant</i> .....            | INREBIC .....                         | 10       | <i>isosorbide dinitrate</i> .....   | 55  |
| <i>iclevia</i> .....              | <i>insulin asp prt-insulin aspart</i> |          | <i>isosorbide mononitrate</i> ..... | 55  |
| ICLUSIG .....                     | .....                                 | 28       | <i>isosorbide-hydralazine</i> ..... | 55  |
| <i>icosapent ethyl</i> .....      | <i>insulin aspart u-100</i> .....     | 28       | <i>isradipine</i> .....             | 50  |
| IDHIFA .....                      | <i>insulin glargine-yfgn</i> .....    | 28       | ITOVEBI .....                       | 10  |
| <i>ifosfamide</i> .....           | <i>insulin lispro</i> .....           | 28       | <i>itraconazole</i> .....           | 139 |
| ILEVRO .....                      | INSULIN SYR/NDL U100                  |          | IV PREP WIPES .....                 | 169 |
| <i>imatinib</i> .....             | HALF MARK .....                       | 167      | <i>ivabradine</i> .....             | 48  |
| IMBRUVICA .....                   | INSULIN SYRINGE                       |          | <i>ivermectin</i> .....             | 34  |
| IMDELLTRA .....                   | MICROFINE .....                       | 151      | IWILFIN .....                       | 10  |
| <i>imipenem-cilastatin</i> .....  | INSULIN SYRINGE                       |          | IXIARO (PF) .....                   | 94  |
| <i>imipramine hcl</i> .....       | NEEDLELESS .....                      | 168      | <b>J</b>                            |     |
| <i>imipramine pamoate</i> .....   | INSULIN SYRINGE-NEEDLE                |          | <i>jaimiess</i> .....               | 123 |
| <i>imiquimod</i> .....            | U-100 . 164, 165, 167, 168,           |          | JAKAFI .....                        | 10  |
| IMJUDO .....                      | 172, 174, 176, 180, 184,              |          | <i>jantoven</i> .....               | 196 |
| IMKELDI .....                     | 185                                   |          | JANUMET .....                       | 25  |
| IMOVAX RABIES VACCINE             | INSULIN U-500 SYRINGE-                |          | JANUMET XR .....                    | 25  |
| (PF) .....                        | NEEDLE .....                          | 168      | JANUVIA .....                       | 25  |
| IMPAVIDO .....                    | INSUPEN PEN NEEDLE 168,               |          | JARDIANCE .....                     | 25  |
| INBRIJA .....                     | 169                                   |          | <i>jasmiel (28)</i> .....           | 123 |
| <i>incassia</i> .....             | INTELENCE .....                       | 143      | JAVADIN .....                       | 46  |
| INCONTROL ALCOHOL                 | <i>introvale</i> .....                | 123      | <i>javygtor</i> .....               | 198 |
| PADS .....                        | INVEGA HAFYERA .....                  | 39       | JAYPIRCA .....                      | 11  |
| INCONTROL PEN NEEDLE              | INVEGA SUSTENNA .....                 | 39       | JEMPERLI .....                      | 11  |
| .....                             | INVEGA TRINZA .....                   | 39, 40   | <i>jencycla</i> .....               | 123 |
| INCRELEX .....                    | INVELTYS .....                        | 102      | JENTADUETO .....                    | 26  |
| <i>indapamide</i> .....           | IPOL .....                            | 94       | JENTADUETO XR .....                 | 26  |
| <i>indomethacin</i> .....         | <i>ipratropium bromide</i> .. 67, 103 |          | <i>jinteli</i> .....                | 81  |
| INFANRIX (DTAP) (PF) .....        | <i>ipratropium-albuterol</i> .....    | 67       | <i>jolessa</i> .....                | 123 |
| <i>infliximab</i> .....           | IQIRVO .....                          | 76       | <i>juleber</i> .....                | 123 |
| INGREZZA .....                    | <i>irbesartan</i> .....               | 49       | JULUCA .....                        | 144 |
| INGREZZA INITIATION               | <i>irbesartan-</i>                    |          | <i>junel 1.5/30 (21)</i> .....      | 123 |
| PK(TARDIV) .....                  | <i>hydrochlorothiazide</i> .....      | 49       | <i>junel 1/20 (21)</i> .....        | 123 |
| INGREZZA SPRINKLE .....           | <i>irinotecan</i> .....               | 10       | <i>junel fe 1.5/30 (28)</i> .....   | 123 |
| INLEXZO .....                     | ISENTRESS .....                       | 143, 144 | <i>junel fe 1/20 (28)</i> .....     | 123 |

*junel fe 24*..... 123  
 JUXTAPID ..... 52  
 JYLAMVO ..... 11  
 JYNARQUE..... 53  
 JYNNEOS (PF) ..... 94  
**K**  
 KALETRA..... 144  
 KALYDECO ..... 64  
*kariva (28)* ..... 123  
 KATERZIA..... 50  
*kelnor 1/35 (28)* ..... 123  
*kelnor 1/50 (28)* ..... 123  
 KERENDIA..... 55  
 KESIMPTA PEN ..... 61  
*ketoconazole* ..... 140  
*ketoprofen* ..... 107  
*ketorolac*..... 102, 107  
 KEYTRUDA..... 11  
 KEYTRUDA QLEX ..... 11  
 KIMMTRAK ..... 11  
 KINERET ..... 88  
 KINRIX (PF) ..... 94  
*kionex (with sorbitol)* ..... 76  
 KISQALI ..... 11  
 KISQALI FEMARA CO-PACK  
 ..... 11  
 KLISYRI (250 MG) ..... 72  
*klor-con m10* ..... 193  
*klor-con m15* ..... 193  
*klor-con m20* ..... 193  
 KLOXXADO ..... 22  
 KOSELUGO ..... 11  
*kosher prenatal plus iron* 200  
 KRAZATI ..... 12  
*kurvelo (28)* ..... 124  
 KYLEENA..... 124  
 KYNMOBI..... 35  
**L**  
*l norgest/e.estradiol-e.estradiol*  
 ..... 124  
*labetalol*..... 46  
*lacosamide* ..... 131

*lactulose*..... 76  
*lagevrio (eua)* ..... 148  
*lamivudine*..... 144  
*lamivudine-zidovudine* .... 144  
*lamotrigine* ..... 131, 132  
*lanreotide* ..... 83  
*lansoprazole* ..... 75  
*lanthanum* ..... 77  
 LANTUS SOLOSTAR U-100  
 INSULIN ..... 29  
 LANTUS U-100 INSULIN.. 29  
*lapatinib* ..... 12  
*larin 1.5/30 (21)*..... 124  
*larin 1/20 (21)*..... 124  
*larin 24 fe* ..... 124  
*larin fe 1.5/30 (28)*..... 124  
*larin fe 1/20 (28)*..... 124  
*latanoprost* ..... 98  
 LAZCLUZE ..... 12  
*leflunomide* ..... 88  
*lenalidomide*..... 12  
 LENTOCILIN S ..... 117  
 LENVIMA ..... 12  
*lessina*..... 124  
*letrozole* ..... 12  
*leucovorin calcium* ..... 104  
 LEUKERAN ..... 12  
 LEUKINE ..... 197  
*leuprolide* ..... 12  
*leuprolide acetate (3 month)*  
 ..... 12  
*levetiracetam* ..... 132  
*levobunolol*..... 98  
*levocarnitine*..... 104  
*levocarnitine (with sugar)* 104  
*levocetirizine* ..... 141  
*levofloxacin* ..... 118  
*levofloxacin in d5w*..... 118  
*levonest (28)* ..... 124  
*levonorgest-eth.estradiol-iron*  
 ..... 124

*levonorgestrel-ethinyl estrad*  
 ..... 124  
*levonorg-eth estrad triphasic*  
 ..... 125  
*levora-28*..... 125  
*levothyroxine*..... 79  
 LEXIVA ..... 144  
 LIBERVANT ..... 132  
*lidocaine*..... 111  
*lidocaine hcl*..... 111  
*lidocaine viscous*..... 111  
*lidocaine-prilocaine* ..... 111  
*lidocan iii*..... 111  
 LILETTA ..... 125  
*linezolid*..... 113  
*linezolid in dextrose 5%*... 113  
 LINZESS..... 76  
*liomny* ..... 79  
*liothyronine* ..... 79  
 LISCO ..... 169  
*lisinopril*..... 54  
*lisinopril-hydrochlorothiazide*  
 ..... 55  
 LITE TOUCH INSULIN PEN  
 NEEDLES ..... 169  
 LITE TOUCH INSULIN  
 SYRINGE ..... 169, 170  
*lithium carbonate* ..... 61  
*lithium citrate*..... 61  
 LIVDELZI ..... 76  
 LIVTENCITY ..... 147  
 LOKELMA..... 76  
*lomustine* ..... 12  
 LONSURF..... 12  
*loperamide* ..... 76  
*lopinavir-ritonavir* ..... 144  
 LOQTORZI ..... 12  
*lorazepam* ..... 24  
*lorazepam intensol*..... 24  
 LORBRENA ..... 12  
*loryna (28)*..... 125  
*losartan* ..... 49

|                                           |        |                                          |          |                                                        |              |
|-------------------------------------------|--------|------------------------------------------|----------|--------------------------------------------------------|--------------|
| <i>losartan-hydrochlorothiazide</i> ..... | 49     | <i>maraviroc</i> .....                   | 144      | MEKINIST .....                                         | 14           |
| LOTEMAX .....                             | 102    | MARGENZA .....                           | 13       | MEKTOVI .....                                          | 14           |
| LOTEMAX SM .....                          | 102    | <i>marlissa (28)</i> .....               | 125      | <i>meleya</i> .....                                    | 125          |
| <i>loteprednol etabonate</i> .....        | 102    | <i>marnatal-f</i> .....                  | 200      | <i>meloxicam</i> .....                                 | 107          |
| <i>lovastatin</i> .....                   | 52     | MARPLAN .....                            | 137      | <i>memantine</i> .....                                 | 24, 25       |
| <i>low-ogestrel (28)</i> .....            | 125    | MATULANE .....                           | 13       | <i>memantine-donepezil</i> .....                       | 25           |
| <i>loxapine succinate</i> .....           | 40     | <i>matzim la</i> .....                   | 47       | MENACTRA (PF) .....                                    | 94           |
| <i>lo-zumandimine (28)</i> .....          | 125    | MAVENCLAD (10 TABLET<br>PACK) .....      | 61       | MENQUADFI (PF) .....                                   | 94           |
| <i>lubiprostone</i> .....                 | 76     | MAVENCLAD (4 TABLET<br>PACK) .....       | 61       | MENVEO A-C-Y-W-135-DIP<br>(PF) .....                   | 94           |
| <i>luizza</i> .....                       | 125    | MAVENCLAD (5 TABLET<br>PACK) .....       | 61       | <i>mercaptopurine</i> .....                            | 14           |
| LUMAKRAS .....                            | 13     | MAVENCLAD (6 TABLET<br>PACK) .....       | 61       | <i>meropenem</i> .....                                 | 114          |
| LUMIGAN .....                             | 98     | MAVENCLAD (7 TABLET<br>PACK) .....       | 61       | <i>merzee</i> .....                                    | 125          |
| LUNSUMIO .....                            | 13     | MAVENCLAD (8 TABLET<br>PACK) .....       | 61       | <i>mesalamine</i> .....                                | 56           |
| LUPRON DEPOT .....                        | 13, 83 | MAVENCLAD (9 TABLET<br>PACK) .....       | 62       | <i>mesna</i> .....                                     | 104          |
| LUPRON DEPOT (3<br>MONTH) .....           | 13, 83 | MAVYRET .....                            | 147      | <i>metadate er</i> .....                               | 62           |
| LUPRON DEPOT (4<br>MONTH) .....           | 13     | MAXICOMFORT II PEN<br>NEEDLE .....       | 170      | <i>metformin</i> .....                                 | 26           |
| LUPRON DEPOT (6<br>MONTH) .....           | 13     | MAXICOMFORT INSULIN<br>SYRINGE .....     | 170      | <i>methadone</i> .....                                 | 109          |
| LUPRON DEPOT-PED .....                    | 83     | MAXI-COMFORT INSULIN<br>SYRINGE .....    | 170      | <i>methazolamide</i> .....                             | 98           |
| LUPRON DEPOT-PED (3<br>MONTH) .....       | 83     | MAXI-COMFORT INSULIN<br>PEN NEEDLE ..... | 170, 171 | <i>methenamine hippurate</i> ..                        | 113          |
| <i>lurasidone</i> .....                   | 40     | MAYZENT .....                            | 62       | <i>methimazole</i> .....                               | 79           |
| <i>lutra (28)</i> .....                   | 125    | MAYZENT STARTER(FOR<br>1MG MAINT) .....  | 62       | <i>methocarbamol</i> .....                             | 199          |
| LUTRATE DEPOT (3<br>MONTH) .....          | 13     | MAYZENT STARTER(FOR<br>2MG MAINT) .....  | 62       | <i>methotrexate sodium</i> .....                       | 14           |
| LYBALVI .....                             | 40     | <i>meclizine</i> .....                   | 32       | <i>methotrexate sodium (pf)</i> ..                     | 14           |
| <i>lyleq</i> .....                        | 125    | <i>medroxyprogesterone</i> .....         | 85       | <i>methoxsalen</i> .....                               | 72           |
| <i>lyllana</i> .....                      | 81     | <i>mefenamic acid</i> .....              | 107      | <i>methscopolamine</i> .....                           | 76           |
| LYNOZYFIC .....                           | 13     | <i>mefloquine</i> .....                  | 34       | <i>methsuximide</i> .....                              | 132          |
| LYNPARZA .....                            | 13     | <i>megestrol</i> .....                   | 14, 85   | <i>methylphenidate hcl</i> .....                       | 62, 63       |
| LYSODREN .....                            | 13     |                                          |          | <i>methylprednisolone</i> .....                        | 82           |
| LYTGOBI .....                             | 13     |                                          |          | <i>methylprednisolone acetate</i><br>.....             | 82           |
| <i>lyza</i> .....                         | 125    |                                          |          | <i>metoclopramide hcl</i> .....                        | 76           |
| <b>M</b>                                  |        |                                          |          | <i>metolazone</i> .....                                | 53           |
| MAGELLAN INSULIN<br>SAFETY SYRNG .....    | 170    |                                          |          | <i>metoprolol succinate</i> .....                      | 46           |
| MAGELLAN SYRINGE ..                       | 170    |                                          |          | <i>metoprolol ta-</i><br><i>hydrochlorothiaz</i> ..... | 46           |
| <i>magnesium sulfate</i> .....            | 193    |                                          |          | <i>metoprolol tartrate</i> .....                       | 46           |
| <i>malathion</i> .....                    | 74     |                                          |          | <i>metronidazole</i> ....                              | 73, 112, 113 |
|                                           |        |                                          |          | <i>metronidazole in nacl (iso-os)</i><br>.....         | 113          |
|                                           |        |                                          |          | <i>metyrosine</i> .....                                | 48           |
|                                           |        |                                          |          | <i>mexiletine</i> .....                                | 45           |

|                                       |          |                                     |          |                                    |         |
|---------------------------------------|----------|-------------------------------------|----------|------------------------------------|---------|
| <i>micafungin</i> .....               | 140      | <i>morphine</i> .....               | 109, 110 | <i>neomycin-bacitracin-poly-hc</i> |         |
| <i>miconazole-3</i> .....             | 140      | MORPHINE .....                      | 110      | .....                              | 100     |
| MICRODOT INSULIN PEN                  |          | <i>morphine concentrate</i> .....   | 109      | <i>neomycin-bacitracin-</i>        |         |
| NEEDLE .....                          | 171      | MOUNJARO .....                      | 26       | <i>polymyxin</i> .....             | 100     |
| MICRODOT READYGARD                    |          | MOVANTIK .....                      | 76       | <i>neomycin-polymyxin b-</i>       |         |
| PEN NEEDLE.....                       | 171      | <i>moxifloxacin</i> .....           | 99, 118  | <i>dexameth</i> .....              | 100     |
| <i>microgestin 1.5/30 (21)</i> ...    | 125      | <i>moxifloxacin-sod.ace,sul-</i>    |          | <i>neomycin-polymyxin-</i>         |         |
| <i>microgestin 1/20 (21)</i> .....    | 125      | <i>water</i> .....                  | 118      | <i>gramicidin</i> .....            | 100     |
| <i>microgestin 24 fe</i> .....        | 125      | <i>moxifloxacin-</i>                |          | <i>neomycin-polymyxin-hc</i> ...   | 100     |
| <i>microgestin fe 1.5/30 (28)</i> 125 |          | <i>sod.chloride(iso)</i> .....      | 118      | <i>neo-polycin</i> .....           | 100     |
| <i>microgestin fe 1/20 (28)</i> ..    | 125      | MRESVIA (PF).....                   | 94       | <i>neo-polycin hc</i> .....        | 100     |
| <i>midodrine</i> .....                | 45       | MULTAQ .....                        | 45       | NERLYNX .....                      | 14      |
| MIEBO (PF).....                       | 103      | <i>mupirocin</i> .....              | 73       | NEUPRO .....                       | 35      |
| <i>mifepristone</i> .....             | 26       | <i>mycophenolate mofetil</i> 88, 89 |          | <i>nevirapine</i> .....            | 144     |
| <i>miglitol</i> .....                 | 26       | <i>mycophenolate mofetil (hcl)</i>  |          | <i>newgen</i> .....                | 200     |
| <i>miglustat</i> .....                | 198      | .....                               | 88       | NEXLETOL .....                     | 52      |
| <i>mili</i> .....                     | 125      | <i>mycophenolate sodium</i> ....    | 89       | NEXLIZET.....                      | 52      |
| <i>mimvey</i> .....                   | 81       | <i>mynatal</i> .....                | 200      | NEXPLANON.....                     | 126     |
| MINI ULTRA-THIN II .....              | 171      | <i>mynatal advance</i> .....        | 200      | <i>niacin</i> .....                | 52      |
| <i>minocycline</i> .....              | 119      | <i>mynatal plus</i> .....           | 200      | <i>niacor</i> .....                | 52      |
| <i>minoxidil</i> .....                | 55       | <i>mynatal-z</i> .....              | 200      | <i>nicardipine</i> .....           | 50      |
| MIPLYFFA.....                         | 148      | <i>mynate 90 plus</i> .....         | 200      | NICOTROL .....                     | 22      |
| MIRENA .....                          | 126      | MYRBETRIQ .....                     | 78       | NICOTROL NS .....                  | 23      |
| <i>mirtazapine</i> .....              | 137      | N                                   |          | <i>nifedipine</i> .....            | 50, 51  |
| <i>misoprostol</i> .....              | 75       | <i>nabumetone</i> .....             | 107      | <i>nikki (28)</i> .....            | 126     |
| <i>mitoxantrone</i> .....             | 14       | <i>nadolol</i> .....                | 46       | NIKTIMVO .....                     | 89      |
| M-M-R II (PF) .....                   | 94       | <i>nafcillin</i> .....              | 118      | <i>nilutamide</i> .....            | 14      |
| <i>m-natal plus</i> .....             | 200      | <i>naloxone</i> .....               | 22       | NINLARO .....                      | 14      |
| <i>modafinil</i> .....                | 58       | <i>naltrexone</i> .....             | 22       | <i>nitazoxanide</i> .....          | 34      |
| MODEYSO.....                          | 14       | NAMZARIC .....                      | 25       | <i>nitisinone</i> .....            | 198     |
| <i>moexipril</i> .....                | 55       | NANO 2ND GEN PEN                    |          | <i>nitrofurantoin macrocrystal</i> |         |
| <i>molindone</i> .....                | 40       | NEEDLE .....                        | 172      | .....                              | 113     |
| <i>mometasone</i> .....               | 71, 102  | NANO PEN NEEDLE.....                | 172      | <i>nitrofurantoin monohyd/m-</i>   |         |
| MONOJECT INSULIN                      |          | <i>naproxen</i> .....               | 107      | <i>cryst</i> .....                 | 113     |
| SAFETY SYRING.....                    | 172      | <i>naratriptan</i> .....            | 31       | <i>nitroglycerin</i> .....         | 56, 104 |
| MONOJECT INSULIN                      |          | NATACYN .....                       | 99       | <i>niva-plus</i> .....             | 200     |
| SYRINGE .....                         | 171, 172 | <i>nateglinide</i> .....            | 26       | NIVESTYM .....                     | 197     |
| MONOJECT SYRINGE... 171               |          | NATPARA .....                       | 57       | <i>nizatidine</i> .....            | 75      |
| MONOJECT ULTRA                        |          | NAYZILAM .....                      | 132      | NORDITROPIN FLEXPPO84              |         |
| COMFORT INSULIN ... 187               |          | <i>nebivolol</i> .....              | 46       | <i>norelgestromin-</i>             |         |
| <i>mono-lynyah</i> .....              | 126      | <i>nefazodone</i> .....             | 137      | <i>ethin.estradiol</i> .....       | 126     |
| <i>montelukast</i> .....              | 66       | <i>neomycin</i> .....               | 112      |                                    |         |

|                                            |         |                                       |        |                              |     |
|--------------------------------------------|---------|---------------------------------------|--------|------------------------------|-----|
| <i>norethindrone (contraceptive)</i> ..... | 126     | NUPLAZID .....                        | 40     | OMNIPOD 5                    |     |
| <i>norethindrone acetate</i> .....         | 85      | NURTEC ODT .....                      | 31     | INTRO(G6/LIBRE2PLUS)         |     |
| <i>norethindrone ac-eth</i>                |         | <i>nyamyc</i> .....                   | 140    | .....                        | 173 |
| <i>estradiol</i> .....                     | 81, 126 | <i>nylia 1/35 (28)</i> .....          | 127    | OMNIPOD CLASSIC PDM          |     |
| <i>norethindrone-e.estradiol-iron</i>      |         | <i>nylia 7/7/7 (28)</i> .....         | 127    | KIT(GEN 3) .....             | 173 |
| .....                                      | 126     | <i>nymyo</i> .....                    | 127    | OMNIPOD CLASSIC PODS         |     |
| <i>norgestimate-ethinyl estradiol</i>      |         | <i>nystatin</i> .....                 | 140    | (GEN 3).....                 | 173 |
| .....                                      | 126     | <i>nystatin-triamcinolone</i> ....    | 140    | OMNIPOD DASH INTRO KIT       |     |
| <i>nortrel 1/35 (21)</i> .....             | 126     | <i>nystop</i> .....                   | 140    | (GEN 4).....                 | 173 |
| <i>nortrel 1/35 (28)</i> .....             | 126     | NYVEPRIA.....                         | 197    | OMNIPOD DASH PDM KIT         |     |
| <i>nortrel 7/7/7 (28)</i> .....            | 127     | <b>O</b>                              |        | (GEN 4).....                 | 173 |
| <i>nortriptyline</i> .....                 | 137     | <i>obstetrix dha</i> .....            | 200    | OMNIPOD DASH PODS            |     |
| NORVIR .....                               | 144     | <i>obstetrix dha prenatal duo</i>     |        | (GEN 4).....                 | 173 |
| NOVOFINE 30 .....                          | 172     | .....                                 | 200    | ONAPGO .....                 | 35  |
| NOVOFINE 32 .....                          | 172     | OCALIVA.....                          | 76     | <i>ondansetron</i> .....     | 33  |
| NOVOFINE PLUS .....                        | 172     | <i>octreotide acetate</i> .....       | 84     | <i>ondansetron hcl</i> ..... | 33  |
| NOVOLIN 70/30 U-100                        |         | ODEFSEY .....                         | 145    | ONGENTYS.....                | 35  |
| INSULIN .....                              | 29      | ODOMZO.....                           | 14     | ONUREG .....                 | 15  |
| NOVOLIN 70-30 FLEXPEN                      |         | OFEV .....                            | 64     | OPDIVO .....                 | 15  |
| U-100 .....                                | 29      | <i>ofloxacin</i> .....                | 100    | OPDIVO QVANTIG.....          | 15  |
| NOVOLIN N FLEXPEN ....                     | 29      | OGIVRI .....                          | 14     | OPDUALAG .....               | 15  |
| NOVOLIN N NPH U-100                        |         | OGSIVEO .....                         | 14, 15 | OIPZA.....                   | 40  |
| INSULIN .....                              | 29      | OJEMDA .....                          | 15     | OPSUMIT .....                | 105 |
| NOVOLIN R FLEXPEN ....                     | 29      | OJJAARA.....                          | 15     | ORENCIA .....                | 89  |
| NOVOLIN R REGULAR                          |         | <i>olanzapine</i> .....               | 40     | ORENCIA (WITH MALTOSE)       |     |
| U100 INSULIN.....                          | 29      | <i>olmesartan</i> .....               | 49     | .....                        | 89  |
| NOVOLOG FLEXPEN U-100                      |         | <i>olmesartan-amlodipin-</i>          |        | ORENCIA CLICKJECT .....      | 89  |
| INSULIN .....                              | 29      | <i>hcthiazid</i> .....                | 49     | ORFADIN.....                 | 198 |
| NOVOLOG MIX 70-30 U-100                    |         | <i>olmesartan-</i>                    |        | ORGOVYX.....                 | 84  |
| INSULN .....                               | 29      | <i>hydrochlorothiazide</i> .....      | 49     | ORILISSA .....               | 84  |
| NOVOLOG MIX 70-                            |         | <i>olopatadine</i> .....              | 103    | ORKAMBI .....                | 64  |
| 30FLEXPEN U-100 .....                      | 29      | <i>omega-3 acid ethyl esters</i> . 52 |        | <i>orquidea</i> .....        | 127 |
| NOVOLOG PENFILL U-100                      |         | <i>omeprazole</i> .....               | 75     | ORSERDU .....                | 15  |
| INSULIN .....                              | 29      | <i>omeprazole-sodium</i>              |        | <i>oseltamivir</i> .....     | 147 |
| NOVOLOG U-100 INSULIN                      |         | <i>bicarbonate</i> .....              | 75     | OSENVELT .....               | 57  |
| ASPART .....                               | 30      | OMNIPOD 5 (G6/LIBRE 2                 |        | OSMOLEX ER.....              | 35  |
| NOVOTWIST .....                            | 173     | PLUS).....                            | 173    | OTEZLA.....                  | 89  |
| NOXAFIL.....                               | 140     | OMNIPOD 5 G6-G7 INTRO                 |        | OTEZLA STARTER .....         | 89  |
| NUBEQA.....                                | 14      | KT(GEN5) .....                        | 173    | OTEZLA XR.....               | 89  |
| NUCALA.....                                | 64      | OMNIPOD 5 G6-G7 PODS                  |        | OTEZLA XR INITIATION ...     | 89  |
| NULOJIX.....                               | 89      | (GEN 5) .....                         | 173    | <i>oxaliplatin</i> .....     | 15  |
|                                            |         |                                       |        | <i>oxandrolone</i> .....     | 79  |

|                                                              |          |                                            |          |                                                       |         |
|--------------------------------------------------------------|----------|--------------------------------------------|----------|-------------------------------------------------------|---------|
| <i>oxazepam</i> .....                                        | 24       | <i>penicillin g procaine</i> .....         | 118      | PLASMA-LYTE A .....                                   | 193     |
| <i>oxcarbazepine</i> .....                                   | 132      | <i>penicillin v potassium</i> .....        | 118      | PLEGRIDY.....                                         | 63      |
| <i>oxybutynin chloride</i> .....                             | 79       | PENMENVY MEN A-B-C-W-<br>Y (PF).....       | 95       | <i>pnv 29-1</i> .....                                 | 200     |
| <i>oxycodone</i> .....                                       | 110      | PENMENVY MENACWY<br>COMPONENT(PF).....     | 95       | <i>pnv-dha + docusate</i> .....                       | 200     |
| <i>oxycodone-acetaminophen</i><br>.....                      | 110      | PENMENVY MENB<br>COMPONENT (PF) .....      | 95       | <i>pnv-omega</i> .....                                | 200     |
| <i>oxymorphone</i> .....                                     | 110      | PENTACEL (PF) .....                        | 95       | <i>podofilox</i> .....                                | 73      |
| OZEMPIC.....                                                 | 26       | <i>pentamidine</i> .....                   | 34       | <i>polycin</i> .....                                  | 100     |
| <b>P</b>                                                     |          | PENTIPS PEN NEEDLE.....                    | 174      | <i>polymyxin b sulfate</i> .....                      | 113     |
| <i>pacerone</i> .....                                        | 45       | <i>pentoxifylline</i> .....                | 196      | <i>polymyxin b sulf-trimethoprim</i><br>.....         | 100     |
| <i>paclitaxel</i> .....                                      | 15       | <i>perampanel</i> .....                    | 132      | POMALYST .....                                        | 16      |
| <i>paclitaxel protein-bound</i> ....                         | 15       | <i>perindopril erbumine</i> .....          | 55       | <i>portia 28</i> .....                                | 127     |
| <i>paliperidone</i> .....                                    | 40       | <i>periogard</i> .....                     | 69       | <i>posaconazole</i> .....                             | 140     |
| PALYNZIQ.....                                                | 198      | <i>permethrin</i> .....                    | 74       | <i>potassium chloride</i> ...193, 194                 |         |
| PANRETIN .....                                               | 72       | <i>perphenazine</i> .....                  | 41       | <i>potassium chloride-0.45 %</i><br><i>nacl</i> ..... | 194     |
| <i>pantoprazole</i> .....                                    | 75       | <i>perphenazine-amitriptyline</i><br>..... | 137      | <i>potassium citrate</i> .....                        | 194     |
| <i>paricalcitol</i> .....                                    | 57       | PERSERIS.....                              | 41       | <i>pr natal 400</i> .....                             | 200     |
| <i>paroxetine hcl</i> .....                                  | 137      | <i>phenelzine</i> .....                    | 137      | <i>pr natal 400 ec</i> .....                          | 200     |
| PAXLOVID .....                                               | 147      | <i>phenobarbital</i> .....                 | 132, 133 | <i>pr natal 430</i> .....                             | 200     |
| <i>pazopanib</i> .....                                       | 15       | <i>phenytek</i> .....                      | 133      | <i>pr natal 430 ec</i> .....                          | 200     |
| PEDIARIX (PF) .....                                          | 95       | <i>phenytoin</i> .....                     | 133      | <i>pramipexole</i> .....                              | 36      |
| PEDVAX HIB (PF).....                                         | 95       | <i>phenytoin sodium</i> .....              | 133      | <i>prasugrel hcl</i> .....                            | 196     |
| <i>peg 3350-electrolytes</i> .....                           | 78       | <i>phenytoin sodium extended</i><br>.....  | 133      | <i>pravastatin</i> .....                              | 52      |
| PEGASYS.....                                                 | 148      | <i>philitith</i> .....                     | 127      | <i>praziquantel</i> .....                             | 34      |
| <i>peg-electrolyte soln</i> .....                            | 78       | PIFELTRO.....                              | 145      | <i>prazosin</i> .....                                 | 45      |
| PEMAZYRE .....                                               | 16       | <i>pilocarpine hcl</i> .....               | 69, 98   | <i>prednisolone</i> .....                             | 82      |
| <i>pemetrexed disodium</i> .....                             | 16       | <i>pimecrolimus</i> .....                  | 71       | <i>prednisolone acetate</i> .....                     | 102     |
| PEMRYDI RTU .....                                            | 16       | <i>pimozide</i> .....                      | 41       | <i>prednisolone sodium</i><br><i>phosphate</i> .....  | 82, 102 |
| PEN NEEDLE .....                                             | 173, 174 | <i>pimtrea (28)</i> .....                  | 127      | <i>prednisone</i> .....                               | 82      |
| PEN NEEDLE, DIABETIC<br>.... 156, 165, 166, 171, 173,<br>176 |          | <i>pindolol</i> .....                      | 46       | <i>pregabalin</i> .....                               | 133     |
| PEN NEEDLE, DIABETIC,<br>SAFETY.....                         | 176      | <i>pioglitazone</i> .....                  | 26       | PREMARIN.....                                         | 81      |
| PENBRAYA (PF) .....                                          | 95       | <i>pioglitazone-metformin</i> ....         | 26       | PREMPHASE .....                                       | 81      |
| PENBRAYA MENACWY<br>COMPONENT(PF) .....                      | 95       | PIP PEN NEEDLE .....                       | 174      | PREMPRO.....                                          | 81      |
| PENBRAYA MENB<br>COMPONENT (PF) .....                        | 95       | <i>piperacillin-tazobactam</i> ....        | 118      | <i>prena1 true</i> .....                              | 201     |
| <i>penciclovir</i> .....                                     | 72       | PIQRAY.....                                | 16       | <i>prenaissance</i> .....                             | 201     |
| <i>penicillamine</i> .....                                   | 111      | <i>pirfenidone</i> .....                   | 64       | <i>prenaissance plus</i> .....                        | 201     |
| <i>penicillin g potassium</i> .....                          | 118      | <i>piroxicam</i> .....                     | 107, 108 | <i>prenatabs fa</i> .....                             | 201     |
|                                                              |          | <i>pitavastatin calcium</i> .....          | 52       | <i>prenatal 19</i> .....                              | 201     |
|                                                              |          |                                            |          | <i>prenatal 19 (with docusate)</i><br>.....           | 201     |

|                                                |          |                                               |          |                                    |          |
|------------------------------------------------|----------|-----------------------------------------------|----------|------------------------------------|----------|
| <i>prenatal plus</i> .....                     | 201      | <i>propranolol</i> .....                      | 46       | REPATHA PUSHTRONEX                 | 52       |
| <i>prenatal plus (calcium carb)</i><br>.....   | 200      | <i>propylthiouracil</i> .....                 | 79       | REPATHA SURECLICK.....             | 53       |
| <i>prenatal vitamin plus low iron</i><br>..... | 201      | PROQUAD (PF).....                             | 95       | REPATHA SYRINGE .....              | 53       |
| <i>prenatal-u</i> .....                        | 201      | PROSOL 20 %.....                              | 44       | RETACRIT .....                     | 197      |
| <i>preplus</i> .....                           | 201      | <i>protriptyline</i> .....                    | 137      | RETEVMO .....                      | 16       |
| <i>pretab</i> .....                            | 201      | PULMOZYME .....                               | 198      | RETROVIR .....                     | 145      |
| <i>prevalite</i> .....                         | 52       | PURE COMFORT ALCOHOL<br>PADS.....             | 175      | REVCovi.....                       | 198      |
| PREVENT DROPSAFE PEN<br>NEEDLE .....           | 174      | PURE COMFORT PEN<br>NEEDLE .....              | 175, 176 | REVUFORJ .....                     | 16       |
| PREVYMIS.....                                  | 147      | PURE COMFORT SAFETY<br>PEN NEEDLE .....       | 175      | REXULTI.....                       | 41       |
| PREZCOBIX .....                                | 145      | <i>pyrazinamide</i> .....                     | 141      | REYATAZ.....                       | 145      |
| PREZISTA.....                                  | 145      | <i>pyridostigmine bromide</i> ...             | 104      | REZDIFFRA.....                     | 79       |
| PRIFTIN .....                                  | 141      | <i>pyrimethamine</i> .....                    | 34       | REZLIDHIA.....                     | 16       |
| PRIMAQUINE .....                               | 34       | <b>Q</b>                                      |          | REZUROCK.....                      | 90       |
| <i>primidone</i> .....                         | 133      | QINLOCK.....                                  | 16       | RHOPRESSA .....                    | 98       |
| PRIORIX (PF) .....                             | 95       | QUADRACEL (PF).....                           | 96       | <i>ribavirin</i> .....             | 148      |
| PRO COMFORT ALCOHOL<br>PADS.....               | 175      | <i>quetiapine</i> .....                       | 41       | RIDAURA.....                       | 90       |
| PRO COMFORT INSULIN<br>SYRINGE .....           | 174, 175 | <i>quinapril</i> .....                        | 55       | <i>rifabutin</i> .....             | 141      |
| PRO COMFORT PEN<br>NEEDLE .....                | 175      | <i>quinapril-hydrochlorothiazide</i><br>..... | 55       | <i>rifampin</i> .....              | 141      |
| PROAIR RESPIClick.....                         | 68       | <i>quinidine gluconate</i> .....              | 45       | <i>rilpivirine</i> .....           | 145      |
| <i>probenecid</i> .....                        | 31       | <i>quinidine sulfate</i> .....                | 45       | <i>riluzole</i> .....              | 63       |
| <i>probenecid-colchicine</i> .....             | 31       | <i>quinine sulfate</i> .....                  | 34       | <i>rimantadine</i> .....           | 148      |
| <i>prochlorperazine</i> .....                  | 33       | QULIPTA.....                                  | 31       | RINVOQ.....                        | 90       |
| <i>prochlorperazine edisylate</i> 33,<br>41    |          | <b>R</b>                                      |          | RINVOQ LQ.....                     | 90       |
| <i>prochlorperazine maleate</i> ..             | 33       | RABAVERT (PF).....                            | 96       | <i>risedronate</i> .....           | 57, 58   |
| <i>procto-med hc</i> .....                     | 71       | <i>rabeprazole</i> .....                      | 75       | <i>risperidone</i> .....           | 41       |
| <i>proctosol hc</i> .....                      | 71       | RALDESY .....                                 | 137      | <i>risperidone microspheres</i> .. | 41       |
| <i>proctozone-hc</i> .....                     | 71       | <i>raloxifene</i> .....                       | 81       | <i>ritonavir</i> .....             | 145      |
| PRODIGY INSULIN<br>SYRINGE .....               | 175      | <i>ramipril</i> .....                         | 55       | RITUXAN HYCELA.....                | 16       |
| <i>progesterone micronized</i> ...             | 85       | <i>ranolazine</i> .....                       | 48       | <i>rivaroxaban</i> .....           | 196      |
| PROGRAF .....                                  | 89       | <i>rasagiline</i> .....                       | 36       | <i>rivastigmine</i> .....          | 25       |
| PROLASTIN-C.....                               | 65       | RASUVO (PF).....                              | 90       | <i>rivastigmine tartrate</i> ..... | 25       |
| <i>promethazine</i> .....                      | 33, 141  | RAYALDEE .....                                | 57       | RIVFLOZA .....                     | 104, 105 |
| <i>promethegan</i> .....                       | 33       | <i>reclipsen (28)</i> .....                   | 127      | <i>rizatriptan</i> .....           | 31       |
| <i>propafenone</i> .....                       | 45       | RECOMBIVAX HB (PF) ....                       | 96       | <i>r-natal ob</i> .....            | 201      |
|                                                |          | REGRANEX.....                                 | 73       | ROCKLATAN .....                    | 98       |
|                                                |          | RELENZA DISKHALER ..                          | 148      | <i>roflumilast</i> .....           | 65       |
|                                                |          | RELISTOR .....                                | 77       | ROLVEDON .....                     | 198      |
|                                                |          | <i>repaglinide</i> .....                      | 27       | ROMVIMZA .....                     | 17       |
|                                                |          |                                               |          | <i>ropinirole</i> .....            | 36       |
|                                                |          |                                               |          | <i>rosadan</i> .....               | 73       |
|                                                |          |                                               |          | <i>rosuvastatin</i> .....          | 53       |
|                                                |          |                                               |          | <i>rosyrah</i> .....               | 127      |

|                                     |     |                                       |        |                                    |          |
|-------------------------------------|-----|---------------------------------------|--------|------------------------------------|----------|
| ROTARIX .....                       | 96  | <i>sharobel</i> .....                 | 127    | <i>sps (with sorbitol)</i> .....   | 77       |
| ROTATEQ VACCINE .....               | 96  | SHINGRIX (PF) .....                   | 96     | <i>sronyx</i> .....                | 127      |
| ROZLYTREK .....                     | 17  | SIGNIFOR .....                        | 84     | <i>ssd</i> .....                   | 74       |
| RUBRACA .....                       | 17  | <i>sildenafil (pulm.hypertension)</i> |        | <i>stavudine</i> .....             | 145      |
| <i>rufinamide</i> .....             | 133 | .....                                 | 105    | STELARA .....                      | 90, 91   |
| RUKOBIA .....                       | 145 | <i>silver sulfadiazine</i> .....      | 73     | STERILE PADS .....                 | 177      |
| RYBELSUS .....                      | 27  | SIMBRINZA .....                       | 98     | STIOLTO RESPIMAT .....             | 68       |
| RYBREVANT .....                     | 17  | <i>simliya (28)</i> .....             | 127    | STIVARGA .....                     | 17       |
| RYBREVANT FASPRO .....              | 17  | <i>simpesse</i> .....                 | 127    | STOBOCLO .....                     | 58       |
| RYDAPT .....                        | 17  | SIMPLI PEN NEEDLE ....                | 165    | STRENSIQ .....                     | 199      |
| RYKINDO .....                       | 41  | <i>simvastatin</i> .....              | 53     | <i>streptomycin</i> .....          | 112      |
| RYTELO .....                        | 17  | <i>sirolimus</i> .....                | 90     | STRIBILD .....                     | 145      |
| <b>S</b>                            |     | SIRTURO .....                         | 141    | STRIVERDI RESPIMAT ....            | 68       |
| <i>sacubitril-valsartan</i> .....   | 49  | SKY SAFETY PEN NEEDLE                 |        | <i>subvenite</i> .....             | 133      |
| SAFESNAP INSULIN                    |     | .....                                 | 177    | <i>sucalfate</i> .....             | 75       |
| SYRINGE .....                       | 176 | SKYLA .....                           | 127    | <i>sulfacetamide sodium</i> .....  | 100,     |
| SAFETY PEN NEEDLE ..                | 177 | SKYRIZI .....                         | 90     | 101                                |          |
| <i>sajazir</i> .....                | 48  | <i>sodium chloride 0.45 %</i> ..      | 194    | <i>sulfacetamide sodium (acne)</i> |          |
| SANTYL .....                        | 73  | <i>sodium chloride 0.9 %</i> ....     | 194    | .....                              | 74       |
| <i>sapropterin</i> .....            | 198 | <i>sodium fluoride-pot nitrate</i>    | 69     | <i>sulfacetamide-prednisolone</i>  |          |
| SCEMBLIX .....                      | 17  | <i>sodium oxybate</i> .....           | 58     | .....                              | 101      |
| <i>scopolamine base</i> .....       | 33  | <i>sodium phenylbutyrate</i> .....    | 77     | <i>sulfadiazine</i> .....          | 118      |
| SECUADO .....                       | 42  | <i>sodium polystyrene sulfonate</i>   |        | <i>sulfamethoxazole-</i>           |          |
| SECURESAFE INSULIN                  |     | .....                                 | 77     | <i>trimethoprim</i> .....          | 118, 119 |
| SYRINGE .....                       | 177 | <i>sodium,potassium,mag</i>           |        | <i>sulfasalazine</i> .....         | 56       |
| SECURESAFE PEN                      |     | <i>sulfates</i> .....                 | 78     | <i>sulindac</i> .....              | 108      |
| NEEDLE .....                        | 177 | <i>solifenacin</i> .....              | 79     | <i>sumatriptan</i> .....           | 32       |
| SELARSDI .....                      | 90  | SOLQUA 100/33 .....                   | 30     | <i>sumatriptan succinate</i> ..... | 32       |
| <i>select-ob</i> .....              | 201 | SOLTAMOX .....                        | 17     | <i>sumatriptan-naproxen</i> .....  | 32       |
| <i>select-ob (folic acid)</i> ..... | 201 | SOMATULINE DEPOT ....                 | 84     | <i>sunitinib malate</i> .....      | 17       |
| <i>selegiline hcl</i> .....         | 36  | SOMAVERT .....                        | 84     | SUNLENCA .....                     | 145      |
| <i>selenium sulfide</i> .....       | 73  | <i>sorafenib</i> .....                | 17     | SURE COMFORT ALCOHOL               |          |
| SELZENTRY .....                     | 145 | <i>sorine</i> .....                   | 46     | PREP PADS .....                    | 178      |
| <i>se-natal 19 chewable</i> .....   | 201 | <i>sotalol</i> .....                  | 47     | SURE COMFORT INS. SYR.             |          |
| SEREVENT DISKUS .....               | 68  | <i>sotalol af</i> .....               | 47     | U-100 .....                        | 177      |
| SEROSTIM .....                      | 84  | SPIRIVA RESPIMAT .....                | 68     | SURE COMFORT INSULIN               |          |
| <i>sertraline</i> .....             | 137 | <i>spironolactone</i> .....           | 53, 55 | SYRINGE .....                      | 177, 178 |
| <i>setlakin</i> .....               | 127 | <i>spironolacton-</i>                 |        | SURE COMFORT PEN                   |          |
| <i>sevelamer carbonate</i> .....    | 77  | <i>hydrochlorothiaz</i> .....         | 54     | NEEDLE .....                       | 178      |
| <i>sevelamer hcl</i> .....          | 78  | SPRAVATO .....                        | 138    | SURE COMFORT SAFETY                |          |
| SEZABY .....                        | 133 | <i>sprintec (28)</i> .....            | 127    | PEN NEEDLE .....                   | 177      |
| <i>sf 5000 plus</i> .....           | 69  | SPRITAM .....                         | 133    |                                    |          |

|                                         |                                        |                                       |
|-----------------------------------------|----------------------------------------|---------------------------------------|
| SURE-FINE PEN NEEDLES<br>..... 178      | TDVAX ..... 96                         | <i>thiothixene</i> .....42            |
| SURE-JECT INSULIN                       | TECENTRIQ ..... 18                     | <i>tiadylt er</i> .....48             |
| SYRINGE ..... 178, 179                  | TECENTRIQ HYBREZA... 18                | <i>tiagabine</i> .....134             |
| SURE-PREP ALCOHOL                       | TECHLITE INSULIN                       | TIBSOVO.....18                        |
| PREP PADS ..... 179                     | SYRINGE ..... 179, 180                 | <i>ticagrelor</i> .....196            |
| <i>syeda</i> ..... 127                  | TECHLITE INSULN                        | TICE BCG.....18                       |
| SYMDEKO ..... 65                        | SYR(HALF UNIT)..... 179                | TICOVAC .....96                       |
| SYMPAZAN..... 133                       | TECHLITE PEN NEEDLE180                 | <i>tigecycline</i> .....120           |
| SYMTUZA ..... 146                       | TECHLITE PLUS PEN                      | <i>tilia fe</i> .....128              |
| SYNAREL ..... 84                        | NEEDLE ..... 180                       | <i>timolol</i> .....99                |
| SYNJARDY ..... 27                       | TECVAYLI ..... 18                      | <i>timolol maleate</i> .....47, 99    |
| SYNJARDY XR ..... 27                    | TEFLARO ..... 115                      | <i>tinidazole</i> .....34             |
| SYNRIBO ..... 17                        | <i>telmisartan</i> ..... 49            | <i>tiopronin</i> .....78              |
| SYRINGE WITH NEEDLE,                    | <i>telmisartan-amlodipine</i> ..... 49 | <i>tiotropium bromide</i> .....68     |
| SAFETY..... 177                         | <i>telmisartan-</i>                    | TIVDAK.....18                         |
| T                                       | <i>hydrochlorothiazid</i> ..... 50     | TIVICAY .....146                      |
| TABLOID ..... 17                        | <i>temazepam</i> ..... 24              | TIVICAY PD .....146                   |
| TABRECTA ..... 17                       | TEMIXYS ..... 146                      | <i>tizanidine</i> .....199            |
| <i>tacrolimus</i> ..... 72, 91          | <i>tencon</i> ..... 110                | TOBI PODHALER..... 112                |
| <i>tadalafil</i> ..... 105              | TENIVAC (PF)..... 96                   | <i>tobramycin</i> .....101, 112       |
| TAFINLAR ..... 18                       | <i>tenofovir disoproxil fumarate</i>   | <i>tobramycin in 0.225 % nacl</i>     |
| <i>tafluprost (pf)</i> ..... 99         | ..... 146                              | ..... 112                             |
| TAGRISSO ..... 18                       | TEPMETKO ..... 18                      | <i>tobramycin sulfate</i> .....112    |
| TAKHZYRO ..... 105                      | <i>terazosin</i> ..... 78              | <i>tobramycin-dexamethasone</i>       |
| TALVEY ..... 18                         | <i>terbinafine hcl</i> ..... 140       | .....101                              |
| TALZENNA..... 18                        | <i>terbutaline</i> ..... 68            | <i>tolterodine</i> .....79            |
| <i>tamoxifen</i> ..... 18               | <i>terconazole</i> .....112            | <i>tolvaptan (polycys kidney dis)</i> |
| <i>tamsulosin</i> ..... 78              | <i>teriflunomide</i> ..... 63          | .....54                               |
| <i>tarina 24 fe</i> ..... 128           | <i>teriparatide</i> ..... 58           | TOPCARE CLICKFINE....181              |
| <i>tarina fe 1-20 eq (28)</i> ..... 128 | TERUMO INSULIN                         | TOPCARE ULTRA                         |
| <i>taron-c dha</i> ..... 201            | SYRINGE ..... 180                      | COMFORT .....181                      |
| <i>taron-prex prenatal-dha</i> ... 201  | <i>testosterone</i> ..... 80           | <i>topiramate</i> .....134            |
| TASIGNA..... 18                         | <i>testosterone cypionate</i> 79, 80   | <i>toposar</i> .....19                |
| <i>tasimelteon</i> ..... 58             | <i>testosterone enanthate</i> .... 80  | <i>toremifene</i> .....19             |
| TAVALISSE ..... 195                     | <i>tetrabenazine</i> ..... 63          | <i>torpenz</i> .....19                |
| TAVNEOS ..... 91                        | <i>tetracycline</i> .....119           | <i>torse mide</i> .....54             |
| <i>taysofy</i> ..... 128                | TEVIMBRA ..... 18                      | TOUJEO MAX U-300                      |
| <i>tazarotene</i> ..... 74              | THALOMID ..... 105                     | SOLOSTAR.....30                       |
| <i>tazicef</i> ..... 115                | <i>theophylline</i> ..... 68           | TOUJEO SOLOSTAR U-300                 |
| <i>taztia xt</i> ..... 47               | THINPRO INSULIN                        | INSULIN .....30                       |
| TAZVERIK..... 18                        | SYRINGE ..... 180, 181                 | TRADJENTA .....27                     |
|                                         | <i>thioridazine</i> ..... 42           | <i>tramadol</i> ..... 110             |

|                                   |            |                          |               |                         |                         |
|-----------------------------------|------------|--------------------------|---------------|-------------------------|-------------------------|
| <i>tramadol-acetaminophen</i>     | 110        | <i>tri-sprintec (28)</i> | 128           | TYVASO                  | 106                     |
| <i>trandolapril</i>               | 55         | TRIUMEQ                  | 146           | <b>U</b>                |                         |
| <i>tranexamic acid</i>            | 195        | TRIUMEQ PD               | 146           | UBRELVY                 | 32                      |
| <i>tranylcypromine</i>            | 138        | <i>trivora (28)</i>      | 128           | UDENYCA ONBODY          | 198                     |
| TRAVASOL 10 %                     | 44         | <i>tri-vylibra</i>       | 128           | ULTICARE                | 184, 185                |
| <i>travoprost</i>                 | 99         | <i>tri-vylibra lo</i>    | 128           | ULTICARE INSULIN        |                         |
| <i>trazodone</i>                  | 138        | TRIZIVIR                 | 146           | SYRINGE                 | 184                     |
| TRECATOR                          | 142        | TROGARZO                 | 146           | ULTICARE INSULN         |                         |
| TRELEGY ELLIPTA                   | 68         | TROPHAMINE 10 %          | 44            | SYR(HALF UNIT)          | 184                     |
| TRELSTAR                          | 19         | <i>trospium</i>          | 79            | ULTICARE PEN NEEDLE     |                         |
| TREMFYA                           | 91         | TRUE COMFORT ALCOHOL     |               |                         | 184, 185                |
| TREMFYA ONE-PRESS                 | 91         | PADS                     | 182           | ULTICARE SAFETY PEN     |                         |
| TREMFYA PEN                       | 91         | TRUE COMFORT INSULIN     |               | NEEDLE                  | 185                     |
| TREMFYA PEN INDUCTION             |            | SYRINGE                  | 182           | ULTIGUARD SAFEPACK-     |                         |
| PK(2PEN)                          | 91         | TRUE COMFORT PEN         |               | INSULIN SYR             | 185, 186                |
| <i>treprostinil sodium</i>        | 106        | NEEDLE                   | 182           | ULTIGUARD SAFEPACK-     |                         |
| <i>tretinoin</i>                  | 74         | TRUE COMFORT PRO         |               | PEN NEEDLE              | 185, 186                |
| <i>tretinoin (antineoplastic)</i> | 19         | ALCOHOL PADS             | 183           | ULTILET ALCOHOL SWAB    |                         |
| <i>triamcinolone acetonide</i>    | 69, 72, 82 | TRUE COMFORT PRO INS     |               |                         | 186                     |
| <i>triamterene-</i>               |            | SYRINGE                  | 181, 182, 183 | ULTILET INSULIN SYRINGE |                         |
| <i>hydrochlorothiazid</i>         | 54         | TRUE COMFORT SAFE        |               |                         | 167, 168, 186           |
| <i>triazolam</i>                  | 24         | INSULIN SYRG             | 182, 183      | ULTILET PEN NEEDLE      | 186                     |
| <i>tridacaine ii</i>              | 111        | TRUE COMFORT SAFETY      |               | ULTRA CMFT INS SYR      |                         |
| <i>trientine</i>                  | 111        | PEN NEEDLE               | 181           | (HALF UNIT)             | 165, 177                |
| <i>tri-estarylla</i>              | 128        | TRUEPLUS INSULIN         | 183, 184      | ULTRA COMFORT INSULIN   |                         |
| <i>trifluoperazine</i>            | 42         | TRUEPLUS PEN NEEDLE      |               | SYRINGE                 | 160, 165, 166, 186, 187 |
| <i>trifluridine</i>               | 101        |                          | 183           | ULTRA FLO INSUL         |                         |
| <i>trihexyphenidyl</i>            | 36         | TRULANCE                 | 77            | SYR(HALF UNIT)          | 187                     |
| TRIJARDY XR                       | 27         | TRULICITY                | 27            | ULTRA FLO INSULIN       |                         |
| TRIKAFTA                          | 65         | TRUMENBA                 | 97            | SYRINGE                 | 187                     |
| <i>tri-legest fe</i>              | 128        | TRUQAP                   | 19            | ULTRA FLO PEN NEEDLE    |                         |
| <i>tri-linyah</i>                 | 128        | TRUXIMA                  | 19            |                         | 187                     |
| <i>tri-lo-estarylla</i>           | 128        | TUKYSA                   | 19            | ULTRA THIN PEN NEEDLE   |                         |
| <i>tri-lo-marzia</i>              | 128        | TURALIO                  | 19            |                         | 187                     |
| <i>tri-lo-mili</i>                | 128        | <i>turqoz (28)</i>       | 128           | ULTRACARE INSULIN       |                         |
| <i>tri-lo-sprintec</i>            | 128        | TWINRIX (PF)             | 97            | SYRINGE                 | 187, 188                |
| <i>trimethoprim</i>               | 113        | TYBOST                   | 105           | ULTRACARE PEN NEEDLE    |                         |
| <i>tri-mili</i>                   | 128        | TYENNE                   | 91            |                         | 188                     |
| <i>trimipramine</i>               | 138        | TYENNE AUTOINJECTOR      | 91            | ULTRA-FINE INS SYR      |                         |
| TRINTELLIX                        | 138        | TYMLOS                   | 58            | (HALF UNIT)             | 188                     |
| <i>tri-nymyo</i>                  | 128        | TYPHIM VI                | 97            |                         |                         |

|                                       |                                       |          |                              |          |
|---------------------------------------|---------------------------------------|----------|------------------------------|----------|
| ULTRA-FINE INSULIN                    | VALTOCO .....                         | 134      | <i>vilazodone</i> .....      | 138      |
| SYRINGE .....                         | <i>valtya</i> .....                   | 128      | VIMKUNYA .....               | 97       |
| ULTRA-FINE PEN NEEDLE                 | <i>vancomycin</i> .....               | 113, 114 | <i>vinblastine</i> .....     | 20       |
| .....                                 | VANFLYTA .....                        | 19       | <i>vincasar pfs</i> .....    | 20       |
| ULTRA-THIN II (SHORT) INS             | VANISHPOINT INSULIN                   |          | <i>vincristine</i> .....     | 20       |
| SYR .....                             | SYRINGE .....                         | 191      | <i>vinorelbine</i> .....     | 20       |
| ULTRA-THIN II (SHORT)                 | VANISHPOINT SYRINGE                   |          | <i>viocele (28)</i> .....    | 129      |
| PEN NDL .....                         | .....                                 | 191, 192 | VIRACEPT .....               | 146      |
| ULTRA-THIN II INS PEN                 | VAQTA (PF) .....                      | 97       | VIREAD .....                 | 146      |
| NEEDLES.....                          | <i>varenicline tartrate</i> .....     | 23       | <i>virt-c dha</i> .....      | 201      |
| ULTRA-THIN II INSULIN                 | VARIVAX (PF).....                     | 97       | <i>virt-nate dha</i> .....   | 201      |
| SYRINGE .....                         | VAXCHORA VACCINE ....                 | 97       | <i>virt-pn dha</i> .....     | 201      |
| UNIFINE OTC PEN NEEDLE                | <i>velivet triphasic regimen (28)</i> |          | <i>virt-pn plus</i> .....    | 201      |
| .....                                 | .....                                 | 129      | <i>vitafol gummies</i> ..... | 202      |
| UNIFINE PEN NEEDLE ..                 | VELTASSA.....                         | 77       | <i>vitafol nano</i> .....    | 202      |
| UNIFINE PENTIPS .                     | VEMLIDY .....                         | 146      | <i>vitafol-ob+dha</i> .....  | 202      |
| UNIFINE PENTIPS                       | VENCLEXTA.....                        | 19       | VITRAKVI .....               | 20       |
| MAXFLOW .....                         | VENCLEXTA STARTING                    |          | VIVIMUSTA.....               | 20       |
| UNIFINE PENTIPS PLUS                  | PACK.....                             | 19       | VIVOTIF.....                 | 97       |
| .....                                 | <i>venlafaxine</i> .....              | 138      | VIZIMPRO .....               | 20       |
| UNIFINE PENTIPS PLUS                  | <i>venlafaxine besylate</i> .....     | 138      | VOCABRIA .....               | 146      |
| MAXFLOW .....                         | VEOZAH .....                          | 105      | <i>volnea (28)</i> .....     | 129      |
| UNIFINE PROTECT.....                  | <i>verapamil</i> .....                | 48       | VONJO .....                  | 20       |
| UNIFINE SAFECONTROL                   | VERIFINE INSULIN                      |          | VOQUEZNA.....                | 75       |
| PEN NEEDLE.....                       | SYRINGE .....                         | 192      | VORANIGO .....               | 20       |
| UNIFINE ULTRA PEN                     | VERIFINE PEN NEEDLE                   | 192      | <i>voriconazole</i> .....    | 140, 141 |
| NEEDLE .....                          | VERIFINE PLUS PEN                     |          | VOSEVI .....                 | 147      |
| UPTRAVI.....                          | NEEDLE .....                          | 192      | VOWST.....                   | 105      |
| <i>ursodiol</i> .....                 | VERIFINE PLUS PEN                     |          | <i>vp-ch-pnv</i> .....       | 202      |
| <i>ustekinumab</i> .....              | NEEDLE-SHARP .....                    | 192      | <i>vp-pnv-dha</i> .....      | 202      |
| UZEDY .....                           | VERQUVO .....                         | 49       | VRAYLAR .....                | 42       |
| <b>V</b>                              | VERSACLOZ .....                       | 42       | VUMERITY .....               | 63       |
| <i>valacyclovir</i> .....             | VERSALON .....                        | 192      | VYALEV .....                 | 36       |
| VALCHLOR.....                         | VERZENIO .....                        | 19       | <i>vyfemla (28)</i> .....    | 129      |
| <i>valganciclovir</i> .....           | <i>vestura (28)</i> .....             | 129      | <i>vylibra</i> .....         | 129      |
| <i>valproate sodium</i> .....         | V-GO 20.....                          | 192      | VYLOY.....                   | 20       |
| <i>valproic acid</i> .....            | V-GO 30.....                          | 193      | VYZULTA .....                | 99       |
| <i>valproic acid (as sodium salt)</i> | V-GO 40.....                          | 193      | <b>W</b>                     |          |
| .....                                 | <i>vienva</i> .....                   | 129      | <i>warfarin</i> .....        | 196      |
| <i>valsartan</i> .....                | <i>vigabatrin</i> .....               | 134      | WEBCOL .....                 | 193      |
| <i>valsartan-hydrochlorothiazide</i>  | <i>vigadrone</i> .....                | 134      | WELIREG .....                | 20       |
| .....                                 | <i>vigpoder</i> .....                 | 134      | WINREVAIR.....               | 65       |

|                           |        |                             |     |                                   |     |
|---------------------------|--------|-----------------------------|-----|-----------------------------------|-----|
| <i>wixela inhub</i> ..... | 66     | <i>xulane</i> .....         | 129 | <i>zidovudine</i> .....           | 146 |
| <b>X</b>                  |        | XULTOPHY 100/3.6 .....      | 30  | ZIIHERA.....                      | 21  |
| XALKORI.....              | 20     | <b>Y</b>                    |     | <i>zingiber</i> .....             | 202 |
| <i>xarah fe</i> .....     | 129    | <i>yargesa</i> .....        | 199 | <i>ziprasidone hcl</i> .....      | 42  |
| XARELTO.....              | 196    | YERVOY .....                | 21  | <i>ziprasidone mesylate</i> ..... | 43  |
| XARELTO DVT-PE TREAT      |        | YESINTEK .....              | 92  | ZIRABEV .....                     | 21  |
| 30D START .....           | 196    | YF-VAX (PF) .....           | 97  | ZIRGAN .....                      | 101 |
| XATMEP .....              | 20     | YONSA .....                 | 21  | ZOLADEX .....                     | 21  |
| XCOPRI .....              | 134    | YUFLYMA(CF) .....           | 92  | ZOLINZA.....                      | 21  |
| XCOPRI MAINTENANCE        |        | YUFLYMA(CF) AI CROHN'S-     |     | <i>zolmitriptan</i> .....         | 32  |
| PACK .....                | 134    | UC-HS .....                 | 92  | <i>zolpidem</i> .....             | 58  |
| XCOPRI TITRATION PACK     |        | YUFLYMA(CF)                 |     | ZONISADE .....                    | 135 |
| .....                     | 135    | AUTOINJECTOR .....          | 92  | <i>zonisamide</i> .....           | 135 |
| XDEMVY .....              | 101    | <i>yuvaferm</i> .....       | 81  | <i>zovia 1/35e (28)</i> .....     | 129 |
| XELJANZ .....             | 91, 92 | <b>Z</b>                    |     | <i>zovia 1-35 (28)</i> .....      | 129 |
| XELJANZ XR .....          | 92     | <i>zafemy</i> .....         | 129 | ZTALMY .....                      | 135 |
| XERMELO.....              | 77     | <i>zafirlukast</i> .....    | 66  | ZTLIDO .....                      | 111 |
| XGEVA .....               | 58     | <i>zaleplon</i> .....       | 58  | <i>zumandimine (28)</i> .....     | 129 |
| XIFAXAN .....             | 114    | <i>zatean-pn dha</i> .....  | 202 | ZURZUVAE.....                     | 138 |
| XIGDUO XR .....           | 27     | <i>zatean-pn plus</i> ..... | 202 | ZYDELIG .....                     | 22  |
| XIIDRA .....              | 102    | <i>zebutal</i> .....        | 110 | ZYKADIA .....                     | 22  |
| XOLAIR .....              | 65     | ZEJULA .....                | 21  | ZYLET.....                        | 101 |
| XOSPATA.....              | 20     | ZELBORAF .....              | 21  | ZYNLONTA.....                     | 22  |
| XPOVIO .....              | 21     | <i>zenatane</i> .....       | 73  | ZYNYZ .....                       | 22  |
| XTANDI .....              | 21     | ZENPEP .....                | 199 | ZYPREXA RELPREVV .....            | 43  |



## **GOLD KIDNEY HEALTH PLAN**

P.O. Box 285, Portsmouth, NH 03802



**[www.goldkidney.com](http://www.goldkidney.com)**

Este formulario fue actualizado el 02/01/2026. Para obtener información más reciente, o si tiene otras preguntas, llame a Servicios para miembros de Gold Kidney Health Plan al 1 (844) 294-6535. (Los usuarios de TTY deben llamar al 711.) Nuestro horario de atención es de 8 a.m. a 8 p.m., hora local, los 7 días a la semana desde el 1 de octubre hasta el 31 de marzo (excepto festivos), y de 8 a.m. a 8 p.m., hora local, de lunes a viernes, desde el 1 de abril hasta el 30 de septiembre (excepto festivos), o visite [www.goldkidney.com](http://www.goldkidney.com).

Gold Kidney Health Plan, Inc., es un HMO-POS C-SNP con contrato de Medicare. La inscripción en Gold Kidney Health Plan depende de la renovación del contrato.