

Gold Kidney Health Plan

Formulario de 2026

Lista de medicamentos cubiertos o “Lista de medicamentos”

LEA LO SIGUIENTE:

Este documento contiene información acerca de los medicamentos que cubrimos en este plan.

ID del formulario: 26345

Y0171_Formulary_6T_3_0925_C

Este formulario fue actualizado el 02/01/2026. Para obtener información más reciente, o si tiene otras preguntas, llame a Servicios para miembros de Gold Kidney Health Plan al 1 (844) 294-6535. (Los usuarios de TTY deben llamar al 711.) Nuestro horario de atención es de 8 a.m. a 8 p.m., hora local, los 7 días a la semana desde el 1 de octubre hasta el 31 de marzo (excepto festivos), y de 8 a.m. a 8 p.m., hora local, de lunes a viernes, desde el 1 de abril hasta el 30 de septiembre (excepto festivos), o visite www.goldkidney.com.

H1526-001 Gold Kidney of Florida Gold Heart & Diabetes (HMO-POS C-SNP)

H1526-002 Gold Kidney of Florida Gold Heart & Diabetes Complete (HMO-POS C-SNP)

H1526-003 Gold Kidney of Florida Gold Dialysis & Kidney (HMO-POS C-SNP)

H1526-008 Gold Kidney of Florida Gold Health (HMO-POS C-SNP)

H1526-009 Gold Kidney of Florida Gold Dialysis & Kidney (HMO-POS C-SNP)

H4869-001 Gold Kidney of Arizona Gold Heart & Diabetes (HMO-POS C-SNP)

H4869-003 Gold Kidney of Arizona Gold Dialysis & Kidney (HMO-POS C-SNP)

H4869-011 Gold Kidney of Arizona Gold Heart & Diabetes (HMO-POS C-SNP)

H4869-013 Gold Kidney of Arizona Gold Dialysis & Kidney (HMO-POS C-SNP)

Nota para los miembros actuales: Este Formulario ha cambiado con respecto al año pasado. Revise este documento para asegurarse de que aún contiene los medicamentos que toma.

Cuando esta Lista de medicamentos (Formulario) menciona “nosotros”, “nos” o “nuestro”, hace referencia a Gold Kidney Health Plan. Cuando dice “plan” o “nuestro plan”, hace referencia a Gold Kidney Health Plan.

Este documento incluye una Lista de medicamentos (Formulario) de nuestro plan, que está vigente a partir del 02/01/2026. Para obtener una lista de medicamentos (Formulario) actualizada, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización de la Lista de medicamentos (Formulario), aparece en las páginas de la portada y la portada posterior.

Generalmente, debe concurrir a las farmacias de la red para usar el beneficio de medicamentos con receta. Los beneficios, el formulario, la red de farmacias o los copagos/el coseguro pueden cambiar el 1 de enero de 2026 y periódicamente durante el año.

¿Qué es el Formulario de Gold Kidney Health Plan?

En este documento, los términos Lista de medicamentos y Formulario significan lo mismo. Un Formulario es una Lista de medicamentos cubiertos seleccionados por Gold Kidney Health Plan con la colaboración de un equipo de proveedores de atención médica, que representa los tratamientos con receta que se consideran una parte necesaria de un programa de tratamiento de calidad. Normalmente, Gold Kidney Health Plan cubrirá los medicamentos incluidos en el formulario, siempre que el medicamento sea médicamente necesario, el medicamento con receta se surta en una farmacia de la red de Gold Kidney Health Plan y se cumpla con otras normas del plan. Para obtener más información sobre cómo obtener sus medicamentos con receta, consulte la Evidencia de Cobertura.

¿El Formulario puede cambiar?

La mayoría de los cambios en la cobertura para medicamentos ocurre el 1 de enero, pero Gold Kidney Health Plan podríamos/podría agregar o quitar medicamentos del Formulario durante el año, moverlos a diferentes niveles de costo compartido o agregar nuevas restricciones. Debemos seguir las normas de Medicare al hacer estos cambios. Las actualizaciones del Formulario se publican todos los meses en nuestro sitio web: www.goldkidney.com.

Cambios que pueden afectarlo este año: En los casos a continuación, usted se verá afectado por los cambios de cobertura durante el año:

- **Sustitución inmediata de determinadas versiones nuevas de medicamentos de marca y productos biológicos originales.** Podemos eliminar inmediatamente un medicamento de nuestro Formulario si lo reemplazamos con una cierta versión nueva de ese medicamento que aparecerá en el mismo nivel de costo compartido o en un

nivel de costo compartido más bajo y con las mismas restricciones o menos. Cuando agregamos una nueva versión de un medicamento a nuestro Formulario, podemos decidir mantener el medicamento de marca o productos biológicos originales en nuestro Formulario, pero inmediatamente moverlo a un nivel de costo compartido diferente o agregar nuevas restricciones.

Podemos realizar estos cambios inmediatos solo si estamos sumando una nueva versión genérica de un medicamento de marca, o si agregamos ciertas nuevas versiones biosimilares de un producto biológico original, que ya estaba en el Formulario (por ejemplo, agregar un biosimilar intercambiable que puede ser sustituido por un producto biológico original por una farmacia sin una receta nueva). Si actualmente está tomando el medicamento de marca o el producto biológico original, quizás no le informemos con anticipación que realizaremos un cambio inmediato, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.

Si realizamos un cambio, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo para usted el medicamento que se cambiará. Para obtener más información, consulte la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?”

Algunos de estos tipos de medicamentos pueden ser nuevos para usted. Para obtener más información, consulte la sección a continuación titulada “¿Qué son los productos biológicos originales y cómo se relacionan con los biosimilares?”.

- **Medicamentos retirados del mercado.** Si un fabricante retira un medicamento de la venta o la Administración de Alimentos y Medicamentos (Food and Drug Administration, FDA) determina que se debe retirar por razones de seguridad o eficacia, podemos eliminar inmediatamente el medicamento de nuestro Formulario y, luego, notificarles a los miembros que toman el medicamento.
- **Otros cambios.** Podemos hacer otros cambios que afectan a los miembros que actualmente toman un medicamento. Por ejemplo, podemos eliminar un medicamento de marca del formulario al añadir un equivalente genérico, o eliminar un producto biológico original al añadir un biosimilar. También podemos aplicar nuevas restricciones al medicamento de marca o al producto biológico original, o asignarlo a un nivel de copago diferente, o ambas cosas. Podemos realizar cambios basándonos en nuevas guías clínicas. Si eliminamos medicamentos de nuestro formulario, añadimos la autorización previa, límites de cantidad o restricciones de terapia escalonada a un medicamento, o lo asignamos a un nivel de copago superior, debemos notificar a los miembros afectados con al menos 30 días de antelación a la fecha en que el cambio entre en vigor. Alternativamente, cuando un miembro solicite una nueva receta del medicamento, podrá recibir un suministro para 30 días y la notificación del cambio.

Si realizamos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción para usted y continuemos la cobertura del

medicamento que ha estado tomando. En el aviso que le proporcionamos también se incluirá información sobre cómo solicitar una excepción, y usted también puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?”.

Cambios que no lo afectarán si actualmente toma el medicamento. En general, si usted toma un medicamento de nuestro Formulario para 2026 que estaba cubierto al comienzo del año, nosotros no discontinuaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2026, excepto como se describe anteriormente. Esto significa que, por el resto del año de cobertura, estos medicamentos continuarán disponibles al mismo costo compartido y sin nuevas restricciones para aquellos miembros que estén tomándolos. No recibirá un aviso directo este año sobre cambios que no lo afectan. Sin embargo, dichos cambios lo afectarían a partir del 1 de enero del año siguiente, y es importante que verifique el Formulario del nuevo año de beneficios por cualquier cambio en los medicamentos.

El Formulario adjunto entra en vigencia el 02/01/2026. Para recibir información actualizada sobre los medicamentos cubiertos por Gold Kidney Health Plan, comuníquese con nosotros. Nuestra información de contacto aparece en las páginas de la portada y la contratapa. Si se realizan cambios no relacionados con el mantenimiento en el formulario de medicamentos durante el año del plan, los cambios en el formulario de medicamentos de Gold Kidney Health Plan se publicarán en nuestro sitio web en www.goldkidney.com.

¿Cómo utilizo el Formulario?

Hay dos formas para encontrar su medicamento dentro del formulario:

Afección médica

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página 1. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

Listado alfabético

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el Índice que comienza en la página I-1. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el Índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el Índice y encuentre el nombre de su medicamento en la primera columna de la lista.

¿Qué son los medicamentos genéricos?

Gold Kidney Health Plan cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la Administración de Drogas y Alimentos (Food and Drug Administration, FDA) dado que se considera que tiene el mismo ingrediente activo que el medicamento de marca. Por lo general, los medicamentos genéricos funcionan igual de bien y, suelen costar menos que los de marca. Hay medicamentos genéricos sustitutos disponibles para muchos medicamentos de marca. Normalmente, los medicamentos genéricos pueden sustituir a los medicamentos de marca en la farmacia sin necesidad de obtener una receta nueva, según las leyes estatales.

¿Qué son los productos biológicos originales y cómo se relacionan con los biosimilares?

En el Formulario, cuando nos referimos a medicamentos, esto podría significar un medicamento o un producto biológico. Los productos biológicos son medicamentos más complejos que los medicamentos habituales. Dado que los productos biológicos son más complejos que los medicamentos típicos, en lugar de tener una forma genérica, tienen alternativas que se denominan biosimilares. Por lo general, los biosimilares funcionan tan bien como el producto biológico original y pueden costar menos. Existen alternativas biosimilares para algunos productos biológicos originales. Algunos biosimilares son biosimilares intercambiables y, según las leyes estatales, pueden reemplazar al producto biológico original en la farmacia sin necesidad de una nueva receta, al igual que los medicamentos genéricos pueden sustituir a medicamentos de marca.

- Para consultar los tipos de medicamentos, consulte la Evidencia de Cobertura, Capítulo 5, Sección 3.1, “La ‘Lista de medicamentos’ indica qué medicamentos de la Parte D están cubiertos”.

¿Hay alguna restricción en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir lo siguiente:

- **Autorización previa:** Gold Kidney Health Plan exige que usted o la persona autorizada a dar recetas obtenga una autorización previa para determinados medicamentos. Esto significa que necesitará contar con la aprobación de Gold Kidney Health Plan antes de surtir sus medicamentos con receta. Si no consigue la autorización, es posible que Gold Kidney Health Plan no cubra el medicamento.
- **Límites de cantidad:** Para ciertos medicamentos, Gold Kidney Health Plan limita la cantidad del medicamento que Gold Kidney Health Plan cubrirá. Por ejemplo, Gold Kidney Health Plan proporciona 30 por receta para tabletas Farxiga 10mg. Esto puede ser complementario a un suministro estándar para un mes o tres meses.

- **Tratamiento escalonado:** En algunos casos, Gold Kidney Health Plan requiere que usted primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa afección. Por ejemplo, si el medicamento A y el medicamento B tratan su afección médica, es posible que Gold Kidney Health Plan no cubra el medicamento B a menos que usted pruebe primero el medicamento A. Si el medicamento A no funciona para usted, entonces Gold Kidney Health Plan cubrirá el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, consulte el Formulario que empieza en la página 1. También puede obtener más información sobre las restricciones que se aplican a medicamentos cubiertos específicos en nuestro sitio web. Hemos publicado en línea documentos que explican nuestras restricciones de autorización previa y de terapia escalonada. También puede solicitarnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Puede pedirle a Gold Kidney Health Plan que haga una excepción a estas restricciones o límites, o puede solicitarle una lista de otros medicamentos similares que podrían tratar su afección médica. Consulte la sección “¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?” en la página vi para obtener información acerca de cómo solicitar una excepción.

¿Qué pasa si mi medicamento no está en el Formulario?

Si el medicamento que toma no está incluido en este Formulario (lista de medicamentos cubiertos), primero debe comunicarse con Servicios para los miembros y preguntar si su medicamento está cubierto.

Si resulta que Gold Kidney Health Plan no cubre el medicamento que toma, tiene dos alternativas:

- Puede pedir a Servicios para los miembros una lista de medicamentos similares que estén cubiertos por Gold Kidney Health Plan. Cuando reciba la lista, muéstrasela a su médico y pídale que le recete un medicamento similar que esté cubierto por Gold Kidney Health Plan.
- Puede solicitar que Gold Kidney Health Plan haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

¿Cómo puedo solicitar que se haga una excepción al Formulario de Gold Kidney Health Plan?

Puede solicitar a Gold Kidney Health Plan que haga una excepción a nuestras normas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento, incluso si no está en nuestro formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le brindemos el medicamento a un nivel de costo compartido menor.
- Puede pedirnos que no apliquemos una restricción de cobertura, incluidos la autorización previa, el tratamiento escalonado o el límite de cantidad de su medicamento. Por ejemplo, para ciertos medicamentos, Gold Kidney Health Plan limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que hagamos una excepción al límite y cubramos una cantidad mayor.
- Puede pedirnos que cubramos un medicamento del formulario a un nivel de costo compartido menor, a menos que el medicamento esté en el nivel de especialidad. Si se aprueba, esto reduciría el monto que debe pagar por su medicamento.

Por lo general, Gold Kidney Health Plan solo aprobará su solicitud de una excepción si los medicamentos alternativos incluidos en el Formulario del plan, el medicamento de menor costo, o la aplicación de la restricción no fueran tan efectivos para usted o pudieran causarle efectos adversos.

Usted o la persona autorizada a dar recetas deben comunicarse con nosotros para solicitar una excepción de nivel de cobertura o del formulario de medicamentos, incluyendo una excepción a una restricción de cobertura. **Cuando solicite una excepción, la persona autorizada a dar recetas necesitará explicar las razones médicas por las que usted necesita la excepción.** Por lo general, debemos tomar una decisión dentro de las 72 horas a partir de la fecha de haber recibido la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas. Puede pedir una decisión acelerada (rápida) si usted considera, y nosotros estamos de acuerdo, que esperar 72 horas para la toma de la decisión podría perjudicar gravemente su salud. Si aceptamos, o si la persona autorizada a dar recetas pide una decisión rápida, debemos comunicarle nuestra decisión, a más tardar, en un período de 24 horas después de recibir la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas.

¿Qué puedo hacer si mi medicamento no está en el Formulario o si tiene una restricción?

Como miembro nuevo o permanente de nuestro plan, es posible que esté tomando medicamentos que no están incluidos en el formulario. También es posible que esté tomando un medicamento que está en nuestro Formulario, pero que tiene una restricción de cobertura, como la autorización previa. Debe hablar con la persona autorizada a dar recetas para solicitar una decisión de cobertura para demostrar que cumple con los criterios de aprobación, cambiar a un medicamento alternativo que cubramos o solicitar una excepción al Formulario para que cubramos el medicamento que toma. Mientras usted y su médico

determinan el procedimiento adecuado para seguir en su caso, podemos cubrir su medicamento, en ciertos casos, durante los primeros 90 días en que usted sea miembro de nuestro plan.

Para cada uno de los medicamentos que no están en nuestro Formulario o que tienen una restricción de cobertura, cubriremos un suministro temporal de 30 días. Si su receta está indicada para menos días, permitiremos que realice resurtidos por un máximo de hasta 30 días del medicamento. Si no se aprueba la cobertura, después del primer suministro 30 días, no seguiremos pagando estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no está en el Formulario o si su capacidad para conseguir los medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia del medicamento para 31 días mientras solicita la excepción al formulario.

Para los miembros cuyo nivel de atención cambia, proporcionamos un suministro de emergencia para 30 días de la siguiente manera:

- Los miembros actuales que necesiten un suministro de emergencia único o a quienes se les recete un medicamento no incluido en el formulario como resultado de un cambio en el nivel de atención pueden ser incluidos en un programa de transición mediante un código de aclaración enviado por la farmacia. Gold Kidney Health Plan ha autorizado a su administrador de beneficios farmacéuticos a procesar un suministro único en esta situación mediante una anulación manual en el punto de venta de la farmacia.
- Cuando se recibe una nueva transacción de reclamo de la farmacia para el ingreso o reingreso de un miembro a un centro de atención a largo plazo (long-term care facility, LTC), nuestro sistema de reclamos reconocerá que el miembro actual es elegible para recibir suministros de transición y aplicará la aprobación en el punto de venta.

Para obtener más información

Para obtener información más detallada sobre la cobertura para medicamentos con receta de Gold Kidney Health Plan, consulte la Evidencia de Cobertura y otra documentación del plan. Si tiene alguna pregunta sobre Gold Kidney Health Plan, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del Formulario, aparece en las páginas de la portada y la portada posterior.

Si tiene preguntas generales sobre su cobertura para medicamentos con receta de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O visite <http://www.medicare.gov>.

Formulario de Gold Kidney Health Plan

El formulario que comienza en la página siguiente proporciona información sobre la cobertura de los medicamentos cubiertos por Gold Kidney Health Plan. Si tiene alguna dificultad para encontrar el medicamento que toma en la lista, consulte el Índice que comienza en la página I-1.

La primera columna de la tabla menciona el nombre del medicamento. Los medicamentos de marca están en letra mayúscula (por ejemplo, FARXIGA), y los medicamentos genéricos están en letra minúscula y cursiva (por ejemplo, simvastatin).

La información incluida en la columna de Requisitos/límites indica si Gold Kidney Health Plan tiene algún requisito especial para la cobertura del medicamento.

Leyenda de la Lista de Medicamentos

SIMBOLO	TERMINOLOGÍA	DESCRIPCIÓN
BvD	Parte B de Medicare versus Parte D de Medicare	Es posible que algunos medicamentos requieran una determinación de cobertura de la Parte B o la Parte D, según las reglas de cobertura de Medicare.
EX	Medicamento excluido	Este medicamento recetado normalmente no está cubierto por un plan de medicamentos recetados de Medicare. El monto que paga cuando obtiene una receta para este medicamento no cuenta para los costos totales del medicamento (es decir, el monto que paga no lo ayuda a calificar para la cobertura catastrófica). Además, si recibe ayuda adicional para pagar sus recetas, no recibirá ninguna ayuda adicional para pagar este medicamento.
LA	Acceso Limitado	Esta receta puede estar disponible sólo en determinadas farmacias. Para obtener más información, consulte su Directorio de farmacias o llame a Servicios para Miembros al 1 (844) 294-6535 (TTY: 711), de 8 a. m. a 8 p. m., los siete días de la semana, del 1 de octubre al 31 de marzo (excepto feriados) y los 8 a. m. a 8 p. m., de lunes a viernes, del 1 de abril al 30 de septiembre (excepto feriados), o visite goldkidney.com .
NDS	Suministro de Días no Extendidos	Este medicamento sólo se puede obtener para un suministro de un mes o menos.
NM	No disponible por correo	Este medicamento no está disponible a través de la farmacia de pedidos por correo.
NSO	Solo nuevo comienzo	Si no ha tomado este medicamento antes, usted o su médico deben obtener autorización previa.
PA	Autorización previa	La cobertura de esta receta requiere autorización previa.
QL	Límite de cantidad	Este medicamento tiene un límite de dosis o cantidad de prescripción.
ST	Terapia escalonada	La cobertura de esta receta se proporciona cuando se han probado otras terapias con medicamentos preferidos o de primera línea.

2026 Abreviaturas de formas farmacéuticas

Forma de Dosificación Abreviada	Definición	Forma de Dosificación Abreviada	Definición
8 hr	8 hora	HFA	hidrofluoroalcano
12 hr or 12hr	12 hora	hi	alto
24 hr or 24hr	24 hora	IR	liberación inmediata
72 hr	72 hora	liqd	líquido
act	activado	loz	lozenge
aero	aerosol	lo	low
admin	administración	lozeng	gragea
ampul	ampolla	mini lozenge	miniatura gragea
app	utensilio para aplicar	misc	misceláneos
appl	utensilio para aplicar	MP	Bomba dosificada
auto	automático	muco	mucoso
cap	cápsula	pak	paquete
chew	masticable	Pack	paquete
CT	cantidad	PCA	administración controlada por el paciente
comb	combinación	pell	bolita
del	demorado	pk	paquete
delayed	demorado	Powdr	polvo
disinteg	desintegrándose	pt	paciente
disintegrat	desintegrándose	recon	reconstituido
dose	dosificación	rel	liberar
DR	lanzamiento retrasado	releas	liberar
EC	recubrimiento entérico	soln	solución
emolnt	emolliente	sprinkl	espolvorear
ENFit	conector de alimentación enteral	susp	suspensión
er	liberación extendida	suspen	suspensión
ER	liberación extendida	syring	syringa
ext	extendido	tab	tableta
extnd	extendido	TD	transdérmico
extend	extendido	var	variable
gast	gástrico	w/	con

Su Costo Compartido de Medicamentos (Tabla 1)

H1526-001 Gold Kidney of Florida Gold Heart & Diabetes (HMO-POS C-SNP)

H1526-008 Gold Kidney of Florida Gold Health (HMO-POS C-SNP)

H4869-001 Gold Kidney of Arizona Gold Heart & Diabetes (HMO-POS C-SNP)

H4869-011 Gold Kidney of Arizona Gold Heart & Diabetes (HMO-POS C-SNP)

Cobertura inicial

Usted permanece en la Etapa de Cobertura Inicial hasta que haya pagado \$2,100 de su bolsillo por los medicamentos de la Parte D; pasará a la siguiente etapa (la Etapa de Cobertura Catastrófica).

Deducible	Tipo de farmacia/ días de suministro	Nivel 1 Genérico preferido	Nivel 2 Genéricos	Nivel 3 Marca preferida	Nivel 4 Marca no preferida	Nivel 5 Nivel de especialidad	Nivel 6 Seleccionar medicamentos para la diabetes
\$0	Suministro minorista estándar para 30 días	\$0	\$0	\$40	\$100	33%	\$0
	Cuidados a largo plazo	\$0	\$0	\$40	\$100	33%	\$0
	Suministro de 31 días	\$0	\$0	\$40	\$100	33%	\$0
	Suministro de 30 días fuera de la red	\$0	\$0	\$40	\$100	33%	\$0
\$0	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
	Minorista suministro de 100 días	\$0	\$0	\$100	\$250	N/A	\$0
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
\$0	Pedido por correo de suministro de 100 días	\$0	\$0	\$40	\$250	N/A	\$0
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0

Etapa de cobertura catastrófica

Usted ingresa a la etapa de cobertura catastrófica cuando sus costos de bolsillo han alcanzado el límite de \$2,100 para el año calendario. Una vez que esté en la Etapa de Cobertura Catastrófica, permanecerá en esta etapa de pago hasta el final del año calendario. Durante esta etapa, usted no paga nada por los medicamentos de la Parte D.

Su Costo Compartido de Medicamentos (Tabla 2)

H1526-003 Gold Kidney of Florida Gold Dialysis & Kidney (HMO-POS C-SNP)

H1526-009 Gold Kidney of Florida Gold Dialysis & Kidney (HMO-POS C-SNP)

H4869-003 Gold Kidney of Arizona Gold Dialysis & Kidney (HMO-POS C-SNP)

H4869-013 Gold Kidney of Arizona Gold Dialysis & Kidney (HMO-POS C-SNP)

Cobertura inicial

Usted permanece en la Etapa de Cobertura Inicial hasta que haya pagado \$2,100 de su bolsillo por los medicamentos de la Parte D; pasará a la siguiente etapa (la Etapa de Cobertura Catastrófica).

Deducible	Tipo de farmacia/ días de suministro	Nivel 1 Genérico preferido	Nivel 2 Genéricos	Nivel 3 Marca preferida	Nivel 4 Marca no preferida	Nivel 5 Nivel de especialidad	Nivel 6 Seleccionar medicamentos para la diabetes
\$0	Suministro minorista estándar para 30 días	\$0	\$5	\$47	\$100	33%	\$0
	Cuidados a largo plazo	\$0	\$5	\$47	\$100	33%	\$0
	Suministro de 31 días	\$0	\$5	\$47	\$100	33%	\$0
	Suministro de 30 días fuera de la red	\$0	\$5	\$47	\$100	33%	\$0
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
\$0	Minorista suministro de 100 días	\$0	\$12	\$117	\$250	N/A	\$0
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
\$0	Pedido por correo de suministro de 100 días	\$0	\$5	\$40	\$250	N/A	\$0
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0

Etapa de cobertura catastrófica

Usted ingresa a la etapa de cobertura catastrófica cuando sus costos de bolsillo han alcanzado el límite de \$2,100 para el año calendario. Una vez que estés en la Etapa de Cobertura Catastrófica, permanecerás en esta etapa de pago hasta el final del año calendario. Durante esta etapa, usted no paga nada por los medicamentos de la Parte D.

Su Costo Compartido de Medicamentos (Tabla 3)

H1526-002 Gold Kidney of Florida Gold Heart & Diabetes Complete (HMO-POS C-SNP)

Cobertura inicial

Usted permanece en la Etapa de Cobertura Inicial hasta que haya pagado \$2,100 de su bolsillo por los medicamentos de la Parte D; pasará a la siguiente etapa (la Etapa de Cobertura Catastrófica).

Deducible	Tipo de farmacia/ días de suministro	Nivel 1 Genérico preferido	Nivel 2 Genéricos	Nivel 3 Marca preferida	Nivel 4 Marca no preferida	Nivel 5 Nivel de especialidad	Nivel 6 Seleccionar medicamentos para la diabetes
\$615*	Suministro minorista estándar para 30 días	24%	24%	24%	26%	25%	15%
	Cuidados a largo plazo	24%	24%	24%	26%	25%	15%
	Suministro de 31 días	24%	24%	24%	26%	25%	15%
	Suministro de 30 días fuera de la red	24%	24%	24%	26%	25%	15%
\$615*	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
	Minorista suministro de 100 días	24%	24%	24%	26%	N/A	15%
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0
\$615*	Pedido por correo de suministro de 100 días	24%	24%	24%	26%	N/A	15%
	Insulinas	N/A	N/A	N/A	N/A	N/A	\$0

*Su deducible y costos compartidos de medicamentos pueden ser más bajos si recibe “Ayuda adicional” con sus medicamentos recetados.

Etapa de cobertura catastrófica

Usted ingresa a la etapa de cobertura catastrófica cuando sus costos de bolsillo han alcanzado el límite de \$2,100 para el año calendario. Una vez que esté en la Etapa de Cobertura Catastrófica, permanecerá en esta etapa de pago hasta el final del año calendario. Durante esta etapa, usted no paga nada por los medicamentos de la Parte D.

Notice of Availability

English: ATTENTION: If you speak English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-844-294-6535 (TTY: 711) or speak to your provider.

Spanish: ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles de forma gratuita ayuda y servicios auxiliares apropiados para proporcionar información en formatos accesibles. Llame al 1-844-294-6535 (TTY: 711) o hable con su proveedor.

Navajo: SHOOH: Diné bee yániit'gogo, saad bee aná'awo' bee áka'anída'awo'ít'áá jiik'eh ná hóló. Bee ahil hane'go bee nida'anishí t'áá ákodaat'éhígíí dóó bee áka'anída'wo'í áko bee baa hane'í bee hadadilyaa bich'j' ahoot'i'ígíí éí t'áá jiik'eh hóló. Kohj'j' 1-844-294-6535 (TTY: 711) hodíilnih doodago nika'análwo'í bich'j' hanidziih.

Haitian: ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd aladispozisyon w gratis pou lang ou pale a. Èd ak sèvis siplemantè apwopriye pou bay enfòmasyon nan fòm aksesib yo disponib gratis tou. Rele nan 1-844-294-6535 (TTY: 711) oswa pale avèk founisè w la.

French: ATTENTION: Si vous parlez Français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-844-294-6535 (TTY : 711) ou parlez à votre fournisseur.

Portuguese: ATENÇÃO: Se você fala português, serviços gratuitos de assistência linguística estão disponíveis para você. Auxílios e serviços auxiliares apropriados para fornecer informações em formatos acessíveis também estão disponíveis gratuitamente. Ligue para 1-844-294-6535 (TTY: 711) ou fale com seu provedor.

Simplified Chinese: 注意: 如果您说中文, 我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务, 以无障碍格式提供信息。致电 1-844-294-6535 (文本电话: 711) 或咨询您的服务提供商。

Tagalog: PAALALA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyon tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo upang magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-844-294-6535 (TTY: 711) o makipag-usap sa iyong provider.

Vietnamese: LƯU Ý: Nếu bạn nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-844-294-6535 (Người khuyết tật: 711) hoặc trao đổi với người cung cấp dịch vụ của bạn.

Arabic: تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-844-294-6535 (711) أو تحدث إلى مقدم الخدمة.

German: ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose Sprachassistenzen zur Verfügung. Entsprechende Hilfsmittel und Dienste zur Bereitstellung von Informationen in barrierefreien Formaten stehen ebenfalls kostenlos zur Verfügung. Rufen Sie 1-844-294-6535 (TTY: 711) an oder sprechen Sie mit Ihrem Provider.

Hindi: ध्यान दें: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएँ भी निःशुल्क उपलब्ध हैं। 1-844-294-6535 (TTY: 711) पर कॉल करें या अपने प्रदाता से बात करें।

Russian: ВНИМАНИЕ: Если вы говорите на русский, вам доступны бесплатные услуги языковой поддержки. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-844-294-6535 (TTY: 711) или обратитесь к своему поставщику услуг.

Italian: ATTENZIONE: se parli Italiano, sono disponibili servizi di assistenza linguistica gratuiti. Sono inoltre disponibili gratuitamente ausili e servizi ausiliari adeguati per fornire informazioni in formati accessibili. Chiama l'1-844-294-6535 (tty: 711) o parla con il tuo fornitore.

Gujarati: ધ્યાન આપો: જો તમે ગુજરાતી બોલતા હો તો મફત ભાષાકીય સહાયતા સેવાઓ તમારા માટે ઉપલબ્ધ છે. યોગ્ય ઓક્સિલરી સહાય અને એક્સેસિબલ ફોર્મેટમાં માહિતી પૂરી પાડવા માટેની સેવાઓ પણ વિના મૂલ્યે ઉપલબ્ધ છે. 1-844-295-6535 (TTY: 711) પર કોલ કરો અથવા તમારા પ્રદાતા સાથે વાત કરો.

Korean: 주의: 한국어를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-844-294-6535(TTY: 711)번으로 전화하거나 서비스 제공업체에 문의하십시오.

Tabla de Contenido

Agentes Anti Cáncer	3
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias	22
Agentes Antiansiedad	23
Agentes Antidemencia	24
Agentes Antidiabetico	25
Agentes Antigota	31
Agentes Antimigraña	31
Agentes Antinausea.....	32
Agentes Antiparasitarios	33
Agentes Antiparkinson	34
Agentes Antipsicóticos	36
Agentes Calóricos.....	43
Agentes Cardiovasculares	45
Agentes De Enfermedad Intestinal Inflamatoria	56
Agentes De Enfermedad Ósea Metabólica	57
Agentes De Trastorno De Sueño	58
Agentes Del Sistema Nervioso Central.....	59
Agentes Del Tracto Respiratorio	64
Agentes Dentales Y Orales	69
Agentes Dermatológicos	69
Agentes Gastrointestinales	74
Agentes Genitourinarios.....	78
Agentes Hormonales, Estimulante/Reemplazo/Modificador	79
Agentes Inmunológicos	85
Agentes Oftálmicos	98
Agentes Para Los Ojos, Oídos, Nariz, Garganta.....	99
Agentes Terapeuticos Misceláneos	103

Agentes Vasodilatadores	105
Analgésicos.....	106
Anestésicos	111
Antagonistas De Metales Pesados.....	111
Anti Infecciosos (Membrana Cutánea Y Mucosa).....	112
Antibacterianos	112
Anticonceptivos	120
Anticonvulsivos	130
Antidepresivos	135
Antifúngicos.....	139
Antihistamínicos.....	141
Antimicobacteriales	142
Antivirales (Sitémico)	142
Cofactores Enzimáticos/Otros	149
Dispositivos	149
Preparaciones De Reemplazo.....	193
Productos Sanguíneos/Modificadores/Expansores De Volumen	195
Reemplazo/Modificadores De Enzima	198
Relajantes Musculares Esqueléticos.....	200
Vitaminas Y Minerales	200

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Agentes Anti Cáncer		
Agentes Anti Cáncer		
<i>abiraterone oral tablet 250 mg</i> (Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone, submicronized oral tablet 125 mg</i> (Yonsa)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (abiraterone)	2	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AVMAPKI ORAL CAPSULE 0.8 MG	5	PA NSO; NM; NDS; QL (24 per 28 days)
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	5	PA NSO; NM; NDS; QL (66 per 28 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	5	PA NSO; NM; NDS
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
BRUKINSA ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAMCEVI (6 MONTH) SUBCUTANEOUS SYRINGE 42 MG	4	PA NSO
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Kyxata)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Phyrago)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Phyrago)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	5	PA NSO; NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
EULEXIN ORAL CAPSULE 125 (flutamide) MG	5	NM; NDS
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>everolimus (antineoplastic) oral tablet 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FAKZYNJA ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (42 per 28 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml)</i> (Avgemsi)	2	PA BvD
<i>gemcitabine intravenous solution 200 mg/5.26 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERNEXEOS ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
HYRNUO ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBTROZI ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLEXZO INTRAVESICAL IMPLANT 225 MG	5	PA BvD; NM; NDS
INLURIYO ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG	5	PA NSO; NM; NDS; QL (600 per 30 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG	5	PA NSO; NM; NDS; QL (390 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY (10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X 2), 20 MG/DAY (10 MG X 2), 24 MG/DAY (10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO
<i>lomustine oral capsule 10 mg</i> (Gleostine)	2	
<i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)	5	NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide acetate (3 month))	4	PA NSO
LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML	5	PA NSO; NM; NDS; QL (15 per 8 days)
LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (40 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MODEYSO ORAL CAPSULE 125 MG	5	PA NSO; NM; NDS; QL (20 per 28 days)
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>pazopanib oral tablet 400 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RYBREVANT FASPRO SUBCUTANEOUS SOLUTION 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCSEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCSEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCSEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	5	NM; NDS
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG (abiraterone, submicronized)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	
<i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
Agentes Antiansiedad		
Benzodiacepinas		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg</i>	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	2	QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	2	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	QL (60 per 30 days)
Agentes Antidemencia		
Agentes Antidemencia		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>	2	
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>memantine oral capsule, sprinkle, er</i> (Namenda XR) 24hr 7 mg	2	ST; QL (30 per 30 days)
<i>memantine oral solution</i> 2 mg/ml	2	QL (300 per 30 days)
<i>memantine oral tablet</i> 10 mg, 5 mg	2	QL (60 per 30 days)
<i>memantine-donepezil oral capsule, sprinkle, er</i> (Namzaric) 24hr 14-10 mg, 21-10 mg, 28-10 mg	2	ST; QL (30 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7- 10 MG	4	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	
<i>rivastigmine transdermal patch</i> 24 (Exelon Patch) hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	2	QL (30 per 30 days)
Agentes Antidiabetico		
Agentes Antidiabeticos, Varios		
<i>acarbose oral tablet</i> 100 mg, 25 mg, (Precose) 50 mg	2	
<i>dapagliflozin propanediol oral tablet</i> (Farxiga) 10 mg, 5 mg	3	QL (30 per 30 days)
FARXIGA ORAL TABLET 10 MG, (dapagliflozin 5 MG propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET (linagliptin-metformin) 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg, 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pioglitazone-metformin oral tablet</i> (Actoplus MET) 15-850 mg	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5- 1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - (dapaglifloz propaned- ER, BIPHASIC 24HR 10-1,000 MG metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - (dapaglifloz propaned- ER, BIPHASIC 24HR 5-1,000 MG metformin)	3	QL (60 per 30 days)
Insulinas		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites	
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	6	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	6	max \$35 copay per month supply; QL (30 per 28 days)	
FIASP PUMPCART SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (1.6 ML)	6	max \$35 copay per month supply	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	6	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	6	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100 unit/ml</i> <i>(70-30)</i>	(Novolog Mix 70- 30FlexPen U-100)	6	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> <i>(70-30)</i>	(Novolog Mix 70-30 U- 100 Insuln)	6	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	6	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U- 100 Insulin)	6	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	6	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin glargine-yfgn subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i>	(Semglee(insulin glarg- yfgn)Pen)	6	max \$35 copay per month supply; QL (30 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	(Semglee(insulin glargine-yfgn))	6	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin lispro subcutaneous solution 100 unit/ml</i>	(Admelog U-100 Insulin lispro)	6	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	6	max \$35 copay per month supply; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	6	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		6	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		6	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		6	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin aspart u-100)	6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	6	max \$35 copay per month supply; QL (40 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NOVOLOG MIX 70-30FLEXPEN (insulin asp prt-insulin aspart) U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLOG PENFILL U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	6	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLOG U-100 INSULIN (insulin aspart u-100) ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	6	max \$35 copay per month supply; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	6	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR (insulin glargine u-300 conc) SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	6	max \$35 copay per month supply; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 (insulin glargine u-300 conc) INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	6	max \$35 copay per month supply; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	6	max \$35 copay per month supply; QL (15 per 28 days)
Sulfonilureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	QL (90 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>glyburide micronized oral tablet 6 mg</i>	2	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
Agentes Antigota		
Agentes Antigota, Otros		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Agentes Antimigraña		
Agentes Antimigraña		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, sub</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan 6 mg/0.5 ml autoinj sub</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	QL (12 per 30 days)
Agentes Antinausea		
Agentes Antinausea		
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
Agentes Antiparasitarios		
Agentes Antiparasitarios		
<i>albendazole oral tablet 200 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS; QL (60 per 30 days)
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Agentes Antiparkinson		
Agentes Antiparkinson		
<i>amantadine hcl oral capsule 100 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>apomorphine subcutaneous cartridge</i> (APOKYN) <i>10 mg/ml</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	2	
<i>entacapone oral tablet 200 mg</i>	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (600 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	4	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
Agentes Antipsicóticos		
Agentes Antipsicóticos		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	4	ST
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, (Latuda) 40 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg (Latuda)</i>	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa)	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	5	ST; NM; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i> (Rykindo)	2	QL (2 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>risperidone microspheres</i> (Rykindo) <i>intramuscular suspension,extended</i> <i>rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	
<i>risperidone oral tablet,disintegrating</i> <i>0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NM; NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i>	2	
<i>ziprasidone mesylate intramuscular (Geodon) recon soln 20 mg/ml (final conc.)</i>	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Agentes Calóricos		
Agentes Calóricos		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Agentes Cardiovasculares		
Agentes Alfa-Adrenérgicos		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg</i> (Northera)	2	PA; QL (180 per 30 days)
<i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	
Agentes Antiarrítmicos		
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 400 mg</i>	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Agentes Bloqueadores Beta-Adrenérgicos		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
JAVADIN ORAL SOLUTION 0.02 MG/ML (20 MCG/ML)	5	PA; NM; NDS; QL (3600 per 30 days)
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Agentes Bloqueadores Da Canal De Calcio		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 360 mg, 420 mg</i> (Tiadylt ER)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	2	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 300 mg</i>	4	
<i>verapamil oral capsule, 24 hr er pellet ct 200 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
Agentes Cardiovasculares, Varios		
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML	4	QL (600 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DAWNZERA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML	5	PA; NM; NDS; QL (0.8 per 28 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	PA; NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
Antagonistas De Receptores De Angiotensina II		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLETS 15-16 MG, 6-6 MG	3	QL (240 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)	2	
<i>irbesartan oral tablet 75 mg</i>	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)	2	QL (60 per 30 days)
<i>telmisartan oral tablet 20 mg</i>	2	
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
Dihidropiridinas		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amlodipine-benazepril oral capsule</i> (Lotrel) 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	1	
<i>amlodipine-benazepril oral capsule</i> 2.5-10 mg, 5-40 mg	1	
<i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	2	
<i>amlodipine-valsartan oral tablet</i> 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)	2	
<i>amlodipine-valsartan-hctiazid oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	2	
<i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg	2	
<i>isradipine oral capsule</i> 2.5 mg, 5 mg	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule</i> 20 mg, 30 mg	2	
<i>nifedipine oral capsule</i> 10 mg, 20 mg	2	
<i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg (Procardia XL)	2	
<i>nifedipine oral tablet extended release</i> 24hr 90 mg	2	
<i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg	2	
Dislipidémicos		
<i>amlodipine-atorvastatin oral tablet</i> 10-10 mg, 5-10 mg (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet</i> 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet</i> 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
<i>atorvastatin oral tablet</i> 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg</i> (Tricor)	2	
<i>fenofibrate nanocrystallized oral tablet 48 mg</i>	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
JUXTAPID ORAL CAPSULE 10 MG, 5 MG	5	PA; NM; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NM; NDS; QL (56 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	
Diuréticos		
<i>amiloride oral tablet 5 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycys kidney dis))	5	PA; NM; NDS; QL (120 per 30 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	5	PA; NM; NDS; QL (56 per 28 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Inhibidores De Enzima Convertidoras De Angiotensina		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	2	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	2	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	2	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	
<i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ramipril oral capsule 10 mg</i>	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
Inhibidores Del Sistema De Renina-Angiotensina-Aldosterona		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg</i> (Inspra)	2	
<i>eplerenone oral tablet 50 mg</i>	2	
KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	2	ST; QL (600 per 30 days)
Vasodilatadores		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
Agentes De Enfermedad Intestinal Inflamatoria		
Agentes De Enfermedad Intestinal Inflamatoria		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	2	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	2	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
Agentes De Enfermedad Ósea Metabólica		
Agentes De Enfermedad Ósea Metabólica		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	2	QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	5	NM; NDS; QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet,delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity)	5	PA; NM; NDS; QL (2.24 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
Agentes De Trastorno De Sueño		
Agentes De Trastorno De Sueño		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)	2	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioze)	5	PA; NM; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
Agentes Del Sistema Nervioso Central		
Agentes Del Sistema Nervioso Central		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24- 30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> (Tecfidera)	2	PA; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	2	PA
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NM; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG (cladribine(multiple sclerosis))	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)	2	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 40 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 20 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	2	QL (30 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML-94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i>	2	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NM; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)	2	PA; QL (112 per 28 days)
<i>tetrabenazine oral tablet 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE, DELAYED RELEASE (DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Agentes Del Tracto Respiratorio		
Agentes Del Tracto Respiratorio, Otros		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i>	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML	5	PA BvD; NM; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50- 75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
Antiinflamatorios, Corticoesteroides		
Inhalados		
ADVAIR HFA INHALATION HFA (fluticasone propion- AEROSOL INHALER 115-21 salmeterol) MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
ARNUITY ELLIPTA (fluticasone furoate) INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION (fluticasone furoate- BLISTER WITH DEVICE 100-25 vilanterol) MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyana inhalation hfa aerosol inhaler</i> (budesonide-formoterol) <i>160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for</i> (Pulmicort) <i>nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa</i> (Breyna) <i>aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (30.6 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	2	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
Antileucotrinicos		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
Broncodilatadores		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	4	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>		2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>		2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i>	(Spiriva with HandiHaler)	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG		3	QL (60 per 30 days)
Agentes Dentales Y Orales			
Agentes Dentales Y Orales			
<i>cevimeline oral capsule 30 mg</i>	(Evaxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	
<i>fluoride (sodium) dental gel 1.1 %</i>	(DentaGel)	1	
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2	
Agentes Dermatológicos			
Agentes Antiinflamatorios Dermatológicos			
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i>	(hydrocortisone)	2	
<i>alclometasone topical cream 0.05 %</i>		2	
<i>alclometasone topical ointment 0.05 %</i>		2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented))</i>	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical foam 0.05 % (Olux)</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 % (Clobex)</i>	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 % (Clobex)</i>	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam (Olux-E) 0.05 %</i>	2	
<i>desonide topical cream 0.05 %</i>	2	
<i>desonide topical lotion 0.05 %</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 % (Topicort)</i>	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %</i> , 0.25 % (Topicort)	2	
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
Agentes Dermatológicos, Otros		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	
<i>acyclovir topical cream 5 %</i> (Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>calcipotriene topical cream 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	5	ST; NM; NDS; QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NM; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
Antibacterianos Dermatológicos		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	2	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>erythromycin with ethanol topical gel</i> 2 %	2	
<i>erythromycin with ethanol topical solution</i> 2 %	2	
<i>erythromycin-benzoyl peroxide</i> (Benzamycin) topical gel 3-5 %	2	
<i>gentamicin topical cream</i> 0.1 %	2	QL (90 per 30 days)
<i>gentamicin topical ointment</i> 0.1 %	2	QL (120 per 30 days)
<i>metronidazole topical cream</i> 0.75 % (Rosadan)	2	
<i>metronidazole topical gel</i> 0.75 % (Rosadan)	2	
<i>metronidazole topical gel</i> 1 % (Metrogel)	2	
<i>metronidazole topical lotion</i> 0.75 % (MetroLotion)	2	
<i>mupirocin topical ointment</i> 2 % (Centany)	1	QL (220 per 30 days)
<i>rosadan topical cream</i> 0.75 % (metronidazole)	2	
<i>selenium sulfide topical lotion</i> 2.5 %	2	
<i>silver sulfadiazine topical cream</i> 1 % (SSD)	2	
<i>ssd topical cream</i> 1 % (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension</i> 10 % (Klaron)	2	
Escabicidas Y Pediculicidas		
<i>malathion topical lotion</i> 0.5 % (Ovide)	2	
<i>permethrin topical cream</i> 5 % (Elimite)	2	QL (60 per 30 days)
Retinoides Dermatológicos		
<i>adapalene topical cream</i> 0.1 % (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream</i> 0.05 %, 0.1 % (Tazorac)	2	
<i>tretinoin topical cream</i> 0.025 % (Avita)	2	PA
<i>tretinoin topical cream</i> 0.05 %, 0.1 % (Retin-A)	2	PA
<i>tretinoin topical gel</i> 0.01 % (Retin-A)	2	PA
<i>tretinoin topical gel</i> 0.025 % (Avita)	2	PA
<i>tretinoin topical gel</i> 0.05 % (Atralin)	2	PA
Agentes Gastrointestinales		
Agentes Antiúlceras Y Supresores De Ácidos		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)	5	ST; NM; NDS; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	2	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
VOQUEZNA ORAL TABLET 10 MG, 20 MG	4	PA
Agentes Gastrointestinales, Otros		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycerol phenylbutyrate oral liquid 1.1 gram/ml</i> (Ravicti)	5	PA; NM; NDS
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
IQIRVO ORAL TABLET 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>lubiprostone oral capsule 8 mcg</i> (Amitiza)	2	QL (120 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NM; NDS
<i>sodium polystyrene sulfonate oral powder 15 gram</i>	2	
<i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
TRULANCE ORAL TABLET 3 MG	3	QL (30 per 30 days)
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
Enlaces De Fosfato		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NM; NDS
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	
Laxantes		
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
Agentes Genitourinarios		
Agentes Genitourinarios, Varios		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>dutasteride-tamsulosin oral capsule, (Jalyn) er multiphase 24 hr 0.5-0.4 mg</i>	2	
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	
<i>tamsulosin oral capsule 0.4 mg</i>	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg (Thiola)</i>	5	NM; NDS
Antiespasmódicos, Urinario		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended (Toviaz) release 24 hr 4 mg, 8 mg</i>	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET (mirabegron) EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg (Vesicare)</i>	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Agentes Hormonales, Estimulante/Reemplazo/Modificador		
Agentes Tiroideos Y Antitiroideos		
<i>levothyroxine oral tablet 100 mcg, (Euthyrox) 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG	5	PA; NM; NDS
Andrógenos		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
Estrógenos Y Antiestrógenos		
<i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)	1	
<i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i> (Premarin)	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	QL (8 per 28 days)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i> (Delestrogen)	2	
<i>estradiol valerate intramuscular oil 40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)	2	
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	QL (8 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoides/Mineralocorticoides		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitario		
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
EGRIFTA WR SUBCUTANEOUS KIT 11.6 MG	5	PA; NM; NDS; QL (4 per 28 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> <i>200 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NM; NDS
Progestinas		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Agentes Inmunológicos		
Agentes Inmunológicos		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL (tacrolimus) CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG	4	PA BvD
ASTAGRAF XL ORAL (tacrolimus) CAPSULE, EXTENDED RELEASE 24HR 5 MG	5	PA BvD; NM; NDS
<i>auranofin oral capsule 3 mg</i> (Ridaura)	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA 200 MG/ML SYRINGE KIT	5	PA; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i>	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) <i>100 mg, 25 mg</i>	2	PA BvD
<i>cyclosporine modified oral capsule</i> <i>50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) <i>100 mg/ml</i>	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm) HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm) UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) PEN (adalimumab-adbm) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm) SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> (Zortress)	2	PA BvD
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i> (Zortress)	5	PA BvD; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG	5	PA; NM; NDS
OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG	5	PA; NM; NDS
PROGRAF INTRAVENOUS (tacrolimus) SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG (auranofin)	5	NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 45 MG/0.5 ML	3	PA
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 90 MG/ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	2	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS (ustekinumab) SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS (ustekinumab) SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS (ustekinumab) SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS
TREMFYA ONE-PRESS SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA PEN INDUCTION PK(2PEN) SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
<i>ustekinumab intravenous solution</i> (Stelara) <i>130 mg/26 ml</i>	5	PA; NM; NDS
<i>ustekinumab subcutaneous solution</i> (Stelara) <i>45 mg/0.5 ml</i>	5	PA; NM; NDS
<i>ustekinumab subcutaneous syringe</i> (Stelara) <i>45 mg/0.5 ml, 90 mg/ml</i>	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty) HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
Vacunas		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
PENMENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML	3	\$0 copay
PENMENVY MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10-5 MCG	3	\$0 copay
PENMENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 20MCG-5LF- 62 DU/0.5 ML	3	
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay
Agentes Oftálmicos		
Agentes Antiglaucoma		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i>	2	
<i>brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye)</i> (Zioptan (PF)) <i>dropperette 0.0015 %</i>	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) <i>0.004 %</i>	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Agentes Para Los Ojos, Oídos, Nariz, Garganta		
Agentes Antiinfecciosos De Ojos, Oídos, Nariz Y Garganta		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic</i> (Polycin) <i>(eye) ointment 500-10,000 unit/gram</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflax)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
XDEM VY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % (tobramycin-lotepred)	3	
Agentes Antiinflamatorios De Ojos, Oídos, Nariz Y Garganta		
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	2	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	2	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cyclosporine ophthalmic (eye)</i> (Restasis) <i>dropperette 0.05 %</i>	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops</i> (Durezol) <i>0.05 %</i>	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetate oil otic (ear)</i> (DermOtic Oil) <i>drops 0.01 %</i>	2	
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal</i> (24 Hour Allergy Relief) <i>spray,suspension 50 mcg/actuation</i>	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic</i> (Lotemax) <i>(eye) drops,gel 0.5 %</i>	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic</i> (Alrex) <i>(eye) drops,suspension 0.2 %</i>	2	ST
<i>loteprednol etabonate ophthalmic</i> <i>(eye) drops,suspension 0.5 %</i>	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol</i> (Allergy Nasal <i>50 mcg/actuation</i> (mometasone))	2	QL (34 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Agentes De Ojos, Oídos, Nariz Y Garganta, Varios		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i>	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
MIEBO (PF) OPTHALMIC (EYE) DROPS 100 %	3	QL (12 per 28 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))	2	
Agentes Terapeuticos Misceláneos		
Agentes Terapeuticos Misceláneos		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
ANDEMBRY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 200 MG/1.2 ML	5	PA; NM; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	3	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	5	NM; NDS
ELMIRON ORAL CAPSULE 100 MG	4	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EVRYSDI ORAL TABLET 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glucagon emergency kit (human) injection recon soln 1 mg</i>	3	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NM; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NM; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
THALOMID ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
THALOMID ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
Agentes Vasodilatadores		
Agentes Vasodilatadores		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Analgésicos		
Agentes Antiinflamatorios No Esteroideos		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800- 26.6 mg</i>	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>indomethacin oral capsule, extended release 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<i>piroxicam oral capsule 10 mg</i>	2	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
Analgésicos, Varios		
<i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg/12.5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i> (codeine-butalbital-asa-caff)	2	QL (180 per 30 days)
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	2	QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	2	QL (5 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 60 mg</i>	4	QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg</i>	2	QL (180 per 30 days)
<i>codeine-bitalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	2	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	QL (10 per 30 days)
<i>fioricet oral capsule 50-300-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 5-200 mg</i>	2	QL (150 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>oxymorphone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	QL (300 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
Anestésicos		
Anestesia Local		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>tridacaine ii topical adhesive patch,medicated 5 %</i> (lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Antagonistas De Metales Pesados		
Antagonistas De Metales Pesados		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>deferasirox oral granules in packet</i> (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg	5	PA; NM; NDS
<i>deferasirox oral tablet</i> 180 mg, 360 mg, 90 mg (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible</i> (Exjade) 125 mg	2	PA
<i>deferasirox oral tablet, dispersible</i> (Exjade) 250 mg, 500 mg	5	PA; NM; NDS
<i>deferiprone oral tablet</i> 1,000 mg, 500 mg (Ferriprox)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
<i>penicillamine oral tablet</i> 250 mg (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule</i> 250 mg (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Anti Infecciosos (Membrana Cutánea Y Mucosa)		
Anti Infecciosos (Membrana Cutánea Y Mucosa)		
<i>clindamycin phosphate vaginal cream</i> 2 % (Cleocin)	2	
<i>metronidazole vaginal gel</i> 0.75 % (37.5mg/5 gram) (Vandazole)	2	
<i>terconazole vaginal cream</i> 0.4 %, 0.8 %	2	
<i>terconazole vaginal suppository</i> 80 mg	2	
Antibacterianos		
Aminoglicósidos		
<i>amikacin injection solution</i> 500 mg/2 ml	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NM; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution</i> 40 mg/ml	2	
<i>gentamicin sulfate (ped) (pf) injection solution</i> 20 mg/2 ml	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
Antibacteriales, Misceláneos		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS
<i>fosfomycin tromethamine oral packet 3 gram</i>	2	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i>	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>metronidazole in nacl (iso-os)</i> (Metro I.V.) <i>intravenous piggyback 500 mg/100 ml</i>	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Antibióticos B-Lactam Misceláneos		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<i>meropenem intravenous recon soln 2 gram</i>	4	
Cefalosporinas		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefixime oral tablet 400 mg</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrólidos		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>	2	
<i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<i>fidaxomicin oral tablet 200 mg</i> (Difcid)	5	NM; NDS; QL (20 per 10 days)
Penicilinas		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>naftcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
Quinolonas		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag sub, p/f, inner</i>	2	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	2	
Sulfonamidas		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetraciclinas		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)	2	
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	2	
Anticonceptivos		
Anticonceptivos		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2	
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estradiol)	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estradiol)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estradiol triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Valtya)	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	4	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Rosyrah)	2	QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	4	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Amethyst (28))	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>luta</i> (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
<i>lyleq</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
<i>lyza</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
<i>marlissa</i> (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
<i>meleya</i> oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
<i>merzee</i> oral capsule 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
<i>microgestin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
<i>microgestin</i> 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
<i>microgestin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
<i>microgestin</i> fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
<i>microgestin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
<i>mili</i> oral tablet 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-lynyah</i> oral tablet 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	1	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>nikki</i> (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
<i>norelgestromin-ethin.estradiol</i> transdermal patch weekly 150-35 mcg/24 hr	(Xulane)	2	QL (3 per 28 days)
<i>norethindrone</i> (contraceptive) oral tablet 0.35 mg	(Jencycla)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Mono-Linyah)	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	2	
<i>orquidea oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>		2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>rosyrah oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(1 norgest/e.estradiol-e.estrad)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-mili oral tablet</i> 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	2	
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	2	
<i>tri-mili oral tablet</i> 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tri-nymyo oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	2	
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	2	
<i>trivora (28) oral tablet</i> 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	2	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	2	
<i>tri-vylibra oral tablet</i> 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	2	
<i>turqoz (28) oral tablet</i> 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
<i>valtya oral tablet</i> 1-35 mg-mcg, 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	2	
<i>velivet triphasic regimen (28) oral tablet</i> 0.1/.125/.15-25 mg-mcg		2	
<i>vestura (28) oral tablet</i> 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
<i>vienva oral tablet</i> 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
<i>viorele (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
<i>volnea (28) oral tablet</i> 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
<i>vyfemla (28) oral tablet</i> 0.4-35 mg-mcg		2	
<i>vylibra oral tablet</i> 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	2	
<i>xarah fe oral tablet</i> 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estradiol-iron)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>xulane transdermal patch weekly</i> 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly</i> 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
Anticonvulsivos			
Anticonvulsivos			
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML		5	NM; NDS; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML		5	NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	(brivaracetam)	5	NM; NDS; QL (60 per 30 days)
<i>carbamazepine 100 mg/5 ml cup</i> <i>outer 100 mg/5 ml (5 ml)</i>		2	
<i>carbamazepine oral capsule, er</i> <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	(Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i>	(Tegretol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>		2	
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	2	
<i>diazepam rectal kit 2.5 mg</i>	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG	5	ST; NM; NDS; QL (90 per 30 days)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG	5	ST; NM; NDS; QL (60 per 30 days)
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	5	ST; NM; NDS; QL (30 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	5	ST; NM; NDS; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
FYCOMPA ORAL SUSPENSION (perampanel) 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	2	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>perampanel oral suspension 0.5 mg/ml</i> (Fycompa)	5	ST; NM; NDS; QL (720 per 30 days)
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)	5	ST; NM; NDS; QL (30 per 30 days)
<i>perampanel oral tablet 2 mg</i> (Fycompa)	2	ST; QL (30 per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)	5	ST; NM; NDS; QL (60 per 30 days)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytek oral capsule 200 mg, 300 mg</i> (phenytoin sodium extended)	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	2	
<i>topiramate oral solution 25 mg/ml</i> (Eprontia)	2	ST
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	NM; NDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	5	NM; NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	NM; NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14)	4	
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	NM; NDS
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)

Antidepresivos

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Antidepresivos		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS)	5	PA NSO; NM; NDS
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)	1	
<i>fluoxetine oral capsule 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
RALDESY ORAL SOLUTION 10 MG/ML	5	PA NSO; NM; NDS; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
Antifúngicos		
Antifúngicos		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	
<i>ciclopirox topical shampoo 1 %</i>	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	
CRESEMBA INTRAVENOUS RECON SOLN 372 MG	5	NM; NDS
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>econazole nitrate topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for</i> (Diflucan) <i>reconstitution 40 mg/ml</i>	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500</i> (Ancobon) <i>mg</i>	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i>	5	PA; NM; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NM; NDS
<i>nyamyc topical powder 100,000</i> (nystatin) <i>unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NM; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	2	
Antihistamínicos		
Antihistamínicos		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> (Carbzah)	2	
<i>clemastine oral tablet 2.68 mg</i> (Clemsza)	2	
<i>clemasz oral tablet 2.68 mg</i> (clemastine)	2	
<i>clemsza oral tablet 2.68 mg</i> (clemastine)	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
Antimicobacteriales		
Antimicobacteriales		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antivirales (Sitémico)		
Antirretrovirales		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular</i> (Apretude) <i>suspension,extended release 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg</i> (Prezista)	2	
<i>darunavir oral tablet 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100- 300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	2	
<i>efavirenz-lamivudine-tenofovir disoproxil oral tablet 400-300-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil oral</i> (Symfi) <i>tablet 600-300-300 mg</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral</i> (Truvada) <i>tablet 100-150 mg, 167-250 mg, 200- 300 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-25-300 mg</i> (Complera)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET, CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)	4	QL (480 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMITUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirales Hcv		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Antivirales, Varios		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	2	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
Interferones		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
Nucleósidos Y Nucleótidos		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
Cofactores Enzimáticos/Otros		
Cofactores Enzimáticos/Otros		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
Dispositivos		
Dispositivos		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ALCOHOL PREP SWABS (alcohol swabs) TOPICAL PADS, MEDICATED	1	PA; ST
ALCOHOL WIPES TOPICAL (alcohol swabs) PADS, MEDICATED	1	PA; ST
AQINJECT PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
AQINJECT PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
ASSURE ID DUO PRO NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	2	PA; ST
ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle MICRO-FINE 1 ML 27 GAUGE X u-100) 5/8"	2	PA; ST
BD LO-DOSE ULTRA-FINE (insulin syringe-needle SYRINGE 0.5 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFETYGLIDE SYRINGE (insulin syringe-needle 27GX5/8 1 ML 27 GAUGE X u-100) 5/8"	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 27G 12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	PA; ST
CURITY GAUZE PADS 2 X 2 " (gauze bandage)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G (insulin syringe-needle 12.7MM 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		2	PA; ST
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		2	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"	2	PA; ST
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16"	2	PA; ST
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G (insulin syringe-needle 8MM 1/2 ML 29 X5/16 " u-100)	2	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16	2	PA; ST
EASY COMFORT SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
EASY GLIDE INS 0.5 ML (insulin syringe-needle 31GX6MM 1/2 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
EASY GLIDE INS 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32"	2	PA; ST
EASY TOUCH 0.3 ML SYR (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE 1/2 ML 29	(Ultilet Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	2	PA; ST
EXEL U100 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE		2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GAUZE PADS 2"X2" STRL 2 X 2 "	(Bordered Gauze)	1	PA; ST
GNP ALCOHOL SWAB STERILE, TWO PLY	(Alcohol Pads)	1	PA; ST
GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
GNP PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(1st Tier Unifine Pentips)	2	PA; ST
GNP PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST
GNP PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(1st Tier Unifine Pentips)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		2	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN 1 ML SYRINGE 1 ML 30 GAUGE X 7/16" (Ultra Comfort Insulin Syringe)	2	PA; ST
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (UltiCare Insuln Syr(half unit))	2	PA; ST
INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	2	PA; ST
INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
KENDALL ALCOHOL 70% PREP (alcohol swabs) PAD	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	PA; ST
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100) , 1/2 ML 30 GAUGE	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle 1 ML 28 GAUGE, 1 ML 30 GAUGE u-100) X 7/16"	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	PA; ST
LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic) 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
LITETOUCH INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
LITETOUCH SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	2	PA; ST
LITETOUCH SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
LITETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MONOJECT INSULIN SYR 0.3 ML (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (insulin syringe-needle (OTC) 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML (insulin syringe-needle 3'S (OTC) 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"	2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
MS INSULIN SYR 1 ML (Advocate Syringes) 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16	2	PA; ST
MS INSULIN SYRINGE 0.3 ML 0.3 ML 30 (Ultra Comfort Insulin Syringe)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
NANO PEN NEEDLE 32G 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
NOVOFINE 30 NEEDLE	2	PA; ST
NOVOFINE 32G NEEDLES 32 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	PA; ST
NOVOTWIST NEEDLE 32 GAUGE X 1/5"	2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle) 30 GAUGE X 3/16"	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine GAUGE X 1/4" Pentips)	2	PA; ST
PEN NEEDLE 6MM 31G 6MM 31 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips NEEDLE 29 GAUGE X 1/2" Plus)	2	PA; ST
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	PA; ST
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PEN NEEDLES 5MM 31G (pen needle, diabetic) 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PREFPLS INS SYR 1 ML (Advocate Syringes) 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRO COMFORT PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	2	PA; ST
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	PA; ST
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	PA; ST
RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	2	PA; ST
RELION INS SYR 0.3 ML (Comfort EZ Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELION INS SYR 0.5 ML (Comfort EZ Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELION INS SYR 1 ML (Comfort EZ Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	PA; ST
SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO 31 GAUGE X 5/32" Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100)	2	PA; ST
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	PA; ST
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE INSULIN SYRINGE 0.3 u-100) ML 31 GAUGE X 5/16"	2	PA; ST
SURE COMFORT 30G PEN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	PA; ST
TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"		2	PA; ST
TRUE COMFORT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 30G 8MM (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTICARE SYR 0.3 ML 29G (Comfort EZ Insulin Syringe) 12.7MM 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle u-100) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
ULTICARE SYR 0.3 ML (insulin syringe-needle u-100) 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle u-100) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
ULTICARE SYR 0.5 ML (insulin syringe-needle u-100) 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle u-100) 1 ML 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE		2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRA-FINE SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS 32G 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle SY OUTER 0.5 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	PA; ST
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	PA; ST
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	PA; ST
Preparaciones De Reemplazo			
Preparaciones De Reemplazo			
d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution	(d5 % and 0.9 % sodium chloride)	2	
d5 % and 0.9 % sodium chloride intravenous parenteral solution	(D5 % (d-glucose)-0.9 % sodchlr)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	2	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	
Productos Sanguíneos/Modificadores/Expansores De Volumen		
Agentes Hematológicos, Varios		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	2	
Anticoagulantes		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	3	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4)	3	QL (960 per 30 days)
ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG	3	QL (120 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 30 (Lovenox) mg/0.3 ml	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 40 (Lovenox) mg/0.4 ml	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 60 (Lovenox) mg/0.6 ml	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 (Arixtra) mg/0.4 ml	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 (warfarin) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
<i>rivaroxaban oral suspension for</i> (Xarelto) <i>reconstitution</i> 1 mg/ml	2	QL (600 per 30 days)
<i>rivaroxaban oral tablet</i> 2.5 mg (Xarelto)	2	
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XARELTO ORAL SUSPENSION (rivaroxaban) FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, (rivaroxaban) 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG (rivaroxaban)	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	ST; QL (60 per 30 days)
Inhibidores De Agregación De Plaquetas		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)	2	
Modificadores De Formación De Sangre		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 12.5 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 25 mg</i>	5	PA; NM; NDS; QL (180 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)	5	PA; NM; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)	5	PA; NM; NDS; QL (30 per 30 days)
<i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NM; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
Reemplazo/Modificadores De Enzima		
Reemplazo/Modificadores De Enzima		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NM; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	5	PA; NM; NDS; QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT, 60,000- 189,600- 252,600 UNIT	3	
Relajantes Musculares Esqueléticos		
Relajantes Musculares Esqueléticos		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Vitaminas Y Minerales		
Vitaminas Y Minerales		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	1	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	1	
<i>folivane-ob capsule 85-1 mg</i>	1	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	1	
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	
<i>mynatal oral tablet 90-1-50 mg</i>	1	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	
<i>newgen tablet 32-1,000 mg-mcg</i>	1	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	1	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	1	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	1	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	
<i>pnv-omega softgel 28-1-300 mg</i>	1	
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	1	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	1	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	1	
<i>prenatabs fa tablet 29-1 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>prenatal-u capsule 106.5-1 mg</i>	1	
<i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>pretab oral tablet 29-1 mg</i>	1	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>taron-c dha capsule 35-1-200 mg</i>	1	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	
<i>virt-c dha oral capsule 35-1-200 mg</i>	1	
<i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>	1	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	1	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	
<i>vitafol nano oral tablet 18 mg iron- 1 mg</i>	1	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>	1	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

ÍNDICE

1		
1ST TIER UNIFINE		
PENTIPS	149	
1ST TIER UNIFINE		
PENTIPS PLUS	149	
A		
<i>abacavir</i>	142	
<i>abacavir-lamivudine</i>	142	
ABELCET	139	
<i>abigale</i>	80	
<i>abigale lo</i>	80	
ABILIFY ASIMTUFII	36, 37	
ABILIFY MAINTENA	37	
<i>abiraterone</i>	3	
<i>abiraterone, submicronized</i> ..	3	
<i>abirtega</i>	3	
ABOUTTIME PEN NEEDLE		
.....	150	
ABRYSVO (PF)	92	
<i>acamprosate</i>	22	
<i>acarbose</i>	25	
<i>accutane</i>	72	
<i>acebutolol</i>	46	
<i>acetaminophen-codeine</i> ..	108	
<i>acetazolamide</i>	98	
<i>acetazolamide sodium</i>	98	
<i>acetic acid</i>	99	
<i>acetylcysteine</i>	64	
<i>acitretin</i>	72	
ACTHIB (PF)	92	
ACTIMMUNE	104	
<i>acyclovir</i>	72, 148	
<i>acyclovir sodium</i>	149	
ADACEL(TDAP		
ADOLESN/ADULT)(PF). 93		
<i>adapalene</i>	74	
<i>adefovir</i>	149	
ADEMPAS	106	
<i>adrucil</i>	3	
ADVAIR HFA	66	
ADVOCATE PEN NEEDLE		
.....	150	
ADVOCATE SYRINGES ..	150	
<i>afirmelle</i>	120	
AIMOVIG AUTOINJECTOR		
.....	31	
AIRSUPRA	66, 67	
AKEEGA	3	
<i>ala-cort</i>	69	
<i>ala-scalp</i>	69	
<i>albendazole</i>	33	
<i>albuterol sulfate</i>	67	
<i>alclometasone</i>	69	
ALCOHOL PADS	150	
ALCOHOL PREP PADS..	170	
ALCOHOL PREP SWABS		
.....	151	
ALCOHOL SWABS	166	
ALCOHOL WIPES	151	
ALECENSA	3	
<i>alendronate</i>	57	
<i>alfuzosin</i>	78	
<i>aliskiren</i>	56	
<i>allopurinol</i>	31	
<i>alosetron</i>	56	
<i>alprazolam</i>	23	
<i>altavera (28)</i>	120	
ALTRENO	74	
ALUNBRIG	3	
ALVAIZ	197	
<i>alyacen 1/35 (28)</i>	120	
<i>alyacen 7/7/7 (28)</i>	120	
ALYFTREK	64	
<i>alyq</i>	106	
<i>amabelz</i>	81	
<i>amantadine hcl</i>	34, 35	
<i>ambrisentan</i>	106	
<i>amethia</i>	120	
<i>amethyst (28)</i>	120	
<i>amikacin</i>	112	
<i>amiloride</i>	53	
<i>amiloride-hydrochlorothiazide</i>		
.....	54	
<i>amiodarone</i>	45	
<i>amitriptyline</i>	136	
<i>amitriptyline-</i>		
<i>chlordiazepoxide</i>	136	
<i>amlodipine</i>	50	
<i>amlodipine-atorvastatin</i>	51	
<i>amlodipine-benazepril</i>	51	
<i>amlodipine-olmesartan</i>	51	
<i>amlodipine-valsartan</i>	51	
<i>amlodipine-valsartan-</i>		
<i>hcthiacid</i>	51	
<i>ammonium lactate</i>	72	
<i>amoxapine</i>	136	
<i>amoxicil-clarithromy-</i>		
<i>lansopraz</i>	75	
<i>amoxicillin</i>	117	
<i>amoxicillin-pot clavulanate</i>		
.....	117	
<i>amphotericin b</i>	139	
<i>amphotericin b liposome</i> ..	139	
<i>ampicillin</i>	118	
<i>ampicillin sodium</i>	118	
<i>ampicillin-sulbactam</i>	118	
<i>anagrelide</i>	195	
<i>anastrozole</i>	3	
ANDEMBRY		
AUTOINJECTOR	104	
ANKTIVA	3	

ANORO ELLIPTA.....	68	AUGTYRO	3	BD ECLIPSE LUER-LOK.....	151
<i>apomorphine</i>	35	<i>auranofin</i>	85	BD INSULIN SYRINGE ...	152
<i>apraclonidine</i>	103	<i>aurovela 1.5/30 (21)</i>	121	BD INSULIN SYRINGE	
<i>aprepitant</i>	32, 33	<i>aurovela 1/20 (21)</i>	121	(HALF UNIT)	152
<i>apri</i>	121	<i>aurovela 24 fe</i>	121	BD INSULIN SYRINGE	
APTIVUS.....	142	<i>aurovela fe 1.5/30 (28)</i>	121	ULTRA-FINE	152
AQINJECT PEN NEEDLE		<i>aurovela fe 1-20 (28)</i>	121	BD LO-DOSE ULTRA-FINE	
.....	151	AUSTEDO	59		152
<i>aranelle (28)</i>	121	AUSTEDO XR	59, 60	BD NANO 2ND GEN PEN	
ARCALYST	85	AUSTEDO XR TITRATION		NEEDLE.....	152
AREXVY (PF).....	93	KT(WK1-4)	60	BD SAFETYGLIDE INSULIN	
ARIKAYCE	112	AUTOSHIELD DUO PEN		SYRINGE	152, 153
<i>aripiprazole</i>	37	NEEDLE	151	BD SAFETYGLIDE	
ARISTADA	37	AUVELITY	136	SYRINGE	152
ARISTADA INITIO	37	<i>aviane</i>	121	BD ULTRA-FINE MICRO	
<i>armodafinil</i>	59	AVMAPKI	3	PEN NEEDLE	153
ARNUITY ELLIPTA	66	AVMAPKI-FAKZYNJA.....	3	BD ULTRA-FINE MINI PEN	
<i>ascomp with codeine</i>	108	AVONEX	60	NEEDLE.....	153
<i>asenapine maleate</i>	37	AXTLE	3	BD ULTRA-FINE NANO PEN	
<i>ashlyna</i>	121	<i>ayuna</i>	121	NEEDLE.....	153
<i>aspirin-dipyridamole</i>	197	AYVAKIT	4	BD ULTRA-FINE ORIG PEN	
ASSURE ID DUO PRO SFTY		<i>azacitidine</i>	4	NEEDLE.....	153
PEN NDL	151	<i>azathioprine</i>	85	BD ULTRA-FINE SHORT	
ASSURE ID DUO-SHIELD		<i>azathioprine sodium</i>	86	PEN NEEDLE	153
.....	151	<i>azelastine</i>	103	BD VEO INSULIN SYR	
ASSURE ID INSULIN		<i>azithromycin</i>	116	(HALF UNIT)	153
SAFETY.....	151	<i>aztreonam</i>	114	BD VEO INSULIN SYRINGE	
ASSURE ID PEN NEEDLE		<i>azurette (28)</i>	121	UF	153
.....	151	B		BELSOMRA.....	59
ASSURE ID PRO PEN		<i>bacitracin</i>	99	<i>benazepril</i>	55
NEEDLE	151	<i>bacitracin-polymyxin b</i>	99	<i>benazepril-</i>	
ASTAGRAF XL.....	85	<i>baclofen</i>	200	<i>hydrochlorothiazide</i>	55
<i>atazanavir</i>	142	<i>bal-care dha</i>	200	<i>bendamustine</i>	4
<i>atenolol</i>	46	<i>bal-care dha essential</i>	200	BENDAMUSTINE	4
<i>atenolol-chlorthalidone</i>	46	<i>balsalazide</i>	56	BENDEKA.....	4
<i>atomoxetine</i>	59	BALVERSA	4	BENLYSTA	86
<i>atorvastatin</i>	51	<i>balziva (28)</i>	121	<i>benztropine</i>	35
<i>atovaquone</i>	34	BAQSIMI	104	<i>bepotastine besilate</i>	103
<i>atovaquone-proguanil</i>	34	BCG VACCINE, LIVE (PF) 93		BESREMI.....	86
<i>atropine</i>	103	BD ALCOHOL SWABS ...	153	<i>betaine</i>	104
ATROVENT HFA.....	68	BD AUTOSHIELD DUO PEN		<i>betamethasone dipropionate</i>	
<i>aubra eq</i>	121	NEEDLE	151		70

<i>betamethasone valerate</i>	70	<i>bumetanide</i>	54	<i>carbinoxamine maleate</i>	141
<i>betamethasone, augmented</i>	70	<i>buprenorphine</i>	108	<i>carboplatin</i>	5
BETASERON	60	<i>buprenorphine hcl</i>	22	CAREFINE PEN NEEDLE	153, 154
<i>betaxolol</i>	46, 98	<i>buprenorphine-naloxone</i> ...	22	CARETOUCH ALCOHOL PREP PAD	154
<i>bethanechol chloride</i>	79	<i>bupropion hcl</i>	136	CARETOUCH INSULIN SYRINGE	154
<i>bexarotene</i>	4	<i>bupropion hcl (smoking deter)</i>	22	CARETOUCH PEN NEEDLE	154
BEXSERO	93	<i>buspirone</i>	104	<i>carglumic acid</i>	76
<i>bicalutamide</i>	4	<i>butalbital-acetaminop-caf-cod</i>	108	<i>carteolol</i>	98
BICILLIN L-A	118	<i>butalbital-acetaminophen-caff</i>	108, 109	<i>cartia xt</i>	47
BIKTARVY	142	<i>butalbital-aspirin-caffeine</i>	109	<i>carvedilol</i>	46
<i>bimatoprost</i>	98	<i>butorphanol</i>	109	CAYSTON.....	114
<i>bisoprolol fumarate</i>	46	C		<i>cefaclor</i>	115
<i>bisoprolol- hydrochlorothiazide</i>	46	CABENUVA	143	<i>cefadroxil</i>	115
BIZENGRI	4	<i>cabergoline</i>	35	<i>cefazolin</i>	115
<i>bleomycin</i>	4	CABLIVI	195	<i>cefdinir</i>	115
<i>blisovi 24 fe</i>	121	CABOMETYX	5	<i>cefepime</i>	115
<i>blisovi fe 1.5/30 (28)</i>	121	<i>cabotegravir</i>	143	<i>cefexime</i>	115
<i>blisovi fe 1/20 (28)</i>	121	<i>calcipotriene</i>	72, 73	<i>cefoxitin</i>	115
BOOSTRIX TDAP	93	<i>calcitonin (salmon)</i>	57	<i>cefpodoxime</i>	115
BORDERED GAUZE	153	<i>calcitriol</i>	57	<i>cefprozil</i>	115
<i>bortezomib</i>	4	<i>calcium acetate(phosphat bind)</i>	78	<i>ceftazidime</i>	115
BORUZU	4	CALQUENCE	5	<i>ceftriaxone</i>	115
<i>bosentan</i>	106	CALQUENCE (ACALABRUTINIB MAL) .	5	<i>cefuroxime axetil</i>	116
BOSULIF.....	4, 5	CAMCEVI (6 MONTH).....	5	<i>cefuroxime sodium</i>	116
BRAFTOVI	5	<i>camila</i>	121	<i>celecoxib</i>	106
BREO ELLIPTA.....	66	CAMZYOS	48	<i>cephalexin</i>	116
<i>breyna</i>	66	<i>candesartan</i>	49	CERDELGA	198
BREZTRI AEROSPHERE .	68	<i>candesartan-</i> <i>hydrochlorothiazid</i>	49	<i>cevimeline</i>	69
<i>briellyn</i>	121	CAPLYTA	37	<i>chateal eq (28)</i>	121
BRILINTA	197	CAPRELSA.....	5	<i>chlordiazepoxide hcl</i>	23
<i>brimonidine</i>	98	<i>captopril</i>	55	<i>chlorhexidine gluconate</i>	69
<i>brimonidine-timolol</i>	98	<i>carbamazepine</i>	130	<i>chloroquine phosphate</i>	34
<i>brinzolamide</i>	98	<i>carbidopa</i>	35	<i>chlorpromazine</i>	38
BRIVIACT.....	130	<i>carbidopa-levodopa</i>	35	<i>chlorthalidone</i>	54
<i>bromfenac</i>	101	<i>carbidopa-levodopa-</i> <i>entacapone</i>	35	<i>cholestyramine (with sugar)</i>	52
<i>bromocriptine</i>	35			<i>cholestyramine light</i>	52
BRONCHITOL.....	64			<i>ciclopirox</i>	139
BRUKINSA.....	5				
<i>budesonide</i>	56, 57, 66				
<i>budesonide-formoterol</i>	66				

<i>cilostazol</i>	197	CLINIMIX 8%-	COMETRIQ	5
CIMDUO.....	143	D14W(SULFITE-FREE) 44	COMFORT EZ INSULIN	
<i>cimetidine</i>	75	CLINIMIX E 2.75%/D5W	SYRINGE	154, 155, 156
<i>cimetidine hcl</i>	75	SULF FREE	COMFORT EZ PEN	
CIMZIA.....	86	CLINIMIX E 4.25%/D10W	NEEDLES	155, 156
CIMZIA POWDER FOR		SUL FREE.....	COMFORT EZ PRO	
RECONST	86	CLINIMIX E 4.25%/D5W	SAFETY PEN NDL.....	156
CIMZIA STARTER KIT	86	SULF FREE	COMFORT TOUCH PEN	
<i>cinacalcet</i>	57, 58	CLINIMIX E 5%/D15W	NEEDLE.....	157
CINRYZE	197	SULFIT FREE	<i>completenate</i>	200
<i>ciprofloxacin hcl</i>	99, 118	CLINIMIX E 5%/D20W	<i>compro</i>	33
<i>ciprofloxacin in 5 % dextrose</i>		SULFIT FREE	<i>conjugated estrogens</i>	81
.....	119	CLINIMIX E 8%-D10W	<i>constulose</i>	76
<i>ciprofloxacin-dexamethasone</i>		SULFITEFREE	COPIKTRA	5
.....	99	CLINIMIX E 8%-D14W	CORLANOR	48
<i>citalopram</i>	136	SULFITEFREE	CORTROPHIN GEL	83
<i>cladribine</i>	5	<i>clobazam</i>	COSENTYX.....	86
<i>clarithromycin</i>	116		COSENTYX (2 SYRINGES)	
<i>clemastine</i>	141	130		86
<i>clemasz</i>	141	<i>clobetasol</i>	COSENTYX PEN (2 PENS)	
<i>clemsza</i>	141	70		86
CLICKFINE PEN NEEDLE		<i>clobetasol-emollient</i>		
.....	154, 166	70		
<i>clindamycin hcl</i>	113	<i>clomipramine</i>		
<i>clindamycin pediatric</i>	113	136		
<i>clindamycin phosphate</i>	73, 112, 113	<i>clonazepam</i>		
<i>clindamycin-benzoyl peroxide</i>		23		
.....	73	<i>clonidine</i>		
CLINIMIX 5%/D15W		45		
SULFITE FREE	43	<i>clonidine hcl</i>		
CLINIMIX 4.25%/D10W		45, 60		
SULF FREE.....	43	<i>clopidogrel</i>		
CLINIMIX 4.25%/D5W		197		
SULFIT FREE.....	43	<i>clorazepate dipotassium</i> ...		
CLINIMIX 5%-		23		
D20W(SULFITE-FREE). 44		<i>clotrimazole</i>		
CLINIMIX 6%-D5W		139		
(SULFITE-FREE).....	44	<i>clotrimazole-betamethasone</i>		
CLINIMIX 8%-				
D10W(SULFITE-FREE). 44		139		
		<i>clozapine</i>		
		38		
		<i>c-nate dha</i>		
		200		
		COARTEM		
		34		
		COBENFY		
		38		
		COBENFY STARTER PACK		
				
		38		
		<i>codeine sulfate</i>		
		109		
		<i>codeine-butalbital-asa-caff</i>		
				
		109		
		<i>colchicine</i>		
		31		
		<i>colesevelam</i>		
		52		
		<i>colestipol</i>		
		52		
		<i>colistin (colistimethate na)</i> 113		
		COMBIVENT RESPIMAT . 68		

ciproheptadine..... 141
cyred eq 122
D
*d5 % (d-glucose)-0.9 %
sodchl* 193
*d5 % and 0.9 % sodium
chloride* 193
d5 %-0.45 % sodium chloride
..... 194
dabigatran etexilate 195
dalfampridine..... 60
danazol..... 80
dantrolene 200
DANYELZA 6
DANZITEN 6
dapagliflozin propanediol .. 25
dapsone 142
DAPTACEL (DTAP
PEDIATRIC) (PF) 93
daptomycin..... 113
darunavir 143
DARZALEX 6
DARZALEX FASPRO..... 6
dasatinib..... 6
dasetta 1/35 (28)..... 122
dasetta 7/7/7 (28)..... 122
DATROWAY 6
DAURISMO 6
DAWNZERA..... 49
daysee..... 122
deblitane..... 122
decitabine..... 6
deferasirox 112
deferiprone 112
DELSTRIGO 143
demeclocycline..... 119
DENGVAIXIA (PF)..... 93
denta 5000 plus..... 69
dentagel 69
DEPO-SUBQ PROVERA 104
..... 85
DERMACEA..... 157

DERMACEA NON-WOVEN
..... 157
dermacinrx lidocan..... 111
DESCOVY 143
desipramine 136
desmopressin 83
desog-e.estradiol/e.estradiol
..... 122
desogestrel-ethinyl estradiol
..... 122
desonide 70
desoximetasone..... 70, 71
desvenlafaxine succinate 136
dexamethasone 82
*dexamethasone sodium
phosphate* 82, 102
dexmethylphenidate..... 60
dextroamphetamine sulfate
..... 60
dextroamphetamine-
amphetamine 60, 61
dextrose 5 % in water (d5w)
..... 44
DIACOMIT 130, 131
diazepam 23, 131
diazepam intensol..... 23
diazoxide..... 104
diclofenac epolamine 106
diclofenac potassium 106
diclofenac sodium ... 102, 107
diclofenac-misoprostol 107
dicloxacillin..... 118
dicyclomine 76
didanosine 143
DIFICID 116
diflorasone 71
diflunisal..... 107
difluprednate 102
digoxin 49
dihydroergotamine 31
DILANTIN 131
diltiazem hcl 47, 48

dilt-xr48
dimethyl fumarate61
DIPENTUM.....57
diphenoxylate-atropine76
dipyridamole197
disopyramide phosphate...45
disulfiram22
divalproex131
dofetilide45
dolishale.....122
donepezil24
DOPTELET (10 TAB PACK)
.....197
DOPTELET (15 TAB PACK)
.....197
DOPTELET (30 TAB PACK)
.....197
DOPTELET SPRINKLE ...197
dorzolamide98
dorzolamide-timolol.....98
dotti81
DOVATO143
doxazosin.....45
doxepin59, 136
doxercalciferol.....58
doxorubicin, peg-liposomal..6
doxy-100119
doxycycline hyclate.. 119, 120
doxycycline monohydrate 120
DRIZALMA SPRINKLE136
dronabinol.....33
DROPLET INSULIN
SYR(HALF UNIT).157, 158
DROPLET INSULIN
SYRINGE158, 159
DROPLET MICRON PEN
NEEDLE159
DROPLET PEN NEEDLE
.....159, 160
DROPSAFE ALCOHOL
PREP PADS160

DROPSAFE INSULIN
 SYRINGE 160
 DROPSAFE PEN NEEDLE
 160
drospirenone-ethinyl estradiol
 122
 DROXIA 195
droxidopa 45
duloxetine 136, 137
 DUPIXENT PEN 87
 DUPIXENT SYRINGE 87
dutasteride 78
dutasteride-tamsulosin 79
E
 EASY COMFORT ALCOHOL
 PAD 161
 EASY COMFORT INSULIN
 SYRINGE 161, 162
 EASY COMFORT PEN
 NEEDLES 162
 EASY COMFORT SAFETY
 PEN NEEDLE 161
 EASY GLIDE INSULIN
 SYRINGE 162
 EASY GLIDE PEN NEEDLE
 162
 EASY TOUCH 164
 EASY TOUCH ALCOHOL
 PREP PADS 163
 EASY TOUCH FLIPLOCK
 INSULIN 163, 164
 EASY TOUCH FLIPLOCK
 SYRINGE 163
 EASY TOUCH INSULIN
 SAFETY SYR 163
 EASY TOUCH INSULIN
 SYRINGE ... 162, 163, 164,
 165
 EASY TOUCH LUER LOCK
 INSULIN 164
 EASY TOUCH PEN NEEDLE
 164

EASY TOUCH SAFETY PEN
 NEEDLE 164, 165
 EASY TOUCH
 SHEATHLOCK INSULIN
 163, 164
 EASY TOUCH UNI-SLIP 165
econazole nitrate 140
 EDURANT 143
 EDURANT PED 143
efavirenz 143
efavirenz-emtricitabin-tenofo
 143
efavirenz-lamivu-tenofo
disop 143
 EGRIFTA SV 83
 EGRIFTA WR 83
 ELAHERE 6
 ELEPSIA XR 131
 ELIGARD 7
 ELIGARD (3 MONTH) 6
 ELIGARD (4 MONTH) 6
 ELIGARD (6 MONTH) 7
elimest 122
 ELIQUIS 195, 196
 ELIQUIS DVT-PE TREAT
 30D START 195
 ELIQUIS SPRINKLE 196
 ELMIRON 104
 ELREXFIO 7
eltrombopag olamine 197,
 198
eluryng 122
 EMBRACE PEN NEEDLE
 165
 EMCYT 7
 EMEND 33
 EMGALITY PEN 31
 EMGALITY SYRINGE 31
 EMRELIS 7
 EMSAM 137
emtricitabine 143

emtricitabine-tenofovir (tdf)
 143, 144
emtricitabine-tenofovir
 144
 EMTRIVA 144
emzahn 122
enalapril maleate 55
enalapril-hydrochlorothiazide
 55
 ENBREL 87
 ENBREL MINI 87
 ENBREL SURECLICK 87
endocet 109
 ENGERIX-B (PF) 93
 ENGERIX-B PEDIATRIC
 (PF) 94
enilloring 122
enoxaparin 196
enpresse 122
enskyce 122
 ENSPRYNG 61
entacapone 35
entecavir 149
 ENTRESTO 49
 ENTRESTO SPRINKLE ... 49
enulose 76
 EPCLUSA 147
 EPIDIOLEX 131
epinastine 103
epinephrine 49
epitol 131
 EPIVIR HBV 144
 EPKINLY 7
eplerenone 56
 ERBITUX 7
ergoloid 24
 ERIVEDGE 7
 ERLEADA 7
erlotinib 7
errin 122
ertapenem 114
ery pads 73

<i>erythromycin</i>	99, 117	<i>ezetimibe-simvastatin</i>	52	FINTEPLA.....	131
<i>erythromycin ethylsuccinate</i>	117	F		<i>fioricet</i>	109
<i>erythromycin with ethanol</i> .	74	FAKZYNJA.....	8	FIRMAGON KIT W DILUENT SYRINGE	8
<i>erythromycin-benzoyl peroxide</i>	74	<i>falmina (28)</i>	123	<i>flavoxate</i>	79
ERZOFRI	38	<i>famciclovir</i>	149	<i>flecainide</i>	45
<i>escitalopram oxalate</i>	137	<i>famotidine</i>	75	<i>floxuridine</i>	8
<i>eslicarbazepine</i>	131	FANAPT	38	<i>fluconazole</i>	140
<i>esomeprazole magnesium</i> 75		FANAPT TITRATION PACK A	38	<i>fluconazole in nacl (iso-osm)</i>	140
<i>estarylla</i>	122	FANAPT TITRATION PACK B	39	<i>flucytosine</i>	140
<i>estazolam</i>	24	FANAPT TITRATION PACK C	39	<i>fludrocortisone</i>	82
<i>estradiol</i>	81	FARXIGA	25	<i>flunisolide</i>	102
<i>estradiol valerate</i>	81	FASENRA	64	<i>fluocinolone</i>	71
<i>estradiol-norethindrone acet</i>	81	FASENRA PEN	64	<i>fluocinolone acetonide oil</i> 102	
<i>eszopiclone</i>	59	<i>febuxostat</i>	31	<i>fluocinonide</i>	71
<i>ethambutol</i>	142	<i>feirza</i>	123	<i>fluocinonide-emollient</i>	71
<i>ethosuximide</i>	131	<i>felbamate</i>	131	<i>fluoride (sodium)</i>	69
<i>ethynodiol diac-eth estradiol</i>	123	<i>felodipine</i>	51	<i>fluorometholone</i>	102
<i>etodolac</i>	107	FEMRING	81	<i>fluorouracil</i>	8, 73
<i>etonogestrel-ethinyl estradiol</i>	123	<i>femynor</i>	123	<i>fluoxetine</i>	137
ETOPOPHOS	7	<i>fenofibrate</i>	52	<i>fluphenazine decanoate</i>	39
<i>etoposide</i>	7	<i>fenofibrate micronized</i>	52	<i>fluphenazine hcl</i>	39
<i>etravirine</i>	144	<i>fenofibrate nanocrystallized</i>	52	<i>flurazepam</i>	24
EUCRISA	71	<i>fenofibric acid (choline)</i>	52	<i>flurbiprofen</i>	107
EULEXIN.....	7	<i>fenoprofen</i>	107	<i>flurbiprofen sodium</i>	102
<i>everolimus (antineoplastic)</i> 7, 8		<i>fentanyl</i>	109	<i>flutamide</i>	8
<i>everolimus</i> (immunosuppressive)	87	<i>fentanyl citrate</i>	109	<i>fluticasone propionate</i> 67, 71, 102	
EVOTAZ	144	FERRIPROX	112	<i>fluticasone propion-</i> <i>salmeterol</i>	67
EVRYSDI	104	<i>fesoterodine</i>	79	<i>fluvastatin</i>	52
EXEL INSULIN.....	165	FETZIMA	137	<i>fluvoxamine</i>	137
<i>exemestane</i>	8	FIASP FLEXTOUCH U-100 INSULIN	28	<i>folivane-ob</i>	200
EXTENCILLINE.....	118	FIASP PENFILL U-100 INSULIN	28	<i>fondaparinux</i>	196
EXXUA	137	FIASP PUMPCART	28	<i>fosamprenavir</i>	144
EYSUVIS.....	102	FIASP U-100 INSULIN.....	28	<i>fosfomycin tromethamine</i> 113	
EZALLOR SPRINKLE	52	<i>fidaxomicin</i>	117	<i>fosinopril</i>	55
<i>ezetimibe</i>	52	<i>finasteride</i>	79	<i>fosinopril-hydrochlorothiazide</i>	55
		<i>ingolimod</i>	61	<i>fosphenytoin</i>	131
				FOTIVDA	8

FREESTYLE PRECISION	
.....	165, 166
FRUZAQLA	8
fulvestrant	8
furosemide	54
FUZEON	144
FYARRO	8
fyavolv	81
FYCOMPA	132
G	
gabapentin	132
GALAFOLD	199
galantamine	24
gallifrey	85
GAMMAGARD S-D (IGA < 1	
MCG/ML)	88
GAMMAPLEX	88
GAMUNEX-C	88
GARDASIL 9 (PF)	94
gatifloxacin	100
GATTEX 30-VIAL	76
GAUZE BANDAGE	166
GAUZE PAD	166
gavilyte-c	78
gavilyte-g	78
gavilyte-n	78
GAVRETO	8
gefitinib	8
gemcitabine	8, 9
gemfibrozil	52
gemmily	123
generlac	76
gengraf	88
gentak	100
gentamicin	74, 100, 112
gentamicin sulfate (ped) (pf)	
.....	112
gentamicin sulfate (pf)	113
GENVOYA	144
GILOTRIF	9
glatiramer	61
glatopa	61

glimepiride	30
glipizide	30
glipizide-metformin	30
glucagon emergency kit	
(human)	104
glutamine (sickle cell)	104
glyburide	31
glyburide micronized	30, 31
glyburide-metformin	31
glycerol phenylbutyrate	76
glycopyrrolate	76
glydo	111
GLYXAMBI	25
GOMEKLI	9
granisetron hcl	33
griseofulvin microsize	140
griseofulvin ultramicrosize	
.....	140
guanfacine	45, 61
GVOKE	104
GVOKE HYOPEN 2-PACK	
.....	104
GVOKE PFS 1-PACK	
SYRINGE	104
H	
HAEGARDA	198
hailey 24 fe	123
hailey fe 1.5/30 (28)	123
hailey fe 1/20 (28)	123
halobetasol propionate	71
haloette	123
haloperidol	39
haloperidol decanoate	39
haloperidol lactate	39
HARVONI	147
HAVRIX (PF)	94
HEALTHWISE INSULIN	
SYRINGE	167
HEALTHWISE PEN NEEDLE	
.....	167
HEALTHY ACCENTS	
UNIFINE PENTIP	167

heather	123
HEMADY	82
heparin (porcine)	196
HEPLISAV-B (PF)	94
HERCEPTIN HYLECTA	9
HERNEXEOS	9
HETLIOZ LQ	59
HIBERIX (PF)	94
HUMIRA	88
HUMIRA PEN	88
HUMIRA PEN CROHNS-UC-	
HS START	88
HUMIRA PEN PSOR-	
UVEITS-ADOL HS	88
HUMIRA(CF)	89
HUMIRA(CF) PEDI CROHNS	
STARTER	88
HUMIRA(CF) PEN	88
HUMIRA(CF) PEN	
CROHNS-UC-HS	88
HUMIRA(CF) PEN	
PEDIATRIC UC	88
HUMIRA(CF) PEN PSOR-	
UV-ADOL HS	88
HUMULIN R U-500 (CONC)	
INSULIN	28
HUMULIN R U-500 (CONC)	
KWIKPEN	28
hydralazine	49
hydrochlorothiazide	54
hydrocodone-acetaminophen	
.....	109
hydrocodone-ibuprofen	109
hydrocortisone	57, 71, 72, 82
hydrocortisone butyrate	71
hydrocortisone valerate	72
hydrocortisone-acetic acid	
.....	100
hydromorphone	110
hydromorphone (pf)	110
hydroxychloroquine	34
hydroxyurea	9

<i>hydroxyzine hcl</i>	141	INGREZZA INITIATION		<i>irinotecan</i>	10
<i>hydroxyzine pamoate</i>	104	PK(TARDIV)	61	ISENTRESS	144
HYRNUO	9	INGREZZA SPRINKLE	61	ISENTRESS HD	144
I		INLEXZO	10	<i>isibloom</i>	123
<i>ibandronate</i>	58	INLURIYO	10	ISOLYTE S PH 7.4	194
IBRANCE	9	INLYTA	10	ISOLYTE-P IN 5 %	
IBTROZI	9	INPEN (FOR HUMALOG)		DEXTROSE	194
<i>ibu</i>	107	BLUE	168	ISOLYTE-S	194
<i>ibuprofen</i>	107	INPEN (NOVOLOG OR		<i>isoniazid</i>	142
<i>ibuprofen-famotidine</i>	107	FIASP) BLUE	168	<i>isosorbide dinitrate</i>	56
<i>icatibant</i>	49	INQOVI	10	<i>isosorbide mononitrate</i>	56
<i>iclevia</i>	123	INREBIC	10	<i>isosorbide-hydralazine</i>	56
ICLUSIG	9	<i>insulin asp prt-insulin aspart</i>		<i>isradipine</i>	51
<i>icosapent ethyl</i>	52		28	ITOVEBI	10
IDHIFA	9	<i>insulin aspart u-100</i>	28	<i>itraconazole</i>	140
<i>ifosfamide</i>	9	<i>insulin glargine-yfgn</i>	28, 29	IV PREP WIPES	169
ILEVRO	102	<i>insulin lispro</i>	29	<i>ivabradine</i>	49
<i>imatinib</i>	9	INSULIN SYR/NDL U100		<i>ivermectin</i>	34
IMBRUVICA	10	HALF MARK	168	IWILFIN	10
IMDELLTRA	10	INSULIN SYRINGE		IXIARO (PF)	94
<i>imipenem-cilastatin</i>	114	MICROFINE	152	J	
<i>imipramine hcl</i>	137	INSULIN SYRINGE		<i>jaimiess</i>	123
<i>imipramine pamoate</i>	137	NEEDLELESS	169	JAKAFI	10
<i>imiquimod</i>	73	INSULIN SYRINGE-NEEDLE		<i>jantoven</i>	196
IMJUDO	10	U-100 . 165, 168, 169, 173,		JANUMET	25
IMKELDI	10	175, 177, 181, 185, 186		JANUMET XR	25
IMOVAX RABIES VACCINE		INSULIN U-500 SYRINGE-		JANUVIA	25
(PF)	94	NEEDLE	169	JARDIANCE	26
IMPAVIDO	34	INSUPEN PEN NEEDLE	169	<i>jasmiel (28)</i>	123
INBRIJA	35	INTELENCE	144	JAVADIN	46
<i>incassia</i>	123	<i>introvale</i>	123	<i>javygtor</i>	199
INCONTROL ALCOHOL		INVEGA HAFYERA	39	JAYPIRCA	11
PADS	167	INVEGA SUSTENNA .. 39, 40		JEMPERLI	11
INCONTROL PEN NEEDLE		INVEGA TRINZA	40	<i>jencycla</i>	124
.....	167, 168	INVELTYS	102	JENTADUETO	26
INCRELEX	83	IPOL	94	JENTADUETO XR	26
<i>indapamide</i>	54	<i>ipratropium bromide</i> .. 68, 103		<i>jinteli</i>	81
<i>indomethacin</i>	107, 108	<i>ipratropium-albuterol</i>	68	<i>jolessa</i>	124
INFANRIX (DTAP) (PF)	94	IQIRVO	76	<i>juleber</i>	124
<i>infliximab</i>	89	<i>irbesartan</i>	50	JULUCA	144
INGREZZA	61	<i>irbesartan-</i>		<i>junel 1.5/30 (21)</i>	124
		<i>hydrochlorothiazide</i>	50	<i>junel 1/20 (21)</i>	124

<i>junel fe 1.5/30 (28)</i>	124	<i>labetalol</i>	46	<i>levonorgest-eth.estradiol-iron</i>	125
<i>junel fe 1/20 (28)</i>	124	<i>lacosamide</i>	132	<i>levonorgestrel-ethinyl estrad</i>	125
<i>junel fe 24</i>	124	<i>lactulose</i>	76	<i>levonorg-eth estrad triphasic</i>	125
JUXTAPID	53	<i>lagevrio (eua)</i>	149	<i>levora-28</i>	125
JYLAMVO	11	<i>lamivudine</i>	144	<i>levothyroxine</i>	79, 80
JYNARQUE	54	<i>lamivudine-zidovudine</i>	144	LEXIVA	145
JYNNEOS (PF)	94	<i>lamotrigine</i>	132	LIBERVANT	133
K		<i>lanreotide</i>	83	<i>lidocaine</i>	111
KALETRA	144	<i>lansoprazole</i>	75	<i>lidocaine hcl</i>	111
KALYDECO	64	<i>lanthanum</i>	78	<i>lidocaine viscous</i>	111
<i>kariva (28)</i>	124	LANTUS SOLOSTAR U-100 INSULIN	29	<i>lidocaine-prilocaine</i>	111
KATERZIA	51	LANTUS U-100 INSULIN..	29	<i>lidocan iii</i>	111
<i>kelnor 1/35 (28)</i>	124	<i>lapatinib</i>	12	LILETTA	125
<i>kelnor 1/50 (28)</i>	124	<i>larin 1.5/30 (21)</i>	124	<i>linezolid</i>	113
KERENDIA	56	<i>larin 1/20 (21)</i>	125	<i>linezolid in dextrose 5%...</i>	113
KESIMPTA PEN	62	<i>larin 24 fe</i>	125	LINZESS	76
<i>ketoconazole</i>	140	<i>larin fe 1.5/30 (28)</i>	125	<i>liomny</i>	80
<i>ketoprofen</i>	108	<i>larin fe 1/20 (28)</i>	125	<i>liothyronine</i>	80
<i>ketorolac</i>	102, 108	<i>latanoprost</i>	98	LISCO	170
KEYTRUDA	11	LAZCLUZE	12	<i>lisinopril</i>	55
KEYTRUDA QLEX	11	<i>leflunomide</i>	89	<i>lisinopril-hydrochlorothiazide</i>	55
KIMMTRAK	11	<i>lenalidomide</i>	12	LITE TOUCH INSULIN PEN NEEDLES	170
KINERET	89	LENTOCILIN S	118	LITE TOUCH INSULIN SYRINGE	170, 171
KINRIX (PF)	94	LENVIMA	12	<i>lithium carbonate</i>	62
<i>kionex (with sorbitol)</i>	76	<i>lessina</i>	125	<i>lithium citrate</i>	62
KISQALI	11	<i>letrozole</i>	12	LIVDELZI	76
KISQALI FEMARA CO-PACK	11	<i>leucovorin calcium</i>	104	LIVTENCITY	148
KLISYRI (250 MG)	73	LEUKERAN	12	LOKELMA	76
<i>klor-con m10</i>	194	LEUKINE	198	<i>lomustine</i>	12
<i>klor-con m15</i>	194	<i>leuprolide</i>	12	LONSURF	12
<i>klor-con m20</i>	194	<i>leuprolide acetate (3 month)</i>	12	<i>loperamide</i>	77
KLOXXADO	22	<i>levetiracetam</i>	132, 133	<i>lopinavir-ritonavir</i>	145
KOSELUGO	11	<i>levobunolol</i>	98	LOQTORZI	12
<i>kosher prenatal plus iron</i> ..	200	<i>levocarnitine</i>	104	<i>lorazepam</i>	24
KRAZATI	12	<i>levocarnitine (with sugar)</i>	104	<i>lorazepam intensol</i>	24
<i>kurvelo (28)</i>	124	<i>levocetirizine</i>	141	LORBRENA	12
KYLEENA	124	<i>levofloxacin</i>	119		
KYNMOBI	35	<i>levofloxacin in d5w</i>	119		
L		<i>levonest (28)</i>	125		
<i>l norgest/e.estradiol-e.estrad</i>	124				

<i>loryna</i> (28).....	125	<i>magnesium sulfate</i>	194	<i>mefloquine</i>	34
<i>losartan</i>	50	<i>malathion</i>	74	<i>megestrol</i>	14, 85
<i>losartan-hydrochlorothiazide</i>	50	<i>maraviroc</i>	145	MEKINIST	14
LOTEMAX.....	102	MARGENZA	13	MEKTOVI.....	14
LOTEMAX SM.....	102	<i>marlissa</i> (28)	126	<i>meleya</i>	126
<i>loteprednol etabonate</i>	102	<i>marnatal-f</i>	200	<i>meloxicam</i>	108
<i>lovastatin</i>	53	MARPLAN	137	<i>memantine</i>	24, 25
<i>low-ogestrel</i> (28)	125	MATULANE.....	13	<i>memantine-donepezil</i>	25
<i>loxapine succinate</i>	40	<i>matzim la</i>	48	MENACTRA (PF).....	94
<i>lo-zumandimine</i> (28)	125	MAVENCLAD (10 TABLET PACK).....	62	MENQUADFI (PF)	94
<i>lubiprostone</i>	77	MAVENCLAD (4 TABLET PACK).....	62	MENVEO A-C-Y-W-135-DIP (PF)	95
<i>luizza</i>	125	MAVENCLAD (5 TABLET PACK).....	62	<i>mercaptopurine</i>	14
LUMAKRAS	13	MAVENCLAD (6 TABLET PACK).....	62	<i>meropenem</i>	114
LUMIGAN.....	99	MAVENCLAD (7 TABLET PACK).....	62	<i>merzee</i>	126
LUNSUMIO	13	MAVENCLAD (8 TABLET PACK).....	62	<i>mesalamine</i>	57
LUPRON DEPOT.....	13, 84	MAVENCLAD (9 TABLET PACK).....	62	<i>mesna</i>	105
LUPRON DEPOT (3 MONTH)	13, 83	MAVENCLAD (10 TABLET PACK).....	62	<i>metadate er</i>	62
LUPRON DEPOT (4 MONTH)	13	MAVENCLAD (11 TABLET PACK).....	62	<i>metformin</i>	26
LUPRON DEPOT (6 MONTH)	13	MAVENCLAD (12 TABLET PACK).....	62	<i>methadone</i>	110
LUPRON DEPOT-PED	84	MAVENCLAD (13 TABLET PACK).....	62	<i>methazolamide</i>	99
LUPRON DEPOT-PED (3 MONTH)	84	MAVENCLAD (14 TABLET PACK).....	62	<i>methenamine hippurate</i> ..	113
<i>lurasidone</i>	40	MAVENCLAD (15 TABLET PACK).....	62	<i>methimazole</i>	80
<i>luteal</i> (28).....	126	MAVENCLAD (16 TABLET PACK).....	62	<i>methocarbamol</i>	200
LUTRATE DEPOT (3 MONTH)	13	MAVENCLAD (17 TABLET PACK).....	62	<i>methotrexate sodium</i>	14
LYBALVI	40	MAVENCLAD (18 TABLET PACK).....	62	<i>methotrexate sodium (pf)</i> ..	14
<i>lyleq</i>	126	MAVENCLAD (19 TABLET PACK).....	62	<i>methoxsalen</i>	73
<i>lyllana</i>	81	MAVENCLAD (20 TABLET PACK).....	62	<i>methscopolamine</i>	77
LYNOZYFIC	13	MAVENCLAD (21 TABLET PACK).....	62	<i>methsuximide</i>	133
LYNPARZA.....	13	MAVENCLAD (22 TABLET PACK).....	62	<i>methylphenidate hcl</i>	63
LYSODREN.....	13	MAVENCLAD (23 TABLET PACK).....	62	<i>methylprednisolone</i>	82
LYTGOBI.....	13	MAVENCLAD (24 TABLET PACK).....	62	<i>methylprednisolone acetate</i>	82
<i>lyza</i>	126	MAVENCLAD (25 TABLET PACK).....	62	<i>metoclopramide hcl</i>	77
M		MAVENCLAD (26 TABLET PACK).....	62	<i>metolazone</i>	54
MAGELLAN INSULIN SAFETY SYRNG	171	MAVENCLAD (27 TABLET PACK).....	62	<i>metoprolol succinate</i>	46
MAGELLAN SYRINGE ...	171	MAVENCLAD (28 TABLET PACK).....	62	<i>metoprolol ta-</i> <i>hydrochlorothiaz</i>	46
		MAVENCLAD (29 TABLET PACK).....	62	<i>metoprolol tartrate</i>	47
		MAVENCLAD (30 TABLET PACK).....	62	<i>metronidazole</i>	74, 112, 114
		MAVENCLAD (31 TABLET PACK).....	62	<i>metronidazole in nacl (iso-os)</i>	114
		MAVENCLAD (32 TABLET PACK).....	62		
		MAVENCLAD (33 TABLET PACK).....	62		
		MAVENCLAD (34 TABLET PACK).....	62		
		MAVENCLAD (35 TABLET PACK).....	62		
		MAVENCLAD (36 TABLET PACK).....	62		
		MAVENCLAD (37 TABLET PACK).....	62		
		MAVENCLAD (38 TABLET PACK).....	62		
		MAVENCLAD (39 TABLET PACK).....	62		
		MAVENCLAD (40 TABLET PACK).....	62		
		MAVENCLAD (41 TABLET PACK).....	62		
		MAVENCLAD (42 TABLET PACK).....	62		
		MAVENCLAD (43 TABLET PACK).....	62		
		MAVENCLAD (44 TABLET PACK).....	62		
		MAVENCLAD (45 TABLET PACK).....	62		
		MAVENCLAD (46 TABLET PACK).....	62		
		MAVENCLAD (47 TABLET PACK).....	62		
		MAVENCLAD (48 TABLET PACK).....	62		
		MAVENCLAD (49 TABLET PACK).....	62		
		MAVENCLAD (50 TABLET PACK).....	62		
		MAVENCLAD (51 TABLET PACK).....	62		
		MAVENCLAD (52 TABLET PACK).....	62		
		MAVENCLAD (53 TABLET PACK).....	62		
		MAVENCLAD (54 TABLET PACK).....	62		
		MAVENCLAD (55 TABLET PACK).....	62		
		MAVENCLAD (56 TABLET PACK).....	62		
		MAVENCLAD (57 TABLET PACK).....	62		
		MAVENCLAD (58 TABLET PACK).....	62		
		MAVENCLAD (59 TABLET PACK).....	62		
		MAVENCLAD (60 TABLET PACK).....	62		
		MAVENCLAD (61 TABLET PACK).....	62		
		MAVENCLAD (62 TABLET PACK).....	62		
		MAVENCLAD (63 TABLET PACK).....	62		
		MAVENCLAD (64 TABLET PACK).....	62		
		MAVENCLAD (65 TABLET PACK).....	62		
		MAVENCLAD (66 TABLET PACK).....	62		
		MAVENCLAD (67 TABLET PACK).....	62		
		MAVENCLAD (68 TABLET PACK).....	62		
		MAVENCLAD (69 TABLET PACK).....	62		
		MAVENCLAD (70 TABLET PACK).....	62		
		MAVENCLAD (71 TABLET PACK).....	62		
		MAVENCLAD (72 TABLET PACK).....	62		
		MAVENCLAD (73 TABLET PACK).....	62		
		MAVENCLAD (74 TABLET PACK).....	62		
		MAVENCLAD (75 TABLET PACK).....	62		
		MAVENCLAD (76 TABLET PACK).....	62		
		MAVENCLAD (77 TABLET PACK).....	62		
		MAVENCLAD (78 TABLET PACK).....	62		
		MAVENCLAD (79 TABLET PACK).....	62		
		MAVENCLAD (80 TABLET PACK).....	62		
		MAVENCLAD (81 TABLET PACK).....	62		
		MAVENCLAD (82 TABLET PACK).....	62		
		MAVENCLAD (83 TABLET PACK).....	62		
		MAVENCLAD (84 TABLET PACK).....	62		
		MAVENCLAD (85 TABLET PACK).....	62		
		MAVENCLAD (86 TABLET PACK).....	62		
		MAVENCLAD (87 TABLET PACK).....	62		
		MAVENCLAD (88 TABLET PACK).....	62		
		MAVENCLAD (89 TABLET PACK).....	62		
		MAVENCLAD (90 TABLET PACK).....	62		
		MAVENCLAD (91 TABLET PACK).....	62		
		MAVENCLAD (92 TABLET PACK).....	62		
		MAVENCLAD (93 TABLET PACK).....	62		
		MAVENCLAD (94 TABLET PACK).....	62		
		MAVENCLAD (95 TABLET PACK).....	62		
		MAVENCLAD (96 TABLET PACK).....	62		
		MAVENCLAD (97 TABLET PACK).....	62		
		MAVENCLAD (98 TABLET PACK).....	62		
		MAVENCLAD (99 TABLET PACK).....	62		
		MAVENCLAD (100 TABLET PACK).....	62		
		MAVENCLAD (101 TABLET PACK).....	62		
		MAVENCLAD (102 TABLET PACK).....	62		
		MAVENCLAD (103 TABLET PACK).....	62		
		MAVENCLAD (104 TABLET PACK).....	62		
		MAVENCLAD (105 TABLET PACK).....	62		
		MAVENCLAD (106 TABLET PACK).....	62		
		MAVENCLAD (107 TABLET PACK).....	62		
		MAVENCLAD (108 TABLET PACK).....	62		
		MAVENCLAD (109 TABLET PACK).....	62		
		MAVENCLAD (110 TABLET PACK).....	62		
		MAVENCLAD (111 TABLET PACK).....	62		
		MAVENCLAD (112 TABLET PACK).....	62		
		MAVENCLAD (113 TABLET PACK).....	62		
		MAVENCLAD (114 TABLET PACK).....	62		
		MAVENCLAD (115 TABLET PACK).....	62		
		MAVENCLAD (116 TABLET PACK).....	62		
		MAVENCLAD (117 TABLET PACK).....	62		
		MAVENCLAD (118 TABLET PACK).....	62		
		MAVENCLAD (119 TABLET PACK).....	62		
		MAVENCLAD (120 TABLET PACK).....	62		
		MAVENCLAD (121 TABLET PACK).....	62		
		MAVENCLAD (122 TABLET PACK).....	62		
		MAVENCLAD (123 TABLET PACK).....	62		
		MAVENCLAD (124 TABLET PACK).....	62		
		MAVENCLAD (125 TABLET PACK).....	62		
		MAVENCLAD (126 TABLET PACK).....	62		
		MAVENCLAD (127 TABLET PACK).....	62		
		MAVENCLAD (128 TABLET PACK).....	62		
		MAVENCLAD (129 TABLET PACK).....	62		
		MAVENCLAD (130 TABLET PACK).....	62		
		MAVENCLAD (131 TABLET PACK).....	62		
		MAVENCLAD (132 TABLET PACK).....	62		
		MAVENCLAD (133 TABLET PACK).....	62		
		MAVENCLAD (134 TABLET PACK).....	62		
		MAVENCLAD (135 TABLET PACK).....	62		
		MAVENCLAD (136 TABLET PACK).....	62		
		MAVENCLAD (137 TABLET PACK).....	62		
		MAVENCLAD (138 TABLET PACK).....	62		
		MAVENCLAD (139 TABLET PACK).....	62		
		MAVENCLAD (140 TABLET PACK).....	62		
		MAVENCLAD (141 TABLET PACK).....	62		
		MAVENCLAD (142 TABLET PACK).....	62		
		MAVENCLAD (143 TABLET PACK).....	62		
		MAVENCLAD (144 TABLET PACK).....	62		
		MAVENCLAD (145 TABLET PACK).....	62		
		MAVENCLAD (146 TABLET PACK).....	62		
		MAVENCLAD (147 TABLET PACK).....	62		
		MAVENCLAD (148 TABLET PACK).....	62		
		MAVENCLAD (149 TABLET PACK).....	62		
		MAVENCLAD (150 TABLET PACK).....	62		
		MAVENCLAD (151 TABLET PACK).....	62		
		MAVENCLAD (152 TABLET PACK).....	62		
		MAVENCLAD (153 TABLET PACK).....	62		
		MAVENCLAD (154 TABLET PACK).....	62		
		MAVENCLAD (155 TABLET PACK).....	62		
		MAVENCLAD (156 TABLET PACK).....	62		
		MAVENCLAD (157 TABLET PACK).....	62		
		MAVENCLAD (158 TABLET PACK).....	62		
		MAVENCLAD (159 TABLET PACK).....	62		
		MAVENCLAD (160 TABLET PACK).....	62		
		MAVENCLAD (161 TABLET PACK).....	62		
		MAVENCLAD (162 TABLET PACK).....	62		
		MAVENCLAD (163 TABLET PACK).....	62		
		MAVENCLAD (164 TABLET PACK).....	62		
		MAVENCLAD (165 TABLET PACK).....	62		
		MAVENCLAD (166 TABLET PACK).....	62		
		MAVENCLAD (167 TABLET PACK).....	62		
		MAVENCLAD (168 TABLET PACK).....	62		
		MAVENCLAD (169 TABLET PACK).....	62		
		MAVENCLAD (170 TABLET PACK).....	62		
		MAVENCLAD (171 TABLET PACK).....	62		
		MAVENCLAD (172 TABLET PACK).....	62		
		MAVENCLAD (173 TABLET PACK).....	62		
		MAVENCLAD (174 TABLET PACK).....	62		
		MAVENCLAD (175 TABLET PACK).....	62		
		MAVENCLAD (176 TABLET PACK).....	62		
		MAVENCLAD (177 TABLET PACK).....	62		
		MAVENCLAD (178 TABLET PACK).....	62		
		MAVENCLAD (179 TABLET PACK).....	62		
		MAVENCLAD (180 TABLET PACK).....	62		
		MAVENCLAD (181 TABLET PACK).....	62		
		MAVENCLAD (182 TABLET PACK).....	62		
		MAVENCLAD (183 TABLET PACK).....	62		
		MAVENCLAD (184 TABLET PACK).....	62		
		MAVENCLAD (185 TABLET PACK).....	62		
		MAVENCLAD (186 TABLET PACK).....	62		
		MAVENCLAD (187 TABLET PACK).....	62		
		MAVENCLAD (188 TABLET PACK).....	62		
		MAVENCLAD (189 TABLET PACK).....	62		
		MAVENCLAD (190 TABLET PACK).....	62		
		MAVENCLAD (191 TABLET PACK).....	62		
		MAVENCLAD (192 TABLET PACK).....	62		
		MAVENCLAD (193 TABLET PACK).....	62		
		MAVENCLAD (194 TABLET PACK).....	62		
		MAVENCLAD (195 TABLET PACK).....	62		
		MAVENCLAD (196 TABLET PACK).....	62		
		MAVENCLAD (197 TABLET PACK).....	62		
		MAVENCLAD (198 TABLET PACK).....	62		
		MAVENCLAD (199 TABLET PACK).....	62		
		MAVENCLAD (200 TABLET PACK).....	62		
		MAVENCLAD (201 TABLET PACK).....	62		
		MAVENCLAD (202 TABLET PACK).....	62		
		MAVENCLAD (203 TABLET PACK).....	62		
		MAVENCLAD (204 TABLET PACK).....	62		
		MAVENCLAD (205 TABLET PACK).....	62		
		MAVENCLAD (206 TABLET PACK).....	62		
		MAVENCLAD (207 TABLET PACK).....	62		
		MAVENCLAD (208 TABLET PACK).....	62		
		MAVENCLAD (209 TABLET PACK).....	62		
		MAVENCLAD (210 TABLET PACK).....	62		
		MAVENCLAD (211 TABLET PACK).....	62		
		MAVENCLAD (212 TABLET PACK).....	62		
		MAVENCLAD (213 TABLET PACK).....	62		
		MAVENCLAD (214 TABLET PACK).....	62		
		MAVENCLAD (215 TABLET PACK).....	62		
		MAVENCLAD (216 TABLET PACK).....	62		
		MAVENCLAD (217 TABLET PACK).....	62		
		MAVENCLAD (218 TABLET PACK).....	62		
		MAVENCLAD (219 TABLET PACK).....	62		
		MAVENCLAD (220 TABLET PACK).....	62		
		MAVENCLAD (221 TABLET PACK).....	62		
		MAVENCLAD (222 TABLET PACK).....	62		
		MAVENCLAD (223 TABLET PACK).....	62		
		MAVENCLAD (224 TABLET PACK).....	62		
		MAVENCLAD (225 TABLET PACK).....	62		
		MAVENCLAD (226 TABLET PACK).....	62		
		MAVENCLAD (227 TABLET PACK).....	62		

<i>metirosine</i>	49	<i>mono-lyyah</i>	126	<i>nefazodone</i>	137
<i>mexiletine</i>	45	<i>montelukast</i>	67	<i>neomycin</i>	113
<i>micafungin</i>	140	<i>morphine</i>	110	<i>neomycin-bacitracin-poly-hc</i>	
<i>miconazole-3</i>	140	MORPHINE	110		100
MICRODOT INSULIN PEN		<i>morphine concentrate</i>	110	<i>neomycin-bacitracin-</i>	
NEEDLE	171	MOUNJARO	26	<i>polymyxin</i>	100
MICRODOT READYGARD		MOVANTIK	77	<i>neomycin-polymyxin b-</i>	
PEN NEEDLE	172	<i>moxifloxacin</i>	100, 119	<i>dexameth</i>	100
<i>microgestin 1.5/30 (21)</i> ...	126	<i>moxifloxacin-sod.ace,sul-</i>		<i>neomycin-polymyxin-</i>	
<i>microgestin 1/20 (21)</i>	126	<i>water</i>	119	<i>gramicidin</i>	100
<i>microgestin 24 fe</i>	126	<i>moxifloxacin-</i>		<i>neomycin-polymyxin-hc</i> ...	100
<i>microgestin fe 1.5/30 (28)</i>	126	<i>sod.chloride(iso)</i>	119	<i>neo-polycin</i>	101
<i>microgestin fe 1/20 (28)</i> ..	126	MRESVIA (PF)	95	<i>neo-polycin hc</i>	100
<i>midodrine</i>	45	MULTAQ	45	NERLYNX	14
MIEBO (PF).....	103	<i>mupirocin</i>	74	NEUPRO	36
<i>mifepristone</i>	26	<i>mycophenolate mofetil</i>	89	<i>nevirapine</i>	145
<i>miglitol</i>	26	<i>mycophenolate mofetil (hcl)</i>		<i>newgen</i>	201
<i>miglustat</i>	199		89	NEXLETOL	53
<i>mili</i>	126	<i>mycophenolate sodium</i>	89	NEXLIZET.....	53
<i>mimvey</i>	82	<i>mynatal</i>	201	NEXPLANON.....	126
MINI ULTRA-THIN II	172	<i>mynatal advance</i>	201	<i>niacin</i>	53
<i>minocycline</i>	120	<i>mynatal plus</i>	201	<i>niacor</i>	53
<i>minoxidil</i>	56	<i>mynatal-z</i>	201	<i>nicardipine</i>	51
MIPLYFFA.....	149	<i>mynate 90 plus</i>	201	NICOTROL	22
MIRENA	126	MYRBETRIQ	79	NICOTROL NS	23
<i>mirtazapine</i>	137	N		<i>nifedipine</i>	51
<i>misoprostol</i>	75	<i>nabumetone</i>	108	<i>nikki (28)</i>	126
<i>mitoxantrone</i>	14	<i>nadolol</i>	47	NIKTIMVO	89
M-M-R II (PF)	95	<i>nafcillin</i>	118	<i>nilutamide</i>	14
<i>m-natal plus</i>	201	<i>naloxone</i>	22	NINLARO.....	14
<i>modafinil</i>	59	<i>naltrexone</i>	22	<i>nitazoxanide</i>	34
MODEYSO.....	14	NAMZARIC	25	<i>nitisinone</i>	199
<i>moexipril</i>	55	NANO 2ND GEN PEN		<i>nitrofurantoin macrocrystal</i>	
<i>molindone</i>	40	NEEDLE	173		114
<i>mometasone</i>	72, 102	NANO PEN NEEDLE	173	<i>nitrofurantoin monohyd/m-</i>	
MONOJECT INSULIN		<i>naproxen</i>	108	<i>cryst</i>	114
SAFETY SYRING	173	<i>naratriptan</i>	31	<i>nitroglycerin</i>	56, 105
MONOJECT INSULIN		NATACYN	100	<i>niva-plus</i>	201
SYRINGE	172, 173	<i>nateglinide</i>	26	NIVESTYM	198
MONOJECT SYRINGE... 172		NATPARA	58	<i>nizatidine</i>	75
MONOJECT ULTRA		NAYZILAM	133	NORDITROPIN FLEXP84	
COMFORT INSULIN ... 187		<i>nebivolol</i>	47		

<i>norelgestromin-ethin.estradiol</i>	126	NUCALA	65	OMNIPOD 5 G6-G7 PODS (GEN 5)	174
<i>norethindrone (contraceptive)</i>	126	NULOJIX	89	OMNIPOD 5 INTRO(G6/LIBRE2PLUS)	174
<i>norethindrone acetate</i>	85	NUPLAZID	40	OMNIPOD CLASSIC PDM KIT(GEN 3)	174
<i>norethindrone ac-eth estradiol</i>	82, 127	NURTEC ODT	31	OMNIPOD CLASSIC PODS (GEN 3)	174
<i>norethindrone-e.estradiol-iron</i>	127	<i>nyamyc</i>	140	OMNIPOD DASH INTRO KIT (GEN 4)	174
<i>norgestimate-ethinyl estradiol</i>	127	<i>nylia 1/35 (28)</i>	127	OMNIPOD DASH PDM KIT (GEN 4)	174
<i>nortrel 1/35 (21)</i>	127	<i>nylia 7/7/7 (28)</i>	127	OMNIPOD DASH PODS (GEN 4)	174
<i>nortrel 1/35 (28)</i>	127	<i>nymyo</i>	127	ONAPGO	36
<i>nortriptyline</i>	138	<i>nystatin</i>	140, 141	<i>ondansetron</i>	33
NORVIR	145	<i>nystatin-triamcinolone</i>	141	<i>ondansetron hcl</i>	33
NOVOFINE 30	173	<i>nystop</i>	141	ONGENTYS	36
NOVOFINE 32	173	NYVEPRIA	198	ONUREG	15
NOVOFINE PLUS	173	O		OPDIVO	15
NOVOLIN 70/30 U-100 INSULIN	29	<i>obstetrix dha</i>	201	OPDIVO QVANTIG	15
NOVOLIN 70-30 FLEXPEN U-100	29	<i>obstetrix dha prenatal duo</i>	201	OPDUALAG	15
NOVOLIN N FLEXPEN	29	OCALIVA	77	OPIPZA	41
NOVOLIN N NPH U-100 INSULIN	29	<i>octreotide acetate</i>	84	OPSUMIT	106
NOVOLIN R FLEXPEN	29	ODEFSEY	145	ORENCIA	89
NOVOLIN R REGULAR U100 INSULIN	29	ODOMZO	14	ORENCIA (WITH MALTOS)	89
NOVOLOG FLEXPEN U-100 INSULIN	29	OFEV	65	ORENCIA CLICKJECT	89
NOVOLOG MIX 70-30 U-100 INSULIN	29	<i>ofloxacin</i>	101	ORFADIN	199
NOVOLOG MIX 70-30FLEXPEN U-100	30	OGIVRI	14	ORGOVYX	84
NOVOLOG PENFILL U-100 INSULIN	30	OGSIVEO	14, 15	ORILISSA	84
NOVOLOG U-100 INSULIN ASPART	30	OJEMDA	15	ORKAMBI	65
NOVOTWIST	173	OJJAARA	15	<i>orquidea</i>	127
NOXAFIL	140	<i>olanzapine</i>	40, 41	ORSERDU	15
NUBEQA	14	<i>olmesartan</i>	50	<i>oseltamivir</i>	148
		<i>olmesartan-amlodipin-hcthiacid</i>	50	OSENVELT	58
		<i>olmesartan-hydrochlorothiazide</i>	50	OSMOLEX ER	36
		<i>olopatadine</i>	103	OTEZLA	89
		<i>omega-3 acid ethyl esters</i>	53	OTEZLA STARTER	89
		<i>omeprazole</i>	75	OTEZLA XR	90
		<i>omeprazole-sodium bicarbonate</i>	75	OTEZLA XR INITIATION	90
		OMNIPOD 5 (G6/LIBRE 2 PLUS)	173		
		OMNIPOD 5 G6-G7 INTRO KT(GEN5)	173		

<i>oxaliplatin</i>	15	<i>penicillamine</i>	112	<i>piroxicam</i>	108
<i>oxandrolone</i>	80	<i>penicillin g potassium</i>	118	<i>pitavastatin calcium</i>	53
<i>oxazepam</i>	24	<i>penicillin g procaine</i>	118	PLASMA-LYTE A	194
<i>oxcarbazepine</i>	133	<i>penicillin v potassium</i>	118	PLEGRIDY	63, 64
<i>oxybutynin chloride</i>	79	PENMENVY MEN A-B-C-W- Y (PF)	95	<i>pnv 29-1</i>	201
<i>oxycodone</i>	110	PENMENVY MENACWY COMPONENT(PF)	95	<i>pnv-dha + docusate</i>	201
<i>oxycodone-acetaminophen</i>	110	PENMENVY MENB COMPONENT (PF)	95	<i>pnv-omega</i>	201
<i>oxymorphone</i>	110, 111	PENTACEL (PF)	96	<i>podofilox</i>	73
OZEMPIC	26	<i>pentamidine</i>	34	<i>polycin</i>	101
P		PENTIPS PEN NEEDLE	175	<i>polymyxin b sulfate</i>	114
<i>pacerone</i>	46	<i>pentoxifylline</i>	197	<i>polymyxin b sulf-trimethoprim</i>	101
<i>paclitaxel</i>	15	<i>perampanel</i>	133	POMALYST	16
<i>paclitaxel protein-bound</i>	15	<i>perindopril erbumine</i>	55	<i>portia 28</i>	127
<i>paliperidone</i>	41	<i>periogard</i>	69	<i>posaconazole</i>	141
PALYNZIQ	199	<i>permethrin</i>	74	<i>potassium chloride</i> ...	194, 195
PANRETIN	73	<i>perphenazine</i>	41	<i>potassium chloride-0.45 %</i> nacl	195
<i>pantoprazole</i>	75	<i>perphenazine-amitriptyline</i>	138	<i>potassium citrate</i>	195
<i>paricalcitol</i>	58	PERSERIS	41	<i>pr natal 400</i>	201
<i>paroxetine hcl</i>	138	<i>phenelzine</i>	138	<i>pr natal 400 ec</i>	201
PAXLOVID	148	<i>phenobarbital</i>	133	<i>pr natal 430</i>	201
<i>pazopanib</i>	15	<i>phenytek</i>	133	<i>pr natal 430 ec</i>	201
PEDIARIX (PF)	95	<i>phenytoin</i>	133	<i>pramipexole</i>	36
PEDVAX HIB (PF)	95	<i>phenytoin sodium</i>	133	<i>prasugrel hcl</i>	197
<i>peg 3350-electrolytes</i>	78	<i>phenytoin sodium extended</i>	133	<i>pravastatin</i>	53
PEGASYS	148	<i>philith</i>	127	<i>praziquantel</i>	34
<i>peg-electrolyte soln</i>	78	PIFELTRO	145	<i>prazosin</i>	45
PEMAZYRE	16	<i>pilocarpine hcl</i>	69, 99	<i>prednisolone</i>	82
<i>pemetrexed disodium</i>	16	<i>pimecrolimus</i>	72	<i>prednisolone acetate</i>	103
PEMRYDI RTU	16	<i>pimozide</i>	41	<i>prednisolone sodium</i> phosphate	82, 83, 103
PEN NEEDLE	174, 175	<i>pimtrea (28)</i>	127	<i>prednisone</i>	83
PEN NEEDLE, DIABETIC	156, 166, 167, 172, 174, 176, 177	<i>pindolol</i>	47	<i>pregabalin</i>	133, 134
PEN NEEDLE, DIABETIC, SAFETY	177	<i>pioglitazone</i>	26	PREMARIN	82
PENBRAYA (PF)	95	<i>pioglitazone-metformin</i>	26, 27	PREMPHASE	82
PENBRAYA MENACWY COMPONENT(PF)	95	PIP PEN NEEDLE	175	PREMPRO	82
PENBRAYA MENB COMPONENT (PF)	95	<i>piperacillin-tazobactam</i>	118	<i>prena1 true</i>	201
<i>penciclovir</i>	73	PIQRAY	16	<i>prenaissance</i>	201
		<i>pirfenidone</i>	65	<i>prenaissance plus</i>	201
				<i>prenatabs fa</i>	201
				<i>prenatal 19</i>	202

<i>prenatal 19 (with docusate)</i>	<i>promethegan</i>	RELISTOR.....
..... 202	<i>propafenone</i>	<i>repaglinide</i>
<i>prenatal plus</i> 202	<i>propranolol</i>	REPATHA PUSHTRONEX 53
<i>prenatal plus (calcium carb)</i>	<i>propylthiouracil</i>	REPATHA SURECLICK.....
..... 201	PROQUAD (PF).....	REPATHA SYRINGE.....
<i>prenatal vitamin plus low iron</i>	PROSOL 20 %.....	RETACRIT.....
..... 202	<i>protriptyline</i>	RETEVMO.....
<i>prenatal-u</i> 202	PULMOZYME.....	RETROVIR.....
<i>preplus</i> 202	PURE COMFORT ALCOHOL	REVCovi.....
<i>pretab</i> 202	PADS.....	REVUFORJ.....
<i>prevalite</i> 53	PURE COMFORT PEN	REXULTI.....
PREVENT DROPSAFE PEN	NEEDLE.....	REYATAZ.....
NEEDLE.....	PURE COMFORT SAFETY	REZDIFFRA.....
PREVYMIS.....	PEN NEEDLE.....	REZLIDHIA.....
PREZCOBIX.....	<i>pyrazinamide</i>	REZUROCK.....
PREZISTA.....	<i>pyridostigmine bromide</i> ...	RHOPRESSA.....
PRIFTIN.....	<i>pyrimethamine</i>	<i>ribavirin</i>
PRIMAQUINE.....	Q	RIDAURA.....
<i>primidone</i>	QINLOCK.....	<i>rifabutin</i>
PRIORIX (PF).....	QUADRACEL (PF).....	<i>rifampin</i>
PRO COMFORT ALCOHOL	<i>quetiapine</i>	<i>rilpivirine</i>
PADS.....	<i>quinapril</i>	<i>riluzole</i>
PRO COMFORT INSULIN	<i>quinapril-hydrochlorothiazide</i>	<i>rimantadine</i>
SYRINGE.....		RINVOQ.....
PRO COMFORT PEN	<i>quinidine gluconate</i>	RINVOQ LQ.....
NEEDLE.....	<i>quinidine sulfate</i>	<i>risedronate</i>
PROAIR RESPIClick.....	<i>quinine sulfate</i>	<i>risperidone</i>
<i>probenecid</i>	QULIPTA.....	<i>risperidone microspheres</i> .41,
<i>probenecid-colchicine</i>	R	42
<i>prochlorperazine</i>	RABAVERT (PF).....	<i>ritonavir</i>
<i>prochlorperazine edisylate</i> 33,	<i>rabeprazole</i>	RITUXAN HYCELA.....
41	RALDESY.....	<i>rivaroxaban</i>
<i>prochlorperazine maleate</i> ..	<i>raloxifene</i>	<i>rivastigmine</i>
<i>procto-med hc</i>	<i>ramipril</i>	<i>rivastigmine tartrate</i>
<i>proctosol hc</i>	<i>ranolazine</i>	RIVFLOZA.....
<i>proctozone-hc</i>	<i>rasagiline</i>	<i>rizatriptan</i>
PRODIGY INSULIN	RASUVO (PF).....	<i>r-natal ob</i>
SYRINGE.....	RAYALDEE.....	ROCKLATAN.....
<i>progesterone micronized</i> ... 85	<i>reclipsen (28)</i>	<i>roflumilast</i>
PROGRAF.....	RECOMBIVAX HB (PF) ...	ROLVEDON.....
PROLASTIN-C.....	REGRANEX.....	ROMVIMZA.....
<i>promethazine</i>	RELENZA DISKHALER ..	<i>ropinirole</i>
33, 142		

<i>rosadan</i>	74	<i>sevelamer hcl</i>	78	SPRAVATO	138
<i>rosuvastatin</i>	53	SEZABY	134	<i>sprintec (28)</i>	128
<i>rosyrah</i>	128	<i>sf 5000 plus</i>	69	SPRITAM	134
ROTARIX	96	<i>sharobel</i>	128	<i>sps (with sorbitol)</i>	77
ROTATEQ VACCINE.....	96	SHINGRIX (PF)	96	<i>sronyx</i>	128
ROZLYTREK.....	17	SIGNIFOR	84	<i>ssd</i>	74
RUBRACA.....	17	<i>sildenafil (pulm.hypertension)</i>	106	<i>stavudine</i>	146
<i>rufinamide</i>	134	<i>silver sulfadiazine</i>	74	STELARA	91
RUKOBIA.....	146	SIMBRINZA	99	STERILE PADS	178
RYBELSUS	27	<i>simliya (28)</i>	128	STIOLTO RESPIMAT.....	68
RYBREVANT	17	<i>simpesse</i>	128	STIVARGA.....	17
RYBREVANT FASPRO	17	SIMPLI PEN NEEDLE	166	STOBOCLO.....	58
RYDAPT.....	17	<i>simvastatin</i>	53	STRENSIQ	199
RYKINDO.....	42	<i>sirolimus</i>	90	<i>streptomycin</i>	113
RYTELO.....	17	SIRTURO.....	142	STRIBILD.....	146
S		SKY SAFETY PEN NEEDLE	178	STRIVERDI RESPIMAT ...	68
<i>sacubitril-valsartan</i>	50	SKYLA	128	<i>subvenite</i>	134
SAFESNAP INSULIN		SKYRIZI.....	90, 91	<i>sucalfate</i>	76
SYRINGE	177	<i>sodium chloride 0.45 %</i> ..	195	<i>sulfacetamide sodium</i>	101
SAFETY PEN NEEDLE ..	177	<i>sodium chloride 0.9 %</i>	195	<i>sulfacetamide sodium (acne)</i>	74
<i>sajazir</i>	49	<i>sodium fluoride-pot nitrate</i>	69	<i>sulfacetamide-prednisolone</i>	101
SANTYL	73	<i>sodium oxybate</i>	59	<i>sulfadiazine</i>	119
<i>sapropterin</i>	199	<i>sodium phenylbutyrate</i>	77	<i>sulfamethoxazole-</i> <i>trimethoprim</i>	119
SCSEMBLIX.....	17	<i>sodium polystyrene sulfonate</i>	77	<i>sulfasalazine</i>	57
<i>scopolamine base</i>	33	<i>sodium,potassium,mag</i> <i>sulfates</i>	78	<i>sulindac</i>	108
SECUADO	42	<i>solifenacin</i>	79	<i>sumatriptan</i>	32
SECURESAFE INSULIN		SOLQUA 100/33	30	<i>sumatriptan succinate</i>	32
SYRINGE	178	SOLTAMOX	17	<i>sumatriptan-naproxen</i>	32
SECURESAFE PEN		SOMATULINE DEPOT 84, 85		<i>sunitinib malate</i>	17
NEEDLE	177	SOMAVERT	85	SUNLENCA	146
SELARSDI	90	<i>sorafenib</i>	17	SURE COMFORT ALCOHOL PREP PADS	179
<i>select-ob</i>	202	<i>sorine</i>	47	SURE COMFORT INS. SYR. U-100	178
<i>select-ob (folic acid)</i>	202	<i>sotalol</i>	47	SURE COMFORT INSULIN	
<i>selegiline hcl</i>	36	<i>sotalol af</i>	47	SYRINGE.....	178, 179
<i>selenium sulfide</i>	74	SPIRIVA RESPIMAT	68	SURE COMFORT PEN	
SELZENTRY	146	<i>spironolactone</i>	54, 56	NEEDLE.....	178, 179
<i>se-natal 19 chewable</i>	202	<i>spironolacton-</i> <i>hydrochlorothiaz</i>	54		
SEREVENT DISKUS	68				
SEROSTIM	84				
<i>sertraline</i>	138				
<i>setlakin</i>	128				
<i>sevelamer carbonate</i>	78				

SURE COMFORT SAFETY PEN NEEDLE.....	178	<i>taztia xt</i>	48	THINPRO INSULIN SYRINGE	181, 182
SURE-FINE PEN NEEDLES	179	TAZVERIK.....	18	<i>thioridazine</i>	42
SURE-JECT INSULIN SYRINGE	179	TDVAX	96	<i>thiothixene</i>	42
SURE-PREP ALCOHOL PREP PADS	180	TECENTRIQ	18	<i>tiadylt er</i>	48
<i>syeda</i>	128	TECENTRIQ HYBREZA ...	18	<i>tiagabine</i>	134
SYMDEKO	65	TECHLITE INSULIN SYRINGE	180	TIBSOVO.....	18
SYMPAZAN.....	134	TECHLITE INSULN SYR(HALF UNIT).....	180	<i>ticagrelor</i>	197
SYMTUZA.....	146	TECHLITE PEN NEEDLE	180, 181	TICE BCG.....	18
SYNAREL	85	TECHLITE PLUS PEN NEEDLE	181	TICOVAC	97
SYNJARDY	27	TECVAYLI	18	<i>tigecycline</i>	120
SYNJARDY XR	27	TEFLARO	116	<i>tilia fe</i>	128
SYNRIBO	17	<i>telmisartan</i>	50	<i>timolol</i>	99
SYRINGE WITH NEEDLE, SAFETY.....	177	<i>telmisartan-amlodipine</i>	50	<i>timolol maleate</i>	47, 99
T		<i>telmisartan-</i> <i>hydrochlorothiazid</i>	50	<i>tinidazole</i>	34
TABLOID	17	<i>temazepam</i>	24	<i>tiopronin</i>	79
TABRECTA	17	TEMIXYS	146	<i>tiotropium bromide</i>	69
<i>tacrolimus</i>	72, 91	<i>tencon</i>	111	TIVDAK.....	18
<i>tadalafil</i>	106	TENIVAC (PF).....	97	TIVICAY	146
TAFINLAR.....	18	<i>tenofovir disoproxil fumarate</i>	146	TIVICAY PD	146
<i>tafluprost (pf)</i>	99	TEPMETKO	18	<i>tizanidine</i>	200
TAGRISSO.....	18	<i>terazosin</i>	79	TOBI PODHALER.....	113
TAKHZYRO	105	<i>terbinafine hcl</i>	141	<i>tobramycin</i>	101, 113
TALVEY	18	<i>terbutaline</i>	68	<i>tobramycin in 0.225 % nacl</i>	113
TALZENNA.....	18	<i>terconazole</i>	112	<i>tobramycin sulfate</i>	113
<i>tamoxifen</i>	18	<i>teriflunomide</i>	64	<i>tobramycin-dexamethasone</i>	101
<i>tamsulosin</i>	79	<i>teriparatide</i>	58	<i>tolterodine</i>	79
<i>tarina 24 fe</i>	128	TERUMO INSULIN SYRINGE	181	<i>tolvaptan (polycys kidney dis)</i>	54
<i>tarina fe 1-20 eq (28)</i>	128	<i>testosterone</i>	80	TOPCARE CLICKFINE....	182
<i>taron-c dha</i>	202	<i>testosterone cypionate</i>	80	TOPCARE ULTRA COMFORT	182
<i>taron-prex prenatal-dha</i> ...	202	<i>testosterone enanthate</i>	80	<i>topiramate</i>	134
TASIGNA.....	18	<i>tetrabenazine</i>	64	<i>toposar</i>	19
<i>tasimelteon</i>	59	<i>tetracycline</i>	120	<i>toremifene</i>	19
TAVALISSE	195	TEVIMBRA	18	<i>torpenz</i>	19
TAVNEOS	91	THALOMID	105	<i>torse mide</i>	54
<i>taysofy</i>	128	<i>theophylline</i>	68, 69	TOUJEO MAX U-300 SOLOSTAR.....	30
<i>tazarotene</i>	74				
<i>tazicef</i>	116				

TOUJEO SOLOSTAR U-300 INSULIN	30	<i>tri-mili</i>	129	TYENNE AUTOINJECTOR	91
TRADJENTA	27	<i>trimipramine</i>	138	TYMLOS	58
<i>tramadol</i>	111	TRINTELLIX	138	TYPHIM VI.....	97
<i>tramadol-acetaminophen</i> ..	111	<i>tri-nymyo</i>	129	TYVASO	106
<i>trandolapril</i>	56	<i>tri-sprintec (28)</i>	129	U	
<i>tranexamic acid</i>	195	TRIUMEQ	146	UBRELVY	32
<i>tranylcypromine</i>	138	TRIUMEQ PD	146	UDENYCA ONBODY.....	198
TRAVASOL 10 %	44	<i>trivora (28)</i>	129	ULTICARE	185, 186
<i>travoprost</i>	99	<i>tri-vylibra</i>	129	ULTICARE INSULIN	
<i>trazodone</i>	138	<i>tri-vylibra lo</i>	129	SYRINGE	185
TRECATOR.....	142	TRIZIVIR.....	147	ULTICARE INSULN	
TRELEGY ELLIPTA	69	TROGARZO	147	SYR(HALF UNIT).....	184
TRELSTAR.....	19	TROPHAMINE 10 %.....	45	ULTICARE PEN NEEDLE	185
TREMFYA	91	<i>trosipium</i>	79	ULTICARE SAFETY PEN	
TREMFYA ONE-PRESS ...	91	TRUE COMFORT ALCOHOL		NEEDLE	185
TREMFYA PEN	91	PADS.....	182	ULTIGUARD SAFEPACK-	
TREMFYA PEN INDUCTION		TRUE COMFORT INSULIN		INSULIN SYR.....	186
PK(2PEN).....	91	SYRINGE	182	ULTIGUARD SAFEPACK-	
<i>treprostinil sodium</i>	106	TRUE COMFORT PEN		PEN NEEDLE	186
<i>tretinoin</i>	74	NEEDLE	183	ULTILET ALCOHOL SWAB	
<i>tretinoin (antineoplastic)</i>	19	TRUE COMFORT PRO			187
<i>triamcinolone acetonide</i> ...	69, 72, 83	ALCOHOL PADS.....	183	ULTILET INSULIN SYRINGE	
<i>triamterene-</i>		TRUE COMFORT PRO INS			168, 187
<i>hydrochlorothiazid</i>	54	SYRINGE	182, 183	ULTILET PEN NEEDLE ...	187
<i>triazolam</i>	24	TRUE COMFORT SAFE		ULTRA CMFT INS SYR	
<i>tridacaine ii</i>	111	INSULIN SYRG... 182, 183		(HALF UNIT).....	166, 178
<i>trientine</i>	112	TRUE COMFORT SAFETY		ULTRA COMFORT INSULIN	
<i>tri-estarylla</i>	128	PEN NEEDLE	182	SYRINGE	161, 166, 187
<i>trifluoperazine</i>	42	TRUEPLUS INSULIN	184	ULTRA FLO INSUL	
<i>trifluridine</i>	101	TRUEPLUS PEN NEEDLE		SYR(HALF UNIT).....	187
<i>trihexyphenidyl</i>	36		184	ULTRA FLO INSULIN	
TRIJARDY XR.....	27	TRULANCE	77	SYRINGE	188
TRIKAFTA	65	TRULICITY	27	ULTRA FLO PEN NEEDLE	
<i>tri-legest fe</i>	128	TRUMENBA.....	97		188
<i>tri-linyah</i>	128	TRUQAP	19	ULTRA THIN PEN NEEDLE	
<i>tri-lo-estarylla</i>	128	TRUXIMA.....	19		188
<i>tri-lo-marzia</i>	129	TUKYSA	19	ULTRACARE INSULIN	
<i>tri-lo-mili</i>	129	TURALIO	19	SYRINGE	188, 189
<i>tri-lo-sprintec</i>	129	<i>turqoz (28)</i>	129	ULTRACARE PEN NEEDLE	
<i>trimethoprim</i>	114	TWINRIX (PF).....	97		189
		TYBOST	105	ULTRA-FINE INS SYR	
		TYENNE	91, 92	(HALF UNIT)	189

ULTRA-FINE INSULIN		VALTOCO	135	<i>vilazodone</i>	139
SYRINGE	189, 190	<i>valtya</i>	129	VIMKUNYA	97
ULTRA-FINE PEN NEEDLE		<i>vancomycin</i>	114	<i>vinblastine</i>	20
.....	189	VANFLYTA	19	<i>vincasar pfs</i>	20
ULTRA-THIN II (SHORT) INS		VANISHPOINT INSULIN		<i>vincristine</i>	20
SYR	190	SYRINGE	192	<i>vinorelbine</i>	20
ULTRA-THIN II (SHORT)		VANISHPOINT SYRINGE	192	<i>violele (28)</i>	129
PEN NDL	190	VAQTA (PF)	97	VIRACEPT	147
ULTRA-THIN II INS PEN		<i>varenicline tartrate</i>	23	VIREAD	147
NEEDLES.....	190	VARIVAX (PF).....	97	<i>virt-c dha</i>	202
ULTRA-THIN II INSULIN		VAXCHORA VACCINE	97	<i>virt-nate dha</i>	202
SYRINGE	190	<i>velivet triphasic regimen (28)</i>		<i>virt-pn dha</i>	202
UNIFINE OTC PEN NEEDLE			129	<i>virt-pn plus</i>	202
.....	190	VELTASSA	78	<i>vitafol gummies</i>	202
UNIFINE PEN NEEDLE ..	190	VEMLIDY	147	<i>vitafol nano</i>	202
UNIFINE PENTIPS 174, 190,		VENCLEXTA.....	19	<i>vitafol-ob+dha</i>	202
191		VENCLEXTA STARTING		VITRAKVI	20
UNIFINE PENTIPS		PACK.....	19	VIVIMUSTA.....	20
MAXFLOW	191	<i>venlafaxine</i>	138, 139	VIVOTIF.....	98
UNIFINE PENTIPS PLUS	191	<i>venlafaxine besylate</i>	138	VIZIMPRO	20
UNIFINE PENTIPS PLUS		VEOZAH	105	VOCABRIA	147
MAXFLOW	191	<i>verapamil</i>	48	<i>volnea (28)</i>	129
UNIFINE PROTECT.....	191	VERIFINE INSULIN		VONJO	20
UNIFINE SAFECONTROL		SYRINGE	192, 193	VOQUEZNA.....	76
PEN NEEDLE.....	192	VERIFINE PEN NEEDLE		VORANIGO	20
UNIFINE ULTRA PEN			192, 193	<i>voriconazole</i>	141
NEEDLE	192	VERIFINE PLUS PEN		VOSEVI	148
UPTRAVI.....	106	NEEDLE	193	VOWST.....	105
<i>ursodiol</i>	77	VERIFINE PLUS PEN		<i>vp-ch-pnv</i>	202
<i>ustekinumab</i>	92	NEEDLE-SHARP	193	<i>vp-pnv-dha</i>	203
UZEDY	42, 43	VERQUVO	49	VRAYLAR	43
V		VERSACLOZ	43	VUMERITY	64
<i>valacyclovir</i>	149	VERSALON	193	VYALEV	36
VALCHLOR.....	73	VERZENIO	19	<i>vyfemla (28)</i>	129
<i>valganciclovir</i>	149	<i>vestura (28)</i>	129	<i>vylibra</i>	129
<i>valproate sodium</i>	134	V-GO 20.....	193	VYLOY.....	20
<i>valproic acid</i>	134	V-GO 30.....	193	VYZULTA	99
<i>valproic acid (as sodium salt)</i>		V-GO 40.....	193	W	
.....	134	<i>vienva</i>	129	<i>warfarin</i>	196
<i>valsartan</i>	50	<i>vigabatrin</i>	135	WEBCOL	193
<i>valsartan-hydrochlorothiazide</i>		<i>vigadrone</i>	135	WELIREG	20
.....	50	<i>vigoder</i>	135	WINREVAIR.....	66

<i>wixela inhub</i>	67	<i>xulane</i>	130	<i>zidovudine</i>	147
X		XULTOPHY 100/3.6	30	ZIIHERA.....	21
XALKORI.....	20	Y		<i>zingiber</i>	203
<i>xarah fe</i>	129	<i>yargesa</i>	199	<i>ziprasidone hcl</i>	43
XARELTO.....	197	YERVOY	21	<i>ziprasidone mesylate</i>	43
XARELTO DVT-PE TREAT		YESINTEK	92	ZIRABEV	21
30D START	196	YF-VAX (PF)	98	ZIRGAN	101
XATMEP	20	YONSA	21	ZOLADEX	21
XCOPRI	135	YUFLYMA(CF)	92	ZOLINZA.....	21
XCOPRI MAINTENANCE		YUFLYMA(CF) AI CROHN'S-		<i>zolmitriptan</i>	32
PACK	135	UC-HS	92	<i>zolpidem</i>	59
XCOPRI TITRATION PACK		YUFLYMA(CF)		ZONISADE	135
.....	135	AUTOINJECTOR	92	<i>zonisamide</i>	135
XDEMVY	101	<i>yuvaferm</i>	82	<i>zovia 1/35e (28)</i>	130
XELJANZ	92	Z		<i>zovia 1-35 (28)</i>	130
XELJANZ XR	92	<i>zafemy</i>	130	ZTALMY	135
XERMELO.....	78	<i>zafirlukast</i>	67	ZTLIDO	111
XGEVA	58	<i>zaleplon</i>	59	<i>zumandimine (28)</i>	130
XIFAXAN	114	<i>zatean-pn dha</i>	203	ZURZUVAE.....	139
XIGDUO XR	27	<i>zatean-pn plus</i>	203	ZYDELIG	22
XIIDRA	103	<i>zebutal</i>	111	ZYKADIA	22
XOLAIR	66	ZEJULA	21	ZYLET.....	101
XOSPATA.....	20	ZELBORAF	21	ZYNLONTA.....	22
XPOVIO	21	<i>zenatane</i>	73	ZYNYZ	22
XTANDI	21	ZENPEP	200	ZYPREXA RELPREVV	43



GOLD KIDNEY HEALTH PLAN

P.O. Box 285, Portsmouth, NH 03802



www.goldkidney.com

Este formulario fue actualizado el 02/01/2026. Para obtener información más reciente, o si tiene otras preguntas, llame a Servicios para miembros de Gold Kidney Health Plan al 1 (844) 294-6535. (Los usuarios de TTY deben llamar al 711.) Nuestro horario de atención es de 8 a.m. a 8 p.m., hora local, los 7 días a la semana desde el 1 de octubre hasta el 31 de marzo (excepto festivos), y de 8 a.m. a 8 p.m., hora local, de lunes a viernes, desde el 1 de abril hasta el 30 de septiembre (excepto festivos), o visite www.goldkidney.com.

Gold Kidney Health Plan, Inc., es un HMO-POS C-SNP con contrato de Medicare. La inscripción en Gold Kidney Health Plan depende de la renovación del contrato.